








Your first impression is that beautiful engine behind the cockpit, visible on coupe models. Why is it located there? First, this puts the weight of the engine over the rear-driving wheels to enhance traction. With the engine behind the cockpit, there's more forward visibility. And with the seats positioned closer to the front wheels, the driver and passenger are at the car's center of gravity.

The result is the kind of reflexes you'd expect from a well-honed sports car. Stingray proves that life is indeed a beautiful ride.





The eighth-generation Corvette cockpit is well-suited to enthusiast driving. Your driving position is some 40 cm forward compared to the previous generation. The low forward cowl makes it easy to see, while a racing-style steering wheel with paddle shifters keeps the view pure and also provides extra


knee room. Your rear sight lines are equally as impressive, thanks to the Rear Camera Mirror. Console controls include a push-button toggle switch gear selector and a leather-wrapped Driver Mode Selector. Finally, a flowing buttress is topped with easy-to-reach climate controls.



The Stingray coupe features a lightweight, easily removable roof panel that stows conveniently in the rear trunk. Choose from a standard body-color roof panel or available transparent or carbon-fiber versions. The coupe also has a clear glass cover to display the engine.

The Stingray convertible features a production retractable hardtop that automatically folds neatly over the engine compartment in 17 seconds and can be operated at speeds up to  $50\,\mathrm{km/h}$ .

The convertible hardtop retains the coupe's aerodynamic form and produces a similar drag coefficient with the top up. In the lowered position, the top does not intrude on trunk space. Track enthusiasts will be pleased to know that the newest convertible with the top up meets the same standards as the coupe.



A 40/60 WEIGHT

DISTRIBUTION,

FOR PERFORMANCE


PERFECTION.

For most of automotive history, engineers have sought a 50/50 weight distribution, especially for front-engine cars with rear-driving wheels. But Zora Arkus-Duntov declared a 40/60 front-to-rear weight ratio as ideal when he was developing the first Chevrolet mid-engine concept car — CERV I (Chevrolet Experimental Research Vehicle).

The newest generation of Stingray uses the same 40/60 front-to-rear weight ratio. Equally important, however, is the extraordinary rigidity of the structure itself, thanks to its architecture and materials. The Stingray structure is 30% to 50% stiffer than some well-respected competitors.

The secret is a closed center tunnel backbone conjoined by twin rails top and bottom. Many of the aluminum pieces are made with high-pressure die castings for extraordinary density. Others are made out of cast, forged or extruded aluminum. There is even a carbon-fiber rear bumper beam.

This rigid structure not only allows Stingray to change direction in heroic ways, but also quickens acceleration times.








# COILED AND READY TO DEVOUR ANY CORNER.

Quick reflexes were mandatory. The eighth-generation
Corvette features a modified SLA (short/long arm) suspension
geometry as well as coil springs on all four corners of the car.
This configuration keeps spring rates and damping low for
comfort while enabling track high-g cornering capability.

The available Magnetic Selective Ride Control™ integrates with the Driver Mode Selector to adjust ride stiffness in real time using magnetized ferrous particles in the shock fluid.

For even greater capability, the European Stingray comes standard with the Z51 Performance Package that includes Michelin Pilot Sport 4S summer-only tires<sup>1</sup>.







The control of a manual. The smoothness of an automatic. And it shifts faster than any human can, helping create the fastest-accelerating production Stingray ever. The 8-speed dual-clutch transmission is effectively two manual gearboxes that have clutches actuated by computers on a concentric shaft so there is no torque loss.


There's a shaft for even gears 2-4-6-8-R and another for odd gears 1-3-5-7. The shifting schedule aligns to your chosen Driver Mode Selector position. As you shift via the paddles, you can simultaneously engage one shaft while you're disengaging another, giving you the ultimate feeling of control.



 $\hbox{{\tt Z} MODE STEERING WHEEL BUTTON } \\$ 



8-SPEED DUAL-CLUTCH TRANSMISSION



### THE PINNACLE OF PERFORMANCE.

The architecture, structure, suspension, calibrations and software of Stingray are all ready to deliver a driving experience beyond your imagination. To reach the pinnacle, the standard Z51 Performance Package provides a group of performance enhancements, including:

- Performance brakes with larger brake rotors and performance brake pads
- Performance suspension
- Performance exhaust
- Performance final drive ratio
- Electronic Limited-Slip Differential
- Rear spoiler and front splitter
- Michelin® Pilot® Sport 4S summer-only tires¹
- Heavy-duty cooling system
- Optional with a Magnetic Selective Ride Control system that includes Performance Traction Management





## CHOOSE THE INFORMATION THAT SUITS YOUR SITUATION.

Corvette engineers recognize that you have different information needs in different driving situations. A 12" diagonal customizable gauge cluster dominates the controls with graphics that change completely depending on your selected driving mode. You can view the wide cluster display neatly framed by the racing-style steering wheel. The display itself has two panels on the left side of the tachometer and four panels with track display that you can populate with specific information or gauges using the Options menu. An 8" diagonal color touch-screen is conveniently positioned just to the right of the central cluster.

A button and pull toggle gear selector helps simplify the console area. The Driver Mode Selector features a leather-accented palm rest, while climate controls are located atop the buttress separating driver and passenger.



GEAR AND DRIVER MODE SELECTORS



CLIMATE AND SEAT CONTROLS
ATOP COCKPIT BUTTRESS



8" DIAGONAL COLOR TOUCH-SCREEN



BOSE PERFORMANCE SERIES 14-SPEAKER SYSTEM

### TECHNOLOGY

### UNTETHERED.


High performance takes on many dimensions in the Stingray. Among them is a 14-speaker Bose Performance Series, the most powerful sound system ever in a Stingray. Plus Apple CarPlay® and Android Auto™ allow you to stay connected.

Help yourself become a better driver with the standard Performance Data Recorder<sup>2</sup>. When activated, it logs video of your drive onto an SD memory card. Three modes allow you to capture video, audio, driving stats, date and time, and much more.

The Head-Up Display (HUD) system offers three distinct views for Tour, Sport and Track modes. Tour mode includes speed limit and turn-by-turn navigation prompts. Sport mode includes digital speed, tachometer and a g-force indicator. Track mode includes digital speed, tachometer, shift lights, best lap time, current lap time and gain/loss.



WIRELESS CHARGING<sup>3</sup>



PERFORMANCE DATA RECORDER

1 Vehicle user interfaces are products of Apple and Google and their terms and privacy statements apply. Requires compatible smartphone and data plan rates apply. Android Auto $^{\text{TM}}$  requires a smartphone running Android Lollipop 5.0 OS or above; Apple CarPlay $^{\text{TM}}$  requires an iPhone 5 or later. Full lists of supported apps are available at Apple.com/ios/carplay and Android.com/auto. Please note that availability of apps may vary by market. 2 The driver has to ensure compliance with privacy law and other applicable laws when using the PDR System. Such laws may in particular restrict or exclude the use of the PDR-System on public streets. 3 The system wirelessly charges one PMA- or 2 Compatible mobile device. Mobile phone must support wireless charging for functionality.




### THREE WAYS TO BECOME ONE WITH YOUR CORVETTE.

Becoming one with a car means you're properly situated behind the controls. Corvette offers three different seats for different driver preferences, all in a multitude of color combinations and contrasting color seat belts.

The GT1 seat in Mulan leather provides an intelligent balance between excellent support for enthusiastic driving and easy entry/egress for regular driving use.

The available GT2 seat in Nappa leather blends the comfort of the GT1 seat with the appearance and carbon-fiber trim of the Competition Sport seat. Sueded microfiber or two-tone leather inserts are available.

The available Competition Sport provides aggressive bolsters for track driving, with a performance textile in high-wear areas.





FRONT TRUNK



REAR TRUNK

Stingray is equipped with two trunks, one in the front and one in the rear behind the engine, for luggage, coolers, groceries and more. Both coupe and convertible offer the same feet of cargo area. The front trunk will accommodate a standard carry-on roller bag as well as a medium backpack. The rear trunk will carry up to two sets of golf clubs or the removable roof panel (coupe). This kind of versatility makes Stingray a real-world grand touring machine.



### GRAPHICS

\_



AVAILABLE¹ FULL-LENGTH DUAL RACING STRIPE PACKAGE IN EDGE ORANGE



AVAILABLE 1 STINGER HOOD STRIPES

### WHEELS

\_



19" X 8.5" FRONT AND 20" X 11" REAR 5-0PEN-SPOKE BRIGHT SILVER-PAINTED ALUMINUM WHEELS



19" X 8.5" FRONT AND 20" X 11" REAR
5-TRIDENT-SPOKE
MACHINED-FACE STERLING SILVERPAINTED ALUMINUM WHEELS<sup>1</sup>



19" X 8.5" FRONT AND 20" X 11" REAR
5-0PEN-SPOKE
CARBON FLASH-PAINTED
ALUMINUM WHEELS WITH MACHINED EDGE<sup>1</sup>



19" X 8.5" FRONT AND 20" X 11" REAR
5-TRIDENT-SPOKE
MACHINED-FACE SPECTRA GRAY-PAINTED
ALUMINUM WHEELS<sup>1</sup>

### CALIPER COLORS

\_



STANDARD BLACK-PAINTED BRAKE CALIPERS



AVAILABLE BRIGHT RED-PAINTED
BRAKE CALIPERS1



AVAILABLE EDGE RED-PAINTED BRAKE CALIPERS<sup>1</sup>



AVAILABLE EDGE YELLOW-PAINTED BRAKE CALIPERS<sup>1</sup>

SEAT BELT COLORS INTERIOR COLORS



BLACK / ORANGE / NATURAL / TENSION BLUE / TORCH RED / YELLOW



JET BLACK

2LT MULAN LEATHER | PERFORATED INSERTS
2LT/3LT NAPPA LEATHER | PERFORATED INSERTS
2LT/3LT NAPPA LEATHER | PERFORATED SUEDED MICROFIBER INSERTS<sup>1</sup>

SEATS GT1 / GT2 / COMPETITION SPORT

RECOMMENDED SEAT BELT COLORS













INTERIOR CONFIGURATIONS | SELECT EXAMPLES AND OPTIONS SHOWN



JET BLACK INTERIOR<sup>2</sup> | 3LT | NAPPA LEATHER | COMPETITION SPORT SEATS | ADRENALINE RED CUSTOM STITCHING | TORCH RED SEAT BELTS






TWO-TONE SKY COOL GRAY1







ADRENALINE RED

2LT/3LT NAPPA LEATHER | PERFORATED INSERTS

2LT/3LT NAPPA LEATHER | PERFORATED SUEDED MICROFIBER INSERTS<sup>2</sup>

2LT MULAN LEATHER | PERFORATED INSERTS

TWO-TONE ADRENALINE RED<sup>1</sup>

2LT MULAN LEATHER | PERFORATED INSERTS 2LT/3LT NAPPA LEATHER | PERFORATED INSERTS 2LT/3LT NAPPA LEATHER | PERFORATED SUEDED MICROFIBER INSERTS<sup>2</sup>

SEATS GT1 / GT2 / COMPETITION SPORT

SKY COOL GRAY

RECOMMENDED SEAT BELT COLORS



SEATS GT1 / GT2 / COMPETITION SPORT

RECOMMENDED SEAT BELT COLORS





SKY COOL GRAY INTERIOR | 2LT | MULAN LEATHER | GT1 SEATS | BLACK SEAT BELTS



ADRENALINE RED INTERIOR | 2LT | MULAN LEATHER | GT1 SEATS | TORCH RED SEAT BELTS





NATURAL

TWO-TONE NATURAL1

**3LT** NAPPA LEATHER | PERFORATED INSERTS 3LT NAPPA LEATHER | PERFORATED SUEDED MICROFIBER INSERTS3

SEATS GT1 / GT2 / COMPETITION SPORT

2LT MULAN LEATHER | PERFORATED INSERTS

2LT/3LT NAPPA LEATHER | PERFORATED INSERTS

RECOMMENDED SEAT BELT COLORS



2LT/3LT NAPPA LEATHER | PERFORATED SUEDED MICROFIBER INSERTS3













SEATS GT2 / COMPETITION SPORT

RECOMMENDED SEAT BELT COLORS












NATURAL-DIPPED<sup>2</sup>





NATURAL INTERIOR | 2LT | MULAN LEATHER | GT1 SEATS | BLACK SEAT BELTS



NATURAL-DIPPED<sup>2</sup> INTERIOR<sup>5</sup> | 3LT | NAPPA LEATHER | GT2 SEATS | NATURAL SEAT BELTS



TENSION BLUE/TWILIGHT BLUE-DIPPED1

3LT NAPPA LEATHER | PERFORATED INSERTS



MORELLO RED-DIPPED<sup>1</sup>

**3LT** NAPPA LEATHER | PERFORATED INSERTS

SEATS GT2 / COMPETITION SPORT

RECOMMENDED SEAT BELT COLOR



SEATS GT2 / COMPETITION SPORT

RECOMMENDED SEAT BELT COLORS






TENSION BLUE/TWILIGHT BLUE-DIPPED¹ INTERIOR³ | 3LT | NAPPA LEATHER | GT2 SEATS | TENSION BLUE SEAT BELTS



MORELLO RED-DIPPED¹ INTERIOR³ | 3LT | NAPPA LEATHER | GT2 SEATS | BLACK SEAT BELTS





### THE EUROPEAN CORVETTE EXPERIENCE.

The former Corvette Racing driver Oliver Gavin is ready to share his racing passion with you!

Whether you already own a Corvette or would like to experience the new Corvette Stingray up close, the Oliver Gavin Driving Academy has the right adventure in store for you. The European Corvette Experience offers a wide range of driving events, trainings, track days, and fascinating tours all over Europe.

Join the dynamic events with the new Corvette Stingray along with fellow enthusiasts and feel the passion of driving a Corvette.



Oliver Gavin - Corvette Racing's All-Time Leader
20 Seasons (2002 - 2021)
204 Starts
5 Championships
51 Wins
25 Pole Positions
5 times 24 Hours of Le Mans Winner

5 Sebring Wins



### **CHEVROLET CORVETTE STINGRAY**

Engine: 6,2 L V8 direct-injection petrol engine with variable valve timing and Active Fuel Management (cylinder deactivation technology)  Valvetrain: 0verhead valve, two valves per cylinder; dual-equal variable valve timing  Valve size (mm): 54 hollow (intake); 40.4 sodium filled (exhaust)  Bore (mm): 103,25  Stroke (mm): 92,0  Displacement (cc): 6162  Compression ratio: 11.5:1  Firing order: 1-8-7-2-6-5-4-3 (all cylinders); 1-7-6-4 (with deactivation)  Fuel requirements: Petrol	
Valvetrain:Overhead valve, two valves per cylinder; dual-equal variable valve timingValve size (mm):54 hollow (intake); 40.4 sodium filled (exhaust)Bore (mm):103,25Stroke (mm):92,0Displacement (cc):6162Compression ratio:11.5:1Firing order:1-8-7-2-6-5-4-3 (all cylinders); 1-7-6-4 (with deactivation)	
Valve size (mm):       54 hollow (intake); 40.4 sodium filled (exhaust)         Bore (mm):       103,25         Stroke (mm):       92,0         Displacement (cc):       6162         Compression ratio:       11.5:1         Firing order:       1-8-7-2-6-5-4-3 (all cylinders); 1-7-6-4 (with deactivation)	
Bore (mm):       103,25         Stroke (mm):       92,0         Displacement (cc):       6162         Compression ratio:       11.5:1         Firing order:       1-8-7-2-6-5-4-3 (all cylinders); 1-7-6-4 (with deactivation)	
Stroke (mm):92,0Displacement (cc):6162Compression ratio:11.5:1Firing order:1-8-7-2-6-5-4-3 (all cylinders); 1-7-6-4 (with deactivation)	
Displacement (cc): 6162  Compression ratio: 11.5:1  Firing order: 1-8-7-2-6-5-4-3 (all cylinders); 1-7-6-4 (with deactivation)	
Compression ratio: 11.5:1  Firing order: 1-8-7-2-6-5-4-3 (all cylinders); 1-7-6-4 (with deactivation)	
Firing order: 1-8-7-2-6-5-4-3 (all cylinders); 1-7-6-4 (with deactivation)	
Fuel requirements: Petrol	
Max. engine power (kW/HP at min <sup>-1</sup> ): 354/482 @ 6450	
Max. torque (Nm at min <sup>-1</sup> ): 613 @ 4500	
Max. engine speed (min <sup>-1</sup> ): 6600	
Top speed (km/h): 296	
Acceleration 0 - 100 km/h (sec): 3,5	
Oiling system: Dry sump-type, includes oil-spray piston cooling	
Engine oil, capacity (I): 7,1	
Cooling system capacity (I): 21,8	
Fuel tank capacity (I): 70	
FUEL CONSUMPTION AND CO, EMISSIONS (WLTP) <sup>1</sup>	
Fuel consumption, combined (I/100 km): 12,1	
CO, emission, combined (g/km): 277	
Emission class: Euro 6d	
Luio vu	
TRANSMISSION	
Transmission, type: 8-speed, dual clutch (DCT)	
Gear ratios:	
1st ratio 2,905	
2nd ratio 1,759	
3rd ratio 1,220	
4th ratio 0,878	
5th ratio 0,653	
6th ratio 0,508	
7th ratio 0,397	
·	
.,	
Reverse ratio 2,632	
Final drive ratio 5,17	
CHACCIC AND CHEDENCION	
CHASSIS AND SUSPENSION  Priva extles  Prove Wheel Priva (DWD)	
Drive axle:  Rear-Wheel Drive (RWD)  Chart / Language (RVD) double wishbook forgad eluminum upper and cost eluminum Labora lawar control or may manatube abook absorbars (Afamum)	۸۱.
Short / long arm (SLA) double wishbone, forged aluminum upper and cast aluminum Lshape lower control arms; monotube shock absorbers (46mm	11);
Magnetic Selective Ride Control and Front Lift available	stubo obook abaart
Rear suspension:  Short / long arm (SLA) double wishbone, forged aluminum upper and cast aluminum Lshape lower control arms; direct-acting stabilizer bar; mono	Trune snock absorbers
(46mm); Magnetic Selective Ride Control available	
Steering type: Variable-ratio rack-and-pinion with electric power assist; includes Active Steer Stops with available Magnetic Selective Ride Control	
Steering ratio: 15.7:1	
Turning circle, curb-to-curb (m):	
11.1 (with Magnetic Selective Ride Control)	
BRAKES AND WHEELS	
Brakes, type: Front and rear e-boost-assisted discs with Brembo four-piston monobloc caliper	
Brake rotor size, front (mm): 345 x 30	
Brake rotor size, rear (mm): 350 x 27	
Wheel size front/rear: 19 X 8.5 J / 20 X 11 J	
Michelin® Pilot® Sport 4S, 245/35ZR19 front and 305/30ZR20 rear,  Tires front/rear:	
high performance, run-flat, summer-only tires <sup>2</sup>	

<sup>1</sup> The WLTP figures shown have been measured as per the Worldwide Harmonised Light Vehicle Test Procedure (WLTP) according to Regulation (EC) No 715/2007 in the version valid for type-approval of the vehicle model concerned.

Figures shown are for comparability purposes; only compare fuel consumption and CO<sub>2</sub>-emissions figures with other vehicles tested to the same technical procedures. These figures may not reflect real life driving results, which will depend upon a number of factors including the accessories fitted (post-registration), variations in weather conditions, driving styles and vehicle load. The figures do not relate to a specific vehicle and are not part of an offer.

2 Do not use summer-only tires in winter conditions, as it would adversely affect vehicle safety, performance and durability. Use only GM-approved tire and wheel combinations. Unapproved combinations may change the vehicle's performance characteristics. For important tire and wheel information, please contact your Chevrolet Partner. Low-profile tires wear faster, and wheel and tire damage may occur on rough or damaged roads from surfaces or kerbs, debris or obstacles. This damage is not covered by the GM New Vehicle Limited Warranty.

MASSES AND DIMENSIONS <sup>3</sup>	
Mass in running order (kg):	1730 - 1740 (Coupe)
	1767 - 1775 (Convertible)
Max. permissible laden mass (kg):	1980
Max. permissible axle mass front/rear (kg):	810 / 1175
Length (mm):	4634
Width (mm):	1934
Height (mm):	1235 (Coupe)
	1234 (Convertible)
Wheelbase (mm):	2722
Track front/rear (mm):	1647 / 1590
Ground clearance, without front lift (mm):	Between the axles: 81
	Under the front axle: 135
	Under the rear axle: 127
Overhang front/rear (mm):	1037 / 875
Approach angle (degrees at base curb weight):	8,0
Departure angle (degrees at base curb weight):	13,8
Weight distribution front/rear:	40/60

### OWNER BENEFITS

We have created a comprehensive suite of owner benefits, providing everything our Chevrolet owners need and everything they deserve.

### **CHEVROLET SERVICE**

Whether you are at home or on the road, our Chevrolet Partner is there to offer you truly personal assistance. Count on us to arrange service appointments, answer questions about your new Chevrolet and ensure you are always satisfied with your ownership experience. To find your nearest Chevrolet Partner, visit www.chevroleteurope.com.

### WARRANTY

Every Chevrolet is built to the highest standards and is manufactured with the utmost care. As a Chevrolet owner, you can expect nothing less than premium service and protection. Should you experience defects in materials or through deficient workmanship your entire vehicle is backed by our no excess, Bumper-to-Bumper, Limited Chevrolet Warranty for three years or 100.000 km - whichever comes first, plus a 6-year anti-perforation corrosion warranty. Should the vehicle change owner, the warranty transfers automatically during the warranty period.

### CHEVROLET ROADSIDE ASSISTANCE

In the event of an emergency, help is only a phone call away. Contact Chevrolet Roadside Assistance, and we'll come to you as quickly as possible — 24 hours a day, 365 days a year. If we can't return you to the road straight away, we'll take you to the nearest Chevrolet Partner. Chevrolet Roadside Assistance is yours free of charge for a period of 36 months from the date of first registration. Ask your local Chevrolet Partner for details.

### ABOUT THIS BROCHURE

The information contained in this brochure was accurate at the time of going to press (September 2021). Availability, technical features and equipment provided on our vehicles can vary from one market to another and may change without prior notice. The vehicles shown in this brochure are for illustration purposes only. European specifications may vary. Some illustrations feature equipment that is not included in every model. The colors printed in the brochure only approximate actual colors.

This material shall not be reprinted, in whole or in part, without the express written permission of General Motors. We reserve the right to make changes at any time, without notice, to prices, colors, materials, equipment, specifications, models and availability.

### © 2021 General Motors. All rights reserved.

GM, the GM logo, Chevrolet, the Chevrolet logo and the slogans, emblems, vehicle model names, vehicle body designs and other marks appearing in this brochure are the trademarks of General Motors, its subsidiaries, affiliates or licensors. Bose is a registered trademark of Bose Corporation. Brembo is a registered trademark of Brembo S.p.A. Michelin and Pilot are registered trademarks of Michelin North America, Inc.

### www.chevroleteurope.com

Cadillac Europe GmbH, a company registered under the laws of Switzerland and having its registered office at Boulevard Lilienthal 6, 8152 Glattpark



### A CHAMPIONSHIP

### ITS FIRST YEAR OUT.

In the inaugural year of the all-new C8.R, Corvette Racing achieved a dream season, competing against the best Europe has to offer and clinching the 2020 GTLM Manufacturers, Drivers and Team titles for Chevrolet in the IMSA WeatherTech SportsCar Championship. Led by the yellow and silver No. 3 C8.R and the silver and yellow No. 4 C8.R, the team added to an already

impressive list of championships — 113 race victories and eight Le Mans wins since 1999, the most of any competitor. It's all for a very good reason — to make sure that Corvette remains one of the best sports cars in the world, via the technical transfer that comes from racing. Corvette fans can continue to applaud the results.

