



WHEN LIFE GIVES YOU MORE

The Chevrolet SAIL embodies the bold pioneering spirit and ingenuity which has become the hallmark of Chevrolet. Conceptualised as a stylish and muscular yet classy sedan, this car is a complete package in itself. Artistically sculptured to the tee, its muscular contours give it a classy three-dimensional trend-setting form, a feature that sets it apart in the category. Loaded with only the most-advanced safety features, superior boot space, luxuriously spacious interiors and powertrain options that are designed to exhilarate; the Chevrolet SAIL is for the urban heroes looking to conquer life.





æ

A SAFE BET

The Chevrolet SAIL comes with an unmatched set of active and passive safety features. Its Safe-Cage Design with a 3-point force dispersion structure with in-built crumple zones and side impact beam in doors provides enhanced safety for the cabin occupants. The centrally-located fuel tank fortified by cross-structures is an added protection in case of a side impact. Made of sterner stuff, well it's true.




Dual Airbags: Cushion the front seat occupants & provide protection during high speed frontal impact.



Child Protection Rear Door Locks: Prevent inadvertent door opening to protect your little ones.




Chevrolet Safe-Cage Design - Cocoon of safety





Engine Immobilizer with Remote Keyless Central Door Locking: For enhanced security of your car.





The Chevrolet SAIL is not just about styling and comfort. It's powered by the superior and spirited SMARTECH engine options – revving to go. The class-leading 1.3 ℓ SMARTECH turbo-charged diesel engine mated to the premium F17 transmission is a powertrain to be enjoyed with the assurance of superior fuel efficiency, slick gear shifts and seamless power delivery. The 1.2 ℓ SMARTECH petrol engine delivers a superior driving experience and performance with refined power delivery. Backed by the unbeaten 3 years Chevrolet Promise, Chevrolet SAIL is your partner in action – Try it. You will love it.




Assured low maintenance cost
A commitment from Chevrolet for 3 years/45,000 km
For more details, please contact your nearest
Chevrolet dealer

1.3% Turbocharged DOHC SMARTECH Diesel Engine & 1.2% DOHC SMARTECH Petrol Engine

**Chevrolet promise offer applies to the maintenance and repairs carried at the authorized service stations for a period of 3 years/45,000 km (whichever is earlier). Warranty coverage for 3 years/1,00,000 km (whichever is earlier). For details, please check www.chevrolet.co.in

SPECIFICATIONS

DIMENSIONS DIESEL PETROL Overall Length (mm) 4249 4249 Overall Width (mm) 1690 1690 Overall Height (mm) 1503 1503 Wheel Base (mm) 2465 2465 Ground Clearance (mm) 168 174 Cargo Volume (l) 370 370 Seating Capacity 5 5 ENGINE & TRANSMISSION 5 5 Cylinder Count 4 4 4 Volume (cc) 1248 1199 Max. Power (PS@rpm) 78@4000 86@6000 Max. Torque (Nm@rpm) 205@1750 113@5000 Fuel Efficiency (Km/l)* 22.1 18.2 Fuel Tank Capacity (l) 40 42 Emissions BS IV OBD II BS IV OBD II Transmission 5 MT 5 MT WEIGHT 4 1065 Gross Weight (kgs) 1519 1450 TURNING DIAMETER 1 10.3 TURNING DIAMETER 1 7 <th></th> <th></th> <th></th>			
Overall Width (mm) 1690 1690 Overall Height (mm) 1503 1503 Wheel Base (mm) 2465 2465 Ground Clearance (mm) 168 174 Cargo Volume (I) 370 370 Seating Capacity 5 5 ENGINE & TRANSMISSION Cylinder Count 4 4 Volume (cc) 1248 1199 Max. Power (PS@rpm) 78@4000 86@6000 Max. Torque (Nm@rpm) 205@1750 113@5000 Fuel Efficiency (Km/I)* 22.1 18.2 Fuel Tank Capacity (I) 40 42 Emissions BS IV OBD II BS IV OBD II Transmission 5 MT 5 MT WEIGHT Kerb Weight (kgs) 1124 1065 Gross Weight (kgs) 1519 1450 TURNING DIAMETER Turning Diameter (m) 10.3 10.3 SUSPENSION & BRAKES Front Suspension MacPherson Struts MacPherson Struts </td <td>DIMENSIONS</td> <td>DIESEL</td> <td>PETROL</td>	DIMENSIONS	DIESEL	PETROL
Overall Height (mm) 1503 1503 Wheel Base (mm) 2465 2465 Ground Clearance (mm) 168 174 Cargo Volume (I) 370 370 Seating Capacity 5 5 ENGINE & TRANSMISSION Cylinder Count 4 4 Volume (cc) 1248 1199 Max. Power (PS@rpm) 78@4000 86@6000 Max. Torque (Nm@rpm) 205@1750 113@5000 Fuel Efficiency (Km/I)* 22.1 18.2 Fuel Tank Capacity (I) 40 42 Emissions BS IV OBD II BS IV OBD II Transmission 5 MT 5 MT WEIGHT 5 MT 5 MT WEIGHT Kerb Weight (kgs) 1124 1065 Gross Weight (kgs) 1519 1450 TURNING DIAMETER Turning Diameter (m) 10.3 10.3 SUSPENSION & BRAKES Front Suspension MacPherson Struts MacPherson Struts Rear Suspension	Overall Length (mm)	4249	4249
Wheel Base (mm) 2465 2465 Ground Clearance (mm) 168 174 Cargo Volume (I) 370 370 Seating Capacity 5 5 ENGINE & TRANSMISSION Cylinder Count 4 4 Volume (cc) 1248 1199 Max. Power (PS@rpm) 78@4000 86@6000 Max. Torque (Nm@rpm) 205@1750 113@5000 Fuel Efficiency (Km/I)* 22.1 18.2 Fuel Tank Capacity (I) 40 42 Emissions BS IV OBD II BS IV OBD II Transmission 5 MT 5 MT WEIGHT Kerb Weight (kgs) 1124 1065 Gross Weight (kgs) 1519 1450 TURNING DIAMETER Turning Diameter (m) 10.3 10.3 SUSPENSION & BRAKES Front Suspension MacPherson Struts MacPherson Struts Rear Suspension Torsion Beam Axle Torsion Beam Axle Front and Rear Shock Absorbers Gas Filled Shock Absorbers	Overall Width (mm)	1690	1690
Ground Clearance (mm) 168 174 Cargo Volume (I) 370 370 Seating Capacity 5 5 ENGINE & TRANSMISSION Cylinder Count 4 4 Volume (cc) 1248 1199 Max. Power (PS@rpm) 78@4000 86@6000 Max. Torque (Nm@rpm) 205@1750 113@5000 Fuel Efficiency (Km/I)* 22.1 18.2 Fuel Tank Capacity (I) 40 42 Emissions BS IV OBD II BS IV OBD II Transmission 5 MT 5 MT WEIGHT Kerb Weight (kgs) 1124 1065 Gross Weight (kgs) 1519 1450 TURNING DIAMETER Turning Diameter (m) 10.3 10.3 SUSPENSION & BRAKES Front Suspension MacPherson Struts MacPherson Struts Rear Suspension Torsion Beam Axle Torsion Beam Axle Front and Rear Shock Absorbers Gas Filled Shock Absorbers Gas Filled Shock Absorbers Brakes (Front	Overall Height (mm)	1503	1503
Cargo Volume (I) 370 370 Seating Capacity 5 5 ENGINE & TRANSMISSION Cylinder Count 4 4 Volume (cc) 1248 1199 Max. Power (PS@rpm) 78@4000 86@6000 Max. Torque (Nm@rpm) 205@1750 113@5000 Fuel Efficiency (Km/I)* 22.1 18.2 Fuel Tank Capacity (I) 40 42 Emissions BS IV 0BD II BS IV 0BD II Transmission 5 MT 5 MT WEIGHT Kerb Weight (kgs) 1124 1065 Gross Weight (kgs) 1519 1450 TURNING DIAMETER Turning Diameter (m) 10.3 10.3 SUSPENSION & BRAKES Front Suspension MacPherson Struts MacPherson Struts Rear Suspension Torsion Beam Axle Torsion Beam Axle Front and Rear Shock Absorbers Gas Filled Shock Absorbers Gas Filled Shock Absorbers Brakes (Front & Rear) Front: Disk Rear: Drum Front: Disk Rear: Drum<	Wheel Base (mm)	2465	2465
Seating Capacity 5 5 ENGINE & TRANSMISSION Cylinder Count 4 4 Volume (cc) 1248 1199 Max. Power (PS@rpm) 78@4000 86@6000 Max. Torque (Nm@rpm) 205@1750 113@5000 Fuel Efficiency (Km/l)* 22.1 18.2 Fuel Tank Capacity (I) 40 42 Emissions BS IV OBD II BS IV OBD II Transmission 5 MT 5 MT WEIGHT Kerb Weight (kgs) 1124 1065 Gross Weight (kgs) 1519 1450 TURNING DIAMETER Turning Diameter (m) 10.3 10.3 SUSPENSION & BRAKES Front Suspension MacPherson Struts MacPherson Struts Rear Suspension Torsion Beam Axle Torsion Beam Axle Front and Rear Shock Absorbers Gas Filled Shock Absorbers Gas Filled Shock Absorbers Brakes (Front & Rear) Front: Disk Rear: Drum Front: Disk Rear: Drum WHEELS & TYRES	Ground Clearance (mm)	168	174
Cylinder Count 4	Cargo Volume (I)	370	370
Cylinder Count 4 4 Volume (cc) 1248 1199 Max. Power (PS@rpm) 78@4000 86@6000 Max. Torque (Nm@rpm) 205@1750 113@5000 Fuel Efficiency (Km/I)* 22.1 18.2 Fuel Tank Capacity (I) 40 42 Emissions BS IV OBD II BS IV OBD II Transmission 5 MT 5 MT WEIGHT Kerb Weight (kgs) 1124 1065 Gross Weight (kgs) 1519 1450 TURNING DIAMETER Turning Diameter (m) 10.3 10.3 SUSPENSION & BRAKES Front Suspension MacPherson Struts MacPherson Struts Rear Suspension Torsion Beam Axle Torsion Beam Axle Front and Rear Shock Absorbers Passive Twin-Tube Gas Filled Shock Absorbers Passive Twin-Tube Gas Filled Shock Absorbers Brakes (Front & Rear) Front: Disk Rear: Drum Front: Disk Rear: Drum WHEELS & TYRES Wheel 14 X 5.5J 14 X 5.5J Tyre S	Seating Capacity	5	5
Volume (cc) 1248 1199 Max. Power (PS@rpm) 78@4000 86@6000 Max. Torque (Nm@rpm) 205@1750 113@5000 Fuel Efficiency (Km/I)* 22.1 18.2 Fuel Tank Capacity (I) 40 42 Emissions BS IV OBD II BS IV OBD II Transmission 5 MT 5 MT WEIGHT Kerb Weight (kgs) 1124 1065 Gross Weight (kgs) 1519 1450 TURNING DIAMETER Turning Diameter (m) 10.3 10.3 SUSPENSION & BRAKES Front Suspension MacPherson Struts MacPherson Struts Rear Suspension Torsion Beam Axle Torsion Beam Axle Front and Rear Shock Absorbers Passive Twin-Tube Gas Filled Shock Absorbers Passive Twin-Tube Gas Filled Shock Absorbers Brakes (Front & Rear) Front: Disk Rear: Drum Front: Disk Rear: Drum WHEELS & TYRES Wheel 14 X 5.5J 14 X 5.5J Tyre Size 175/70 R14 175/70 R14	ENGINE & TRANSMISSION		
Max. Power (PS@rpm) 78@4000 86@6000 Max. Torque (Nm@rpm) 205@1750 113@5000 Fuel Efficiency (Km/I)* 22.1 18.2 Fuel Tank Capacity (I) 40 42 Emissions BS IV OBD II BS IV OBD II Transmission 5 MT 5 MT WEIGHT Kerb Weight (kgs) 1124 1065 Gross Weight (kgs) 1519 1450 TURNING DIAMETER Turning Diameter (m) 10.3 10.3 SUSPENSION & BRAKES Front Suspension MacPherson Struts MacPherson Struts Rear Suspension Torsion Beam Axle Torsion Beam Axle Front and Rear Shock Absorbers Passive Twin-Tube Gas Filled Shock Absorbers Gas Filled Shock Absorbers Brakes (Front & Rear) Front: Disk Rear: Drum Front: Disk Rear: Drum WHEELS & TYRES Wheel 14 X 5.5J 14 X 5.5J Tyre Size 175/70 R14 175/70 R14	Cylinder Count	4	4
Max. Torque (Nm@rpm) 205@1750 113@5000 Fuel Efficiency (Km/l)* 22.1 18.2 Fuel Tank Capacity (I) 40 42 Emissions BS IV 0BD II BS IV 0BD II Transmission 5 MT 5 MT WEIGHT Kerb Weight (kgs) 1124 1065 Gross Weight (kgs) 1519 1450 TURNING DIAMETER Turning Diameter (m) 10.3 10.3 SUSPENSION & BRAKES Front Suspension MacPherson Struts MacPherson Struts Rear Suspension Torsion Beam Axle Torsion Beam Axle Front and Rear Shock Absorbers Passive Twin-Tube Gas Filled Shock Absorbers Passive Twin-Tube Gas Filled Shock Absorbers Brakes (Front & Rear) Front: Disk Rear: Drum Front : Disk Rear: Drum WHEELS & TYRES Wheel 14 X 5.5J 14 X 5.5J Tyre Size 175/70 R14 175/70 R14	Volume (cc)	1248	1199
Fuel Efficiency (Km/I)* 22.1 18.2 Fuel Tank Capacity (I) 40 42 Emissions BS IV OBD II BS IV OBD II Transmission 5 MT 5 MT WEIGHT Kerb Weight (kgs) 1124 1065 Gross Weight (kgs) 1519 1450 TURNING DIAMETER Turning Diameter (m) 10.3 10.3 SUSPENSION & BRAKES Front Suspension MacPherson Struts MacPherson Struts Rear Suspension Torsion Beam Axle Torsion Beam Axle Front and Rear Shock Absorbers Passive Twin-Tube Gas Filled Shock Absorbers Passive Twin-Tube Gas Filled Shock Absorbers Brakes (Front & Rear) Front: Disk Rear: Drum Front: Disk Rear: Drum WHEELS & TYRES Wheel 14 X 5.5J 14 X 5.5J Tyre Size 175/70 R14 175/70 R14	Max. Power (PS@rpm)	78@4000	86@6000
Fuel Tank Capacity (I) Emissions BS IV OBD II BS IV OBD II Transmission 5 MT 5 MT WEIGHT Kerb Weight (kgs) 1124 1065 Gross Weight (kgs) 1519 1450 TURNING DIAMETER Turning Diameter (m) 10.3 SUSPENSION & BRAKES Front Suspension MacPherson Struts Rear Suspension MacPherson Struts Rear Suspension Torsion Beam Axle Front and Rear Shock Absorbers Brakes (Front & Rear) Front: Disk Rear: Drum WHEELS & TYRES Wheel 14 X 5.5J Tyre Size 175/70 R14 175/70 R14	Max. Torque (Nm@rpm)	205@1750	113@5000
Emissions BS IV OBD II Transmission 5 MT 5 MT WEIGHT Kerb Weight (kgs) 1124 1065 Gross Weight (kgs) 1519 1450 TURNING DIAMETER Turning Diameter (m) 10.3 SUSPENSION & BRAKES Front Suspension MacPherson Struts Rear Suspension MacPherson Struts MacPherson Struts MacPherson Struts Front and Rear Shock Absorbers Brakes (Front & Rear) Front: Disk Rear: Drum WHEELS & TYRES Wheel 14 X 5.5J Tyre Size 175/70 R14 175/70 R14	Fuel Efficiency (Km/l)*	22.1	18.2
Transmission 5 MT 5 MT WEIGHT Kerb Weight (kgs) 1124 1065 Gross Weight (kgs) 1519 1450 TURNING DIAMETER Turning Diameter (m) 10.3 10.3 SUSPENSION & BRAKES Front Suspension MacPherson Struts MacPherson Struts Rear Suspension Torsion Beam Axle Torsion Beam Axle Front and Rear Shock Absorbers Gas Filled Shock Absorbers Brakes (Front & Rear) Front: Disk Rear: Drum Front: Disk Rear: Drum WHEELS & TYRES Wheel 14 X 5.5J 14 X 5.5J Tyre Size 175/70 R14 175/70 R14	Fuel Tank Capacity (I)	40	42
WEIGHTKerb Weight (kgs)11241065Gross Weight (kgs)15191450TURNING DIAMETERTurning Diameter (m)10.310.3SUSPENSION & BRAKESFront SuspensionMacPherson StrutsMacPherson StrutsRear SuspensionTorsion Beam AxleTorsion Beam AxleFront and Rear Shock AbsorbersPassive Twin-Tube Gas Filled Shock AbsorbersPassive Twin-Tube Gas Filled Shock AbsorbersBrakes (Front & Rear)Front: Disk Rear: DrumFront: Disk Rear: DrumWHEELS & TYRESWheel14 X 5.5J14 X 5.5JTyre Size175/70 R14175/70 R14	Emissions	BS IV OBD II	BS IV OBD II
Kerb Weight (kgs)11241065Gross Weight (kgs)15191450TURNING DIAMETERTurning Diameter (m)10.310.3SUSPENSION & BRAKESFront SuspensionMacPherson StrutsMacPherson StrutsRear SuspensionTorsion Beam AxleTorsion Beam AxleFront and Rear Shock AbsorbersPassive Twin-Tube Gas Filled Shock AbsorbersPassive Twin-Tube Gas Filled Shock AbsorbersBrakes (Front & Rear)Front: Disk Rear: DrumFront: Disk Rear: DrumWHEELS & TYRESWheel14 X 5.5J14 X 5.5JTyre Size175/70 R14175/70 R14	Transmission	5 MT	5 MT
Gross Weight (kgs) 1519 1450 TURNING DIAMETER Turning Diameter (m) 10.3 10.3 SUSPENSION & BRAKES Front Suspension MacPherson Struts MacPherson Struts Rear Suspension Torsion Beam Axle Torsion Beam Axle Front and Rear Shock Absorbers Gas Filled Shock Absorbers Brakes (Front & Rear) Front: Disk Rear: Drum Front: Disk Rear: Drum WHEELS & TYRES Wheel 14 X 5.5J 14 X 5.5J Tyre Size 175/70 R14 175/70 R14	WEIGHT		
TURNING DIAMETER Turning Diameter (m) 10.3 10.3 SUSPENSION & BRAKES Front Suspension MacPherson Struts MacPherson Struts Rear Suspension Torsion Beam Axle Torsion Beam Axle Front and Rear Shock Absorbers Gas Filled Shock Absorbers Brakes (Front & Rear) Front: Disk Rear: Drum Front: Disk Rear: Drum WHEELS & TYRES Wheel 14 X 5.5J 14 X 5.5J Tyre Size 175/70 R14	Kerb Weight (kgs)	1124	1065
Turning Diameter (m) 10.3 10.3 SUSPENSION & BRAKES Front Suspension MacPherson Struts MacPherson Struts Rear Suspension Torsion Beam Axle Torsion Beam Axle Front and Rear Shock Absorbers Gas Filled Shock Absorbers Brakes (Front & Rear) Front: Disk Rear: Drum Front: Disk Rear: Drum WHEELS & TYRES Wheel 14 X 5.5J 14 X 5.5J Tyre Size 175/70 R14 175/70 R14	Gross Weight (kgs)	1519	1450
SUSPENSION & BRAKES Front Suspension MacPherson Struts MacPherson Struts Rear Suspension Torsion Beam Axle Torsion Beam Axle Front and Rear Shock Absorbers Passive Twin-Tube Gas Filled Shock Absorbers Brakes (Front & Rear) Front: Disk Rear: Drum Front: Disk Rear: Drum WHEELS & TYRES Wheel 14 X 5.5J 14 X 5.5J Tyre Size 175/70 R14 175/70 R14	TURNING DIAMETER		
Front SuspensionMacPherson StrutsMacPherson StrutsRear SuspensionTorsion Beam AxleTorsion Beam AxleFront and Rear Shock AbsorbersPassive Twin-Tube Gas Filled Shock AbsorbersPassive Twin-Tube Gas Filled Shock AbsorbersBrakes (Front & Rear)Front: Disk Rear: DrumFront: Disk Rear: DrumWHEELS & TYRESWheel14 X 5.5J14 X 5.5JTyre Size175/70 R14175/70 R14	Turning Diameter (m)	10.3	10.3
Rear SuspensionTorsion Beam AxleTorsion Beam AxleFront and Rear Shock AbsorbersPassive Twin-Tube Gas Filled Shock AbsorbersPassive Twin-Tube Gas Filled Shock AbsorbersBrakes (Front & Rear)Front: Disk Rear: DrumFront: Disk Rear: DrumWHEELS & TYRESWheel14 X 5.5J14 X 5.5JTyre Size175/70 R14175/70 R14	SUSPENSION & BRAKES		
Front and Rear Shock Absorbers Passive Twin-Tube Gas Filled Shock Absorbers Brakes (Front & Rear) Front: Disk Rear: Drum WHEELS & TYRES Wheel 14 X 5.5J Tyre Size Passive Twin-Tube Gas Filled Shock Absorbers Front: Disk Rear: Drum Front: Disk Rear: Drum Front: Disk Rear: Drum 14 X 5.5J 175/70 R14	Front Suspension	MacPherson Struts	MacPherson Struts
Brakes (Front & Rear) WHEELS & TYRES Wheel 14 X 5.5J Tyre Size Gas Filled Shock Absorbers Gas Filled Shock Absorbers Gas Filled Shock Absorbers Front: Disk Rear: Drum Front: Disk Rear: Drum Front : Disk Rear: Drum 14 X 5.5J 14 X 5.5J 175/70 R14	Rear Suspension	Torsion Beam Axle	Torsion Beam Axle
WHEELS & TYRES Wheel 14 X 5.5J 14 X 5.5J Tyre Size 175/70 R14 175/70 R14	Front and Rear Shock Absorbers		Passive Twin-Tube Gas Filled Shock Absorbers
Wheel 14 X 5.5J 14 X 5.5J Tyre Size 175/70 R14 175/70 R14	Brakes (Front & Rear)	Front: Disk Rear: Drum	Front : Disk Rear: Drum
Tyre Size 175/70 R14 175/70 R14	WHEELS & TYRES		
<u> </u>	Wheel	14 X 5.5J	14 X 5.5J
Type Tubeless Tubeless	Tyre Size	175/70 R14	175/70 R14
	Туре	Tubeless	Tubeless




FEATURES

FEATURES	SAIL DIESEL				SAIL PETROL					
FEATURES	PS	LS	LS ABS	LT ABS	PS		LS ABS			
EXTERIOR	P3	L3	F2 VR2	LI ABS	75	L3	F2 VR2	LI ABS		
Dual Port Front Grille with Golden Chevrolet Bowtie	✓	✓	✓	✓	✓	1	✓	✓		
Chrome Radiator Front Grille	✓	✓	✓	✓	✓	✓	✓	√		
Hawk Wing Style Headlamps	√	√	√	✓	✓	✓	✓	√		
Body Colour Front & Rear Bumpers	√	√	√	✓	√	✓	√	√		
Body Colour Outside Door Handles		✓	✓	✓		✓	✓	√		
Full Wheel Cover		✓	✓			✓	✓			
Roof Antenna		✓	✓	✓		✓	✓	✓		
Body Colour Outside Rear View Mirrors		✓	✓	✓		✓	✓	✓		
Shooting Star Style Foglamps				✓				✓		
Alloy Wheels#				✓				✓		
INTERIOR										
Dual Tone Interior (Coffee Beige)	✓	✓	✓	✓	✓	✓	✓	✓		
Fabric Upholstery	✓	✓	✓	✓	✓	✓	✓	✓		
Three Spoke Sporty Steering Wheel	✓	✓	✓	✓	✓	✓	✓	✓		
Center Stack Bezel with Metallic Paint	✓	✓	✓	✓	✓	✓	✓	✓		
High Volume Glove Box	✓	✓	✓	✓	✓	✓	✓	✓		
Cup Holders in Front Console	✓	✓	✓	✓	✓	✓	✓	✓		
Front Door Map Pockets	✓	✓	✓	✓	✓	✓	✓	✓		
Amber Colour Interior Illumination	✓	✓	✓	✓	✓	✓	✓	✓		
Front Seat Back Pockets	✓	✓	✓	✓	✓	✓	✓	✓		
Chrome Inside Door Handles		✓	✓	✓		✓	✓	✓		
Chrome Parking Brake Button		✓	✓	✓		✓	✓	✓		
Leather Wrapped Steering Wheel		✓	✓	✓		✓	✓	✓		
Metallic Paint on AC Vents		✓	✓	✓		✓	✓	✓		
Leather Gearknob				✓				✓		
COMFORT & CONVENIENCE										
Power Steering	✓	✓	✓	✓	✓	✓	✓	✓		
Air Conditioner with Heater	✓	✓	✓	✓	✓	✓	✓	✓		
Front Power Windows	✓	✓	✓	✓	✓	✓	✓	✓		
Power Adjustable Outside Mirrors	✓	✓	✓	✓	✓	✓	✓	✓		
Tilt Steering	✓	✓	✓	✓	✓	✓	✓	✓		
Day & Night Inside Rear View Mirror	✓	✓	✓	✓	✓	✓	✓	✓		
Rear Seat Armrest with Cupholders	✓	✓	✓	✓	✓	✓	✓	✓		
Front Height Adjustable Headrests	✓	✓	✓	✓	✓	✓	✓	✓		
Remote Fuel Filler and Tailgate Release	✓	✓	✓	✓	✓	✓	✓	✓		
Rear Seat Integrated Headrest	✓	✓	✓	✓	✓	✓	✓	✓		
Co-driver Side Sunvisor with Vanity Mirror	✓	✓	✓	✓	✓	✓	✓	✓		
Interior Courtesy Lamp	✓	✓	✓	✓	✓	✓	✓	✓		
Luggage Compartment Lamp	✓	✓	✓	✓	✓	✓	✓	✓		
Digital Tachometer	✓	✓	✓	✓	✓	✓	✓	✓		

		SAIL DIESEL			SAIL PETROL				
	PS	LS	LS ABS	LT ABS	PS	LS	LS ABS	LT ABS	
Ashtray	✓	✓	✓	✓	✓	✓	✓	✓	
Rear Power Windows		✓	✓	✓		✓	✓	√	
Central Door Locking		✓	✓	✓		✓	✓	√	
Digital Clock on Audio Display			✓	✓			✓	✓	
Remote Keyless Entry				✓				√	
Rear Defogger				✓				✓	
Cigar Lighter				✓				<u>√</u>	
FUN WIDE AUDIO SYSTEM									
Integrated Audio System with Radio, MP3 & CD Player			✓	✓			✓	✓	
4 Speakers (2 Front & 2 Rear)			✓	✓			✓	✓	
Auxiliary Input & USB Socket			✓	✓			✓	√	
Bluetooth®^			✓	✓			✓	✓	
Mobile Music Streaming			✓	✓			✓	√	
Mobile Handsfree			✓	✓			✓	√	
Phone Pairing (5 Phones)			✓	✓			√	√	
Automatic Reconnection			✓	✓			✓	√	
Make/Receive a Call			✓	✓			✓	√	
End a Call/Reject a Call			✓	√			√	√	
Caller ID			✓	✓			✓	√	
SAFETY									
Safe Cage Body Structure	✓	✓	✓	✓	✓	√	√	√	
Engine Immobilizer	✓	✓	✓	✓	✓	✓	✓	✓	
Front Seat Belts - 3 Point ELR	✓	√	✓	√	√	√	✓	√	
Driver Seatbelt Reminder	✓	✓	✓	√	✓	✓	✓	√	
Key In Reminder	✓	√	√	√	√	√	√	√	
Door Ajar Warning Lamp	✓	√	√	√	√	√	√	√	
Centrally Located High - Mount Stop Lamp	✓	√	✓	✓	√	√	✓	√	
Dual Horn	✓	✓	✓	✓	✓	√	✓	✓	
Side Impact Front & Rear Door Beam	✓	√	✓	√	✓	√	✓	√	
Rear Seat Child-Protection Door Locks	✓	√	√	√	✓	✓	√	√	
Driver Airbag		√	√	√		√	√		
Speed Sensitive Door Autolock		√	√	√		√	√		
ABS + EBD			√	√			√		
Passenger Airbag				<u> </u>			•		
Front Seatbelt with Pretensioners				<u> </u>					

Features mentioned and accessories will vary by model and may not be a part of the standard equipment. Some features shown are optional and may be available only on selected models. For full terms and conditions, please visit your nearest dealership or visit our company website www.chevrolet.co.in. ^ Compatibility dependent upon Mobile Phone. # Set of four.





Assured low maintenance cost
A commitment from Chevrolet for 3 years/45,000 km
For more details, please contact your nearest

WARRANTY: 3 years/100,000 km (whichever is earlier)







Insist on Chevrolet Genuine Accessories from our authorized dealers. One year/20,000 km warranty on accessories.



E-mail gmi.cac@gm.com. or visit our website at www.chevrolet.co.in.

Chevrolet Sales India Pvt. Ltd. Regd. office & works: Block B, Chandrapura Industrial Estate Halol - 389351, Dist. Panchmahals, Gujarat

**Chevrolet promise offer applies to the maintenance and repairs carried at the authorized service stations for a period of 3 years/45,000 km (whichever is earlier). Warranty coverage for 3 years/1,00,000 km (whichever is earlier). Colors and specifications are subject to change without prior notice. Colors shown may not match the actual colours due to printing limitations. Chevrolet is a registered trademark of General Motors Company. *As certified by certification test agency as per rule 115 of CMVR. As per mileage figures released by iCAT. Not Available in LPG. For details, please check www.chevrolet.co.in

AD001121 March 2013



