



You're up before dawn, a new contract to start and two others to finish. You'll be there on time because it's your reputation and you've always been true to your work and your word. You've learnt that

hard work beats talent when talent doesn't work hard. As your Dad used to say, overnight success always takes a long time. There's another success story on the road with you this morning. Like you,

its reputation has been built off the back of hard work and the belief that diamonds are nothing more than chunks of coal that stuck to their work.

The new Mitsubishi Express Van.

Wide open spaces WITH AN ENORMOUS 6M3 OF CARGO SPACE (LWB), EXPRESS IS EASY TO LOAD THROUGH EITHER THE REAR BARN DOORS OR THE DUAL SLIDING DOORS. » MODEL SHOWN Express SWB in White Solid with optional accessories.

Delivers for you



» MODEL SHOWN Express SWB in White Solid with optional accessories.

EXPRESS IS THE ALL-NEW PANEL VAN IDEALLY SUITED FOR KIWI CITY DELIVERIES.

With dual sliding doors and rear barn doors, you'll find everything on board is within easy reach.

For added convenience the rear bumper has an integrated foot step for easy loading and unloading.

Spread evenly through the load area are up to 18 anchor points (LWB).

These cargo rings allow you to keep your cargo safe from movement while you enjoy the drive.

Another safety feature is the factoryfitted protective bulkhead with rear-view window, which separates you and your passengers from the cargo you're carrying.



Welcome to your new office

NEW LEVELS OF COMFORT AND STORAGE COME STANDARD IN ALL-NEW EXPRESS.

Thanks to the **Express** dynamic suspension system, the driving experience is super smooth and gives a sense of comfort more like that of a family SUV than of a work vehicle.


The *Express* has three seats across the front, with additional consideration given to driver comfort thanks to height, slide,

recline and lumbar adjustment.

The steering wheel also has height and reach adjustment.

The middle seat folds down to reveal an ergonomically designed workstation that features an integrated clipboard and a work surface for your laptop. To keep it safe from unwanted attention, there's hideaway storage for it too.







Total connectivity is effortless with the Smartphone Link Display System. Simply plug-in your phone and use voice commands to activate music, send messages, make calls and access maps from your phone.

Further storage can be found in

the illuminated glove box, front-door pockets that include space for your water bottles, lower driver's side cavity under the instrument panel, large under-seat storage and of course *Express* hasn't forgotten cupholders for your espresso.

EXPRESS Pressure makes diamonds With a choice of two dependable power dual clutch auto, it's ready and waiting plants, the 1.6L diesel twin-turbo comes to carry your business forward each day. in manual or the 2.0L diesel turbo with Like you, hard work is in its DNA. » MODEL SHOWN Express SWB in White Solid with optional accessories.

EXPRESS Crafted for your enjoyment WITH A HAND-CRAFTED BLEND OF COMFORT AND CAPACITY, WHATEVER YOU'RE CARRYING YOU'LL FIND EXPRESS HITS THE SPOT. » MODEL SHOWN Express SWB in White Solid with optional accessories.

Altogether safer

THE EXPRESS KEEPS YOU SAFE AT WORK WITH MANY DRIVER ASSIST FEATURES DESIGNED INTO THE VAN FOR YOUR PEACE OF MIND.

In the passenger compartment you and your workmates are protected with five airbags including front and curtain airbags and a driver-side airbag.

Also standard are cruise control, auto stop and start, hill start assist to prevent you rolling back when starting off on steep inclines, reversing sensors and reversing camera. *Express* also comes equipped with anti-lock brakes (ABS),

electronic stability control (ESC),
electronic brakeforce distribution
(EBD) and a wide-view mirror.
Flip the diesel filler cap on the
2.oL Intercooled Turbo Diesel auto
and you'll find it's equipped with
the emission-reducing technology,
AdBlue®, giving a fuel economy
rating of 7.3L/100km. The 1.6L twinturbo manual delivers an impressive
fuel economy of 6.2L/100km.





» MODEL SHOWN Express SWB in White Solid with optional accessories.

Express handles a trailer with ease with a 2,000kg braked tow weight* and trailer sway mitigation (TSM).

And security hasn't been overlooked either with immobiliser and hideaway cabin storage keeping your valuable tools and cargo safe from unwanted attention.



» $Adblue^{\otimes}$ is only available on the 2.0L Intercooled Turbo Diesel.

 $^{^*}$ 2,000kg braked towing capacity applies to manual model only.



The tradie's Express

Whatever your chosen trade, the rear load space can be configured to perfectly suit your needs. Measuring 1.268mm between the wheel housings, *Express* comfortably accommodates standard width New Zealand pallets or Gib® sheets.

A handy bulkhead trapdoor accessed through the cargo space, lets you load an extra 1.2m length up to 4.15m (LWB) of either timber or piping without having to load externally. When you add new *Express* to your team you can get on with the job knowing it's got your







- » [LEFT] BULKHEAD TRAPDOOR
- Gives you additional storage of up to 4.15m in length (LWB) for those extra-long items.
- » [BELOW] CARGO TIE-DOWNS The Express SWB cargo area contains 16 cargo tie-downs and 18 on the LWB.



Fully loaded

NEW EXPRESS HAS ALL THE EQUIPMENT YOU NEED FOR ANY SITUATION.









- » [ABOVE LEFT] ALL THE GEARS Express SWB allows you to choose between a 6-speed manual or a 6-speed DCT automatic transmission.
- » [LEFT] ECO DRIVE FUNCTION Express gives you even better fuel economy with its Eco Mode.
- » [BOTTOM LEFT] HANDS-FREE You can be hands-free with Bluetooth™
- » [ABOVE] TAKE YOUR OFFICE

Express comes with a fold-down workstation that has an integrated clipboard and safe storage for your electronic devices.

Detailing

Add extra features to personalise your new Express





















» CARGO RUBBER MATS



» FRONT PARKING SENSORS




» REAR WINDOW PROTECTOR


^{*}Accessories shown on overseas model




Colours











» Express SWB in White Solid.

Features at a glance

THE NEW EXPRESS IS ENGINEERED TO PROVIDE YOU RELIABILITY, COMFORT AND VERSATILITY, NO MATTER WHAT YOUR BUSINESS.

Choose from the 1.6L Intercooled Twin Turbo Manual or the 2.0L Intercooled Turbo Diesel Automatic.

Both engines provide a perfect balance in terms of performance and fuel efficiency.



» Express Cloth Trim.

EXPRESS AT A GLANCE

SWB MANUAL MODEL

- + 6-Speed Manual
- + 1.6 Intercooled Twin Turbo Diesel
- + 6.2L/100km Fuel Economy
- + 2,000kg Braked Towing
- + 1,110kg Payload

SWB / LWB AUTOMATIC MODEL

- + 6-Speed DCT Automatic
- + 2.0L Intercooled Turbo Diesel
- + 7.3L/100km Fuel Economy
- + 1,715kg (SWB) / 1,630kg (LWB) Braked Towing
- + 1,080kg (SWB) / 1,110kg (LWB) Payload

ALL MODELS ALSO FEATURE

- + Keyless Entry
- + Bulkhead Trapdoor
- + Reversing Camera
- + 7 Inch Smartphone Link Display Audio System
- + Reversing Sensors
- + Fits a Standard Pallet & GIB® Sheet
- + Fold-Down Workstation
- + Dusk-Sensing Headlamps & Rain-Sensing Wipers
- + Bulkhead with Rear View Window
- + Dual Sliding Doors
- + Rear Barn Doors
- + Auto Stop & Start

Specifications

	SWB MANUAL	SWB AUTOMATIC	LWB AUTOMATIC	
ENGINE				
ENGINE	1,6 Intercooled Twin Turbo Diesel	2,0L Intercooled	Turbo Diesel	
DISPLACEMENT	1,598 CC	1,997 CC		
MAX POWER	103 kW @ 3,500 RPM	125 kW @ 3,500 RPM		
MAX TORQUE	340 Nm @ 1,500 RPM	380 Nm @ 1,		
FUEL CONSUMPTION	6.2 L / 100 km	7.3 L / 100 km		
20,	164 g / km	191 g / km		
UEL TANK SIZE		80 L		
TOP & START FUNCTION (WITH ACTIVATION / EACTIVATION CONTROL)		Yes		
RANSMISSION				
УРЕ	6-Speed Manual	6-Speed DCT	Automatic	
AFETY FEATURES				
IR BAGS	Dri	ver, Passenger, Curtain & Driver's-Side		
BRAKING SAFETY SYSTEM	ABS, ESC, EBD	, Emergency Brake Assist & Emergency S	top Signal	
EXTENDED GRIP		ABS, ESC, EBD, Emergency Brake Assist & Emergency Stop Signal Yes		
ADJUSTABLE SPEED LIMITER		Yes		
		Yes		
MMORY ISER				
MMOBILISER	Yes			
TRAILER SWAY MITIGATION		Yes		
REVERSING SENSORS	Yes			
REVERSING CAMERA		Yes		
AUTO DOOR LOCK		Yes		
RONT SEAT BELTS	3-Point with ELR, Load Limiter & Pretensioner x 2, 3-Point with ELR & Load Limiter x 1			
SEAT BELT WARNING LAMP AND BUZZER		Driver's Only		
SUSPENSION				
FRONT	Psuedo MacPher	son Strut with Wishbone Lower Arm & Aı	ıti-Roll Bar	
EAR	Beam Axle & C	oil Springs with Panhard Rod Link & Trai	ling Arms	
TEERING				
STEERING WHEEL WITH TILT & TELESCOPIC ADJUSTABLE		Yes		
STEERING WHEEL CONTROLS	Cru	ise Control & Adjustable Speed Limiter		
VHEELS / BRAKES				
·	16 Inch Steel	with Centre Hub Cap & 16 Inch Black Stee	el Spare	
TYRES (FRONT & REAR)		215 / 65 R16C	-	
TYRES (FRONT & REAR)			-	
TYRES (FRONT & REAR) BRAKES		215 / 65 R16C	-	
YRES (FRONT & REAR) RAKES XTERIOR		215 / 65 R16C	-	
EYRES (FRONT & REAR) BRAKES EXTERIOR FRONT BUMPER	Ventilate	215 / 65 R16C I Front Disc (296 mm) / Rear Disc (280 n	nm)	
EYRES (FRONT & REAR) BRAKES EXTERIOR FRONT BUMPER HEADLAMPS	Ventilate	215 / 65 R16C I Front Disc (296 mm) / Rear Disc (280 m Material Black	nm)	
TYRES (FRONT & REAR) BRAKES EXTERIOR FRONT BUMPER HEADLAMPS FRONT FOG LIGHTS WITH CORNERING FUNCTION	Ventilate	215 / 65 R16C I Front Disc (296 mm) / Rear Disc (280 m Material Black gen with Manual Leveling & Daytime Ru	nm)	
FYRES (FRONT & REAR) BRAKES EXTERIOR FRONT BUMPER HEADLAMPS FRONT FOG LIGHTS WITH CORNERING FUNCTION TAIL LIGHTS WITH REAR FOG LIGHT	Ventilate	215 / 65 R16C I Front Disc (296 mm) / Rear Disc (280 m Material Black gen with Manual Leveling & Daytime Ru Yes	nm)	
PYRES (FRONT & REAR) BRAKES EXTERIOR FRONT BUMPER HEADLAMPS FRONT FOG LIGHTS WITH CORNERING FUNCTION CALL LIGHTS WITH REAR FOG LIGHT RADIATOR GRILLE	Ventilate	215 / 65 R16C I Front Disc (296 mm) / Rear Disc (280 m Material Black gen with Manual Leveling & Daytime Ru Yes Yes	nm)	
FYRES (FRONT & REAR) BRAKES EXTERIOR FRONT BUMPER HEADLAMPS FRONT FOG LIGHTS WITH CORNERING FUNCTION TAIL LIGHTS WITH REAR FOG LIGHT RADIATOR GRILLE MUD GUARDS	Ventilated Dusk Sensing Halo	215 / 65 R16C I Front Disc (296 mm) / Rear Disc (280 m Material Black gen with Manual Leveling & Daytime Ru Yes Yes Material Black	nm)	
WHEEL TYPE FYRES (FRONT & REAR) BRAKES EXTERIOR FRONT BUMPER HEADLAMPS FRONT FOG LIGHTS WITH CORNERING FUNCTION FAIL LIGHTS WITH REAR FOG LIGHT RADIATOR GRILLE MUD GUARDS DOOR MIRROR WITH WIDE AND LOW ANGLE VIEW SLIDING CARGO DOORS WITH DOOR STEPS	Ventilated Dusk Sensing Halo	215 / 65 R16C I Front Disc (296 mm) / Rear Disc (280 m Material Black gen with Manual Leveling & Daytime Ru Yes Yes Material Black Rear	nm)	
FYRES (FRONT & REAR) BRAKES EXTERIOR FRONT BUMPER HEADLAMPS FRONT FOG LIGHTS WITH CORNERING FUNCTION TAIL LIGHTS WITH REAR FOG LIGHT RADIATOR GRILLE MUD GUARDS DOOR MIRROR WITH WIDE AND LOW ANGLE VIEW SLIDING CARGO DOORS WITH DOOR STEPS	Ventilated Dusk Sensing Halo	215 / 65 R16C I Front Disc (296 mm) / Rear Disc (280 m Material Black gen with Manual Leveling & Daytime Ru Yes Yes Material Black Rear lectric Control with Heated Function	nm)	
FYRES (FRONT & REAR) BRAKES EXTERIOR FRONT BUMPER HEADLAMPS FRONT FOG LIGHTS WITH CORNERING FUNCTION FAIL LIGHTS WITH REAR FOG LIGHT RADIATOR GRILLE MUD GUARDS DOOR MIRROR WITH WIDE AND LOW ANGLE VIEW	Ventilated Dusk Sensing Halo	215 / 65 R16C If Front Disc (296 mm) / Rear Disc (280 mm) Material Black gen with Manual Leveling & Daytime Ru Yes Yes Yes Material Black Rear lectric Control with Heated Function Unglazed – Left & Right	nm)	
EXTERIOR FRONT BUMPER HEADLAMPS FRONT FOG LIGHTS WITH CORNERING FUNCTION TAIL LIGHTS WITH REAR FOG LIGHT RADIATOR GRILLE MUD GUARDS DOOR MIRROR WITH WIDE AND LOW ANGLE VIEW SLIDING CARGO DOORS WITH DOOR STEPS REAR STEP BUMPER REAR DOOR TYPE	Ventilated Dusk Sensing Halo	215 / 65 R16C If Front Disc (296 mm) / Rear Disc (280 mm) Material Black gen with Manual Leveling & Daytime Ru Yes Yes Material Black Rear lectric Control with Heated Function Unglazed – Left & Right Yes	nm)	
FYRES (FRONT & REAR) BRAKES EXTERIOR FRONT BUMPER HEADLAMPS FRONT FOG LIGHTS WITH CORNERING FUNCTION TAIL LIGHTS WITH REAR FOG LIGHT RADIATOR GRILLE MUD GUARDS DOOR MIRROR WITH WIDE AND LOW ANGLE VIEW SLIDING CARGO DOORS WITH DOOR STEPS REAR STEP BUMPER	Ventilated Dusk Sensing Halo	215 / 65 R16C If Front Disc (296 mm) / Rear Disc (280 mm) Material Black gen with Manual Leveling & Daytime Ru Yes Yes Material Black Rear lectric Control with Heated Function Unglazed – Left & Right Yes	nm)	
EXTERIOR FRONT BUMPER HEADLAMPS FRONT FOG LIGHTS WITH CORNERING FUNCTION FAIL LIGHTS WITH REAR FOG LIGHT RADIATOR GRILLE MUD GUARDS DOOR MIRROR WITH WIDE AND LOW ANGLE VIEW SLIDING CARGO DOORS WITH DOOR STEPS REAR STEP BUMPER REAR DOOR TYPE	Dusk Sensing Halo	215 / 65 R16C If Front Disc (296 mm) / Rear Disc (280 mm) Material Black gen with Manual Leveling & Daytime Ru Yes Yes Material Black Rear lectric Control with Heated Function Unglazed – Left & Right Yes Barn Doors – Glazed	nm) Inning Lights	
EXTERIOR FRONT BUMPER HEADLAMPS FRONT FOG LIGHTS WITH CORNERING FUNCTION TAIL LIGHTS WITH REAR FOG LIGHT RADIATOR GRILLE MUD GUARDS DOOR MIRROR WITH WIDE AND LOW ANGLE VIEW SLIDING CARGO DOORS WITH DOOR STEPS REAR STEP BUMPER REAR DOOR TYPE INTERIOR SEAT TRIM	Dusk Sensing Hald	215 / 65 R16C I Front Disc (296 mm) / Rear Disc (280 mm) Material Black gen with Manual Leveling & Daytime Ru Yes Yes Material Black Rear lectric Control with Heated Function Unglazed – Left & Right Yes Barn Doors – Glazed Cloth	nm) Inning Lights	
PYRES (FRONT & REAR) BRAKES EXTERIOR FRONT BUMPER HEADLAMPS FRONT FOG LIGHTS WITH CORNERING FUNCTION TAIL LIGHTS WITH REAR FOG LIGHT RADIATOR GRILLE MUD GUARDS DOOR MIRROR WITH WIDE AND LOW ANGLE VIEW PLIDING CARGO DOORS WITH DOOR STEPS REAR STEP BUMPER REAR DOOR TYPE NTERIOR FEAT TRIM PASSENGER SEATS	Dusk Sensing Hald	215 / 65 R16C I Front Disc (296 mm) / Rear Disc (280 m Material Black gen with Manual Leveling & Daytime Ru Yes Yes Material Black Rear lectric Control with Heated Function Unglazed – Left & Right Yes Barn Doors – Glazed Cloth Fold-Down Workstation & Under-Seat St	nm) Inning Lights	

Fuel economy figures are based on the ADR 81/02 test for combined urban/extra urban driving. Please note that actual on-road fuel consumption and emissions will vary depending on traffic conditions, vehicle load and the individuals' driving styles. While we have made every effort to ensure that the specifications are correct at the time of printing, Mitsubishi product is constantly developing. We reserve the right to change the specifications, colours and prices.

	SWB MANUAL	SWB AUTOMATIC	LWB AUTOMATIC		
CARGO AREA					
		Yes			
BULKHEAD WITH REAR VIEW WINDOW	Yes				
LOAD THROUGH TRAP DOOR IN BULKHEAD CARGO TIE DOWN POINTS	X		x 18		
CARGO AREA LIGHTING	In Central & Rear of Cargo Area				
COMFORT & CONVENIENCE					
ENTRY SYSTEM	Kevless Entry with Remote Key & Sena	rate Button for Cargo Area Doors - x 2 Trans	smitters (x 1 Flin Key x 1 Standard Key)		
MULTI INFORMATION DISPLAY METER WITH FUEL	Reyless Entry With Remote Rey o Sepa	Yes	mineters (X 1 1 mp 100y, X 1 ocumum 100y)		
ECONOMY AND EXTERNAL TEMPERATURE					
ECO MODE		Yes			
CRUISE CONTROL	Yes Front with Driver's Auto Up / Down				
ELECTRIC WINDOWS	Front with Driver's Auto Up / Down Yes				
HEATED REAR WINDOW WITH TIMER					
AIR CONDITIONING WITH POLLEN FILTER	Manual Auto Dimmina				
REAR VIEW MIRROR	Auto Dimming				
SUNVISORS	Driver's with Ticket Holder & Passenger's with Dead Angle (Wide View) Vision Mirror				
INTERIOR LAMPS WINDSCREEN WIPER, TWO SPEED WITH VARIABLE	Central Position				
INTERMITTENT.	Auto Rain Sensing				
FOLLOW ME HOME LIGHTING SYSTEM	Yes				
USB PORTS	X1				
12V ACCESSORIES SOCKET X2	L	ower Instrument Panel & Cargo Area D Pilla.	ır		
STORAGE					
GLOVE BOX WITH LAMP		Yes			
OPEN DASH STORAGE COMPARTMENTS		Х 2			
SMARTPHONE DOCKING STATION		Yes			
FRONT DOOR POCKETS WITH BOTTLE HOLDER		Yes			
LOWER DRIVER'S-SIDE STORAGE COMPARTMENT ON INSTRUMENT PANEL	Yes				
PASSENGER BENCH UNDERSEAT STORAGE COMPARTMENT		Yes			
CUPHOLDERS	x 4 - Cei	ntre Console, Fold Down Workstation & x 2 0	on Dash		
AUDIO & MEDIA					
SPEAKERS		2			
SPEAKERS MULTIMEDIA / RADIO	7 Inch Smartphone Link Display Audio S	2 System with Embedded Sat Nav, Android Aut	to & Apple Carplay, AM/FM/DAB radio		
	7 Inch Smartphone Link Display Audio S		to & Apple Carplay, AM/FM/DAB radio		
MULTIMEDIA / RADIO	7 Inch Smartphone Link Display Audio S 4,999 / 1,95	system with Embedded Sat Nav, Android Aut	to & Apple Carplay, AM/FM/DAB radio 5,399 / 1,956 / 1,971 mm		
MULTIMEDIA / RADIO DIMENSIONS / WEIGHTS		system with Embedded Sat Nav, Android Aut 6 / 1,971 mm			
MULTIMEDIA / RADIO DIMENSIONS / WEIGHTS OVERALL LENGTH / WIDTH / HEIGHT	4,999 / 1,95	system with Embedded Sat Nav, Android Aut 6 / 1,971 mm	5,399 / 1,956 / 1,971 mm		
MULTIMEDIA / RADIO DIMENSIONS / WEIGHTS OVERALL LENGTH / WIDTH / HEIGHT WHEEL BASE	4,999 / 1,95	system with Embedded Sat Nav, Android Aut 6 / 1,971 mm 8 mm	5,399 / 1,956 / 1,971 mm		
MULTIMEDIA / RADIO DIMENSIONS / WEIGHTS OVERALL LENGTH / WIDTH / HEIGHT WHEEL BASE GROUND CLEARANCE	4,999 / 1,95 3,098	system with Embedded Sat Nav, Android Aut 6 / 1,971 mm 8 mm	5,399 / 1,956 / 1,971 mm 3,498 mm		
MULTIMEDIA / RADIO DIMENSIONS / WEIGHTS OVERALL LENGTH / WIDTH / HEIGHT WHEEL BASE GROUND CLEARANCE TURNING CIRCLE	4,999 / 1,951 3,098 11.8	6 / 1,971 mm 8 mm 160 mm 8 m 1,905 kg 2,985 kg	5,399 / 1,956 / 1,971 mm 3,498 mm		
MULTIMEDIA / RADIO DIMENSIONS / WEIGHTS OVERALL LENGTH / WIDTH / HEIGHT WHEEL BASE GROUND CLEARANCE TURNING CIRCLE KERB WEIGHT GROSS VEHICLE WEIGHT PAYLOAD	4,999 / 1,95 3,098 11.8 1,850 kg 2,960 kg 1,110 kg	6 / 1,971 mm 6 mm 160 mm 8 m 1,905 kg 2,985 kg 1,080 kg	5,399 / 1,956 / 1,971 mm 3,498 mm 13.2 m 1,960 kg 3,070 kg 1,110 kg		
MULTIMEDIA / RADIO DIMENSIONS / WEIGHTS OVERALL LENGTH / WIDTH / HEIGHT WHEEL BASE GROUND CLEARANCE TURNING CIRCLE KERB WEIGHT GROSS VEHICLE WEIGHT PAYLOAD GROSS COMBINATION WEIGHT	4,999 / 1,95 3,098 11.8 1,850 kg 2,960 kg 1,110 kg 4,960 kg	8ystem with Embedded Sat Nav, Android Aut 6 / 1,971 mm 8 mm 160 mm 8 m 1,905 kg 2,985 kg 1,080 kg	5,399 / 1,956 / 1,971 mm 3,498 mm 13.2 m 1,960 kg 3,070 kg 1,110 kg		
MULTIMEDIA / RADIO DIMENSIONS / WEIGHTS OVERALL LENGTH / WIDTH / HEIGHT WHEEL BASE GROUND CLEARANCE TURNING CIRCLE KERB WEIGHT GROSS VEHICLE WEIGHT PAYLOAD GROSS COMBINATION WEIGHT TOWING UNBRAKED / BRAKED	4,999 / 1,95 3,098 11.8 1,850 kg 2,960 kg 1,110 kg	6 / 1,971 mm 6 mm 160 mm 8 m 1,905 kg 2,985 kg 1,080 kg	5,399 / 1,956 / 1,971 mm 3,498 mm 13.2 m 1,960 kg 3,070 kg 1,110 kg		
MULTIMEDIA / RADIO DIMENSIONS / WEIGHTS OVERALL LENGTH / WIDTH / HEIGHT WHEEL BASE GROUND CLEARANCE TURNING CIRCLE KERB WEIGHT GROSS VEHICLE WEIGHT PAYLOAD GROSS COMBINATION WEIGHT	4,999 / 1,95 3,098 11.8 1,850 kg 2,960 kg 1,110 kg 4,960 kg	8ystem with Embedded Sat Nav, Android Aut 6 / 1,971 mm 8 mm 160 mm 8 m 1,905 kg 2,985 kg 1,080 kg	5,399 / 1,956 / 1,971 mm 3,498 mm 13.2 m 1,960 kg 3,070 kg 1,110 kg		
MULTIMEDIA / RADIO DIMENSIONS / WEIGHTS OVERALL LENGTH / WIDTH / HEIGHT WHEEL BASE GROUND CLEARANCE TURNING CIRCLE KERB WEIGHT GROSS VEHICLE WEIGHT PAYLOAD GROSS COMBINATION WEIGHT TOWING UNBRAKED / BRAKED	4,999 / 1,95 3,098 11.8 1,850 kg 2,960 kg 1,110 kg 4,960 kg 750 / 2,000 kg	8ystem with Embedded Sat Nav, Android Aut 6 / 1,971 mm 8 mm 160 mm 8 m 1,905 kg 2,985 kg 1,080 kg	5,399 / 1,956 / 1,971 mm 3,498 mm 13.2 m 1,960 kg 3,070 kg 1,110 kg		
MULTIMEDIA / RADIO DIMENSIONS / WEIGHTS OVERALL LENGTH / WIDTH / HEIGHT WHEEL BASE GROUND CLEARANCE TURNING CIRCLE KERB WEIGHT GROSS VEHICLE WEIGHT PAYLOAD GROSS COMBINATION WEIGHT TOWING UNBRAKED / BRAKED CARGO AREA DIMENSIONS VOLUME CARGO BAY LENGTH TO BULKHEAD	4,999 / 1,951 3,098 11.8 1,850 kg 2,960 kg 1,110 kg 4,960 kg 750 / 2,000 kg	6 / 1,971 mm 8 mm 160 mm 8 m 1,905 kg 2,985 kg 1,080 kg 4,70	5,399 / 1,956 / 1,971 mm 3,498 mm 13.2 m 1,960 kg 3,070 kg 1,110 kg 0 kg		
MULTIMEDIA / RADIO DIMENSIONS / WEIGHTS OVERALL LENGTH / WIDTH / HEIGHT WHEEL BASE GROUND CLEARANCE TURNING CIRCLE KERB WEIGHT GROSS VEHICLE WEIGHT PAYLOAD GROSS COMBINATION WEIGHT TOWING UNBRAKED / BRAKED CARGO AREA DIMENSIONS VOLUME CARGO BAY LENGTH TO BULKHEAD CARGO BAY LENGTH THROUGH BULKHEAD UNTIL BENCH SEAT TRAP	4,999 / 1,951 3,098 11.8 1,850 kg 2,960 kg 1,110 kg 4,960 kg 750 / 2,000 kg	6 / 1,971 mm 6 / 1,971 mm 160 mm 8 m 1,905 kg 2,985 kg 1,080 kg 4,700 750 / 1,715 kg	5,399 / 1,956 / 1,971 mm 3,498 mm 13.2 m 1,960 kg 3,070 kg 1,110 kg 0 kg 750 / 1,630 kg		
MULTIMEDIA / RADIO DIMENSIONS / WEIGHTS OVERALL LENGTH / WIDTH / HEIGHT WHEEL BASE GROUND CLEARANCE TURNING CIRCLE KERB WEIGHT GROSS VEHICLE WEIGHT PAYLOAD GROSS COMBINATION WEIGHT TOWING UNBRAKED / BRAKED CARGO AREA DIMENSIONS VOLUME CARGO BAY LENGTH TO BULKHEAD CARGO BAY LENGTH THROUCH BULKHEAD UNTIL	4,999 / 1,95i 3,098 11.8 1,850 kg 2,960 kg 1,110 kg 4,960 kg 750 / 2,000 kg	8 ystem with Embedded Sat Nav, Android Aut 6 / 1,971 mm 8 mm 160 mm 8 m 1,905 kg 2,985 kg 1,080 kg 4,700 750 / 1,715 kg	5,399 / 1,956 / 1,971 mm 3,498 mm 13.2 m 1,960 kg 3,070 kg 1,110 kg 0 kg 750 / 1,630 kg		
MULTIMEDIA / RADIO DIMENSIONS / WEIGHTS OVERALL LENGTH / WIDTH / HEIGHT WHEEL BASE GROUND CLEARANCE TURNING CIRCLE KERB WEIGHT GROSS VEHICLE WEIGHT PAYLOAD GROSS COMBINATION WEIGHT TOWING UNBRAKED / BRAKED CARGO AREA DIMENSIONS VOLUME CARGO BAY LENGTH TO BULKHEAD CARGO BAY LENGTH THROUGH BULKHEAD UNTIL BENCH SEAT TRAP	4,999 / 1,950 3,098 11.8 1,850 kg 2,960 kg 1,110 kg 4,960 kg 750 / 2,000 kg	8 ystem with Embedded Sat Nav, Android Aut 6 / 1,971 mm 8 mm 160 mm 8 m 1,905 kg 2,985 kg 1,080 kg 4,700 750 / 1,715 kg	5,399 / 1,956 / 1,971 mm 3,498 mm 13.2 m 1,960 kg 3,070 kg 1,110 kg 0 kg 750 / 1,630 kg 6.0 m³ 2,937 mm 3,350 mm		
MULTIMEDIA / RADIO DIMENSIONS / WEIGHTS OVERALL LENGTH / WIDTH / HEIGHT WHEEL BASE GROUND CLEARANCE TURNING CIRCLE KERB WEIGHT GROSS VEHICLE WEIGHT PAYLOAD GROSS COMBINATION WEIGHT TOWING UNBRAKED / BRAKED CARGO AREA DIMENSIONS VOLUME CARGO BAY LENGTH TO BULKHEAD CARGO BAY LENGTH THROUGH BULKHEAD UNTIL BENCH SEAT TRAP CARGO BAY LENGTH THROUGH BULKHEAD UNTIL DASH PANEL	4,999 / 1,950 3,098 11.8 1,850 kg 2,960 kg 1,110 kg 4,960 kg 750 / 2,000 kg	9ystem with Embedded Sat Nav, Android Aut 6 / 1,971 mm 8 mm 160 mm 8 m 1,905 kg 2,985 kg 1,080 kg 4,70 750 / 1,715 kg	5,399 / 1,956 / 1,971 mm 3,498 mm 13.2 m 1,960 kg 3,070 kg 1,110 kg 0 kg 750 / 1,630 kg 6.0 m³ 2,937 mm 3,350 mm		
MULTIMEDIA / RADIO DIMENSIONS / WEIGHTS OVERALL LENGTH / WIDTH / HEIGHT WHEEL BASE GROUND CLEARANCE TURNING CIRCLE KERB WEIGHT GROSS VEHICLE WEIGHT PAYLOAD GROSS COMBINATION WEIGHT TOWING UNBRAKED / BRAKED CARGO AREA DIMENSIONS VOLUME CARGO BAY LENGTH TO BULKHEAD CARGO BAY LENGTH THROUGH BULKHEAD UNTIL BENCH SEAT TRAP CARGO BAY LENGTH THROUGH BULKHEAD UNTIL DASH PANEL CARGO BAY WIDTH MAX	4,999 / 1,950 3,098 11.8 1,850 kg 2,960 kg 1,110 kg 4,960 kg 750 / 2,000 kg	9ystem with Embedded Sat Nav, Android Aut 6 / 1,971 mm 8 mm 160 mm 8 m 1,905 kg 2,985 kg 1,080 kg 4,70 750 / 1,715 kg	5,399 / 1,956 / 1,971 mm 3,498 mm 13.2 m 1,960 kg 3,070 kg 1,110 kg 0 kg 750 / 1,630 kg 6.0 m³ 2,937 mm 3,350 mm		
MULTIMEDIA / RADIO DIMENSIONS / WEIGHTS OVERALL LENGTH / WIDTH / HEIGHT WHEEL BASE GROUND CLEARANCE TURNING CIRCLE KERB WEIGHT GROSS VEHICLE WEIGHT PAYLOAD GROSS COMBINATION WEIGHT TOWING UNBRAKED / BRAKED CARGO AREA DIMENSIONS VOLUME CARGO BAY LENGTH THROUGH BULKHEAD UNTIL BENCH SEAT TRAP CARGO BAY LENGTH THROUGH BULKHEAD UNTIL DASH PANEL CARGO BAY WIDTH MAX CARGO BAY WIDTH MAX	4,999 / 1,950 3,098 11.8 1,850 kg 2,960 kg 1,110 kg 4,960 kg 750 / 2,000 kg	6 / 1,971 mm 6 / 1,971 mm 8 mm 160 mm 8 m 1,905 kg 2,985 kg 1,080 kg 4,700 750 / 1,715 kg	5,399 / 1,956 / 1,971 mm 3,498 mm 13.2 m 1,960 kg 3,070 kg 1,110 kg 0 kg 750 / 1,630 kg 6.0 m³ 2,937 mm 3,350 mm		
MULTIMEDIA / RADIO DIMENSIONS / WEIGHTS OVERALL LENGTH / WIDTH / HEIGHT WHEEL BASE GROUND CLEARANCE TURNING CIRCLE KERB WEIGHT GROSS VEHICLE WEIGHT PAYLOAD GROSS COMBINATION WEIGHT TOWING UNBRAKED / BRAKED CARGO AREA DIMENSIONS VOLUME CARGO BAY LENGTH TO BULKHEAD CARGO BAY LENGTH THROUGH BULKHEAD UNTIL BENCH SEAT TRAP CARGO BAY LENGTH THROUGH BULKHEAD UNTIL DASH PANEL CARGO BAY WIDTH MAX CARGO BAY WIDTH MAX CARGO BAY WIDTH BETWEEN REAR WHEEL ARCHES CARGO BAY HEIGHT	4,999 / 1,950 3,098 11.8 1,850 kg 2,960 kg 1,110 kg 4,960 kg 750 / 2,000 kg	8 ystem with Embedded Sat Nav, Android Aut 6 / 1,971 mm 8 mm 160 mm 8 m 1,905 kg 2,985 kg 1,080 kg 4,700 750 / 1,715 kg	5,399 / 1,956 / 1,971 mm 3,498 mm 13.2 m 1,960 kg 3,070 kg 1,110 kg 0 kg 750 / 1,630 kg 6.0 m³ 2,937 mm 3,350 mm		
MULTIMEDIA / RADIO DIMENSIONS / WEIGHTS OVERALL LENGTH / WIDTH / HEIGHT WHEEL BASE GROUND CLEARANCE TURNING CIRCLE KERB WEIGHT GROSS VEHICLE WEIGHT PAYLOAD GROSS COMBINATION WEIGHT TOWING UNBRAKED / BRAKED CARGO AREA DIMENSIONS VOLUME CARGO BAY LENGTH TO BULKHEAD CARGO BAY LENGTH THROUGH BULKHEAD UNTIL BENCH SEAT TRAP CARGO BAY LENGTH THROUGH BULKHEAD UNTIL DASH PANEL CARGO BAY WIDTH MAX CARGO BAY WIDTH BETWEEN REAR WHEEL ARCHES CARGO BAY HEIGHT HEIGHT/WIDTH CARGO REAR DOOR	4,999 / 1,950 3,098 11.8 1,850 kg 2,960 kg 1,110 kg 4,960 kg 750 / 2,000 kg	9ystem with Embedded Sat Nav, Android Aut 6 / 1,971 mm 8 mm 160 mm 8 m 1,905 kg 2,985 kg 1,080 kg 4,700 750 / 1,715 kg mm 0 mm 1,662 mm 1,268 mm 1,387 mm 1,320 / 1,391 mm	5,399 / 1,956 / 1,971 mm 3,498 mm 13.2 m 1,960 kg 3,070 kg 1,110 kg 0 kg 750 / 1,630 kg 6.0 m³ 2,937 mm 3,350 mm		
MULTIMEDIA / RADIO DIMENSIONS / WEIGHTS OVERALL LENGTH / WIDTH / HEIGHT WHEEL BASE GROUND CLEARANCE TURNING CIRCLE KERB WEIGHT GROSS VEHICLE WEIGHT PAYLOAD GROSS COMBINATION WEIGHT TOWING UNBRAKED / BRAKED CARGO AREA DIMENSIONS VOLUME CARGO BAY LENGTH TO BULKHEAD CARGO BAY LENGTH THROUGH BULKHEAD UNTIL BENCH SEAT TRAP CARGO BAY LENGTH THROUGH BULKHEAD UNTIL DASH PANEL CARGO BAY WIDTH MAX CARGO BAY WIDTH MAX CARGO BAY WIDTH BETWEEN REAR WHEEL ARCHES CARGO BAY HEIGHT HEIGHT/WIDTH CARGO REAR DOOR WIDTH CARGO SLIDING DOORS (AT GOOMM HEICHT)	4,999 / 1,950 3,098 11.8 1,850 kg 2,960 kg 1,110 kg 4,960 kg 750 / 2,000 kg	9ystem with Embedded Sat Nav, Android Aut 6 / 1,971 mm 8 mm 160 mm 8 m 1,905 kg 2,985 kg 1,080 kg 4,70 750 / 1,715 kg mm 0 mm 1,662 mm 1,268 mm 1,387 mm 1,320 / 1,391 mm 907 mm	5,399 / 1,956 / 1,971 mm 3,498 mm 13.2 m 1,960 kg 3,070 kg 1,110 kg 0 kg 750 / 1,630 kg 6.0 m³ 2,937 mm 3,350 mm		
MULTIMEDIA / RADIO DIMENSIONS / WEIGHTS OVERALL LENGTH / WIDTH / HEIGHT WHEEL BASE GROUND CLEARANCE TURNING CIRCLE KERB WEIGHT GROSS VEHICLE WEIGHT PAYLOAD GROSS COMBINATION WEIGHT TOWING UNBRAKED / BRAKED CARGO AREA DIMENSIONS VOLUME CARGO BAY LENGTH TO BULKHEAD CARGO BAY LENGTH THROUGH BULKHEAD UNTIL BENCH SEAT TRAP CARGO BAY LENGTH THROUGH BULKHEAD UNTIL DASH PANEL CARGO BAY WIDTH MAX CARGO BAY WIDTH MAX CARGO BAY WIDTH BETWEEN REAR WHEEL ARCHES CARGO BAY HEIGHT HEIGHT/WIDTH CARGO REAR DOOR WIDTH CARGO SLIDING DOORS (AT GOOMM HEIGHT) HEIGHT CARGO SLIDING DOOR OPENINGS	4,999 / 1,950 3,098 11.8 1,850 kg 2,960 kg 1,110 kg 4,960 kg 750 / 2,000 kg	9ystem with Embedded Sat Nav, Android Aut 6 / 1,971 mm 8 mm 160 mm 8 m 1,905 kg 2,985 kg 1,080 kg 4,70 750 / 1,715 kg m3 7 mm 0 mm 1,662 mm 1,387 mm 1,320 / 1,391 mm 907 mm 1,284 mm	5,399 / 1,956 / 1,971 mm 3,498 mm 13.2 m 1,960 kg 3,070 kg 1,110 kg 0 kg 750 / 1,630 kg 6.0 m³ 2,937 mm 3,350 mm		



EXPRESS







» DUAL SLIDING DOORS





» REAR BARN DOORS