GORDINI R.S. RANGE







WARRANTIES

Every new Renault is covered by a two-year, unlimited mileage Diamond Warranty (including free repairs and assistance) as well as a 3-year extended warranty for paintwork and 12-year anticorrosion warranty. With excellent protection against theft and break-ins (excellent "Danner" and "Thatcham" test results) and affordable repairs, Renault also helps to keep your running and insurance costs to a minimum.

FINANCE OPTIONS

Renault provides a wide variety of ways to purchase a new car through its subsidiary, **DIAC**. **Renault New Deal** offers you the simplicity of an "all-inclusive" formula which includes finance, warranty, maintenance and trade-in at end of the contract.

SERVICE CONTRACTS

The Diamond Contract extends the warranty to 5 years or 100,000 km and includes parts and labour, 7-day round-the-clock breakdown cover and a replacement vehicle in the event your vehicle cannot be driven. The Maintenance Contract takes care of all maintenance and repairs for 4 years or 120,000 km through a range of additional services adapted to your profile, such as cover for the costs of maintenance and normal wear and tear. The Renault Confidence Pack provides worry-free cover for 3 years or 80,000 km. It combines a maintenance contract with a replacement vehicle in the event of breakdown or for servicing, the financing of your vehicle and its trade-in at the end of three years. Control your budget and stay mobile with the simple monthly payment plan.

RENAULT ASSISTANCE

Whether your car needs on-site breakdown assistance or towing to the nearest workshop, the Renault Assistance network is here for you 24 hours a day, 7 days a week.

RENAULT NETWORK SERVICES

The Renault Minute (maintenance and repair with no appointment necessary) and Renault Rapide Bodycare (work on paint, lights, windscreen, bodywork, etc.) services deliver the highest level of repair and maintenance and offer a full year's guarantee on Genuine Renault Parts. Renault Rent enables you to rent a personal or light commercial vehicle for a short time.

WHO BETTER THAN RENAULT TO SERVICE YOUR RENAULT?

CUSTOMER SERVICES

We have established effective ways to keep in touch with you: - by phone: **008 008 Renault** (008 008 736 2858) Monday to Friday 8:00 to 19:00, Saturday 8:00 to 12:30, free subject to the conditions of your telephone operator - on the website: **www.renault.fr**, - by post: **Renault, Customer Relations Department,**

92109 Boulogne-Billancourt Cedex. Want to find out how a particular Renault vehicle works?

All the answers are just a mouse click away! www.e-guide.renault.com











FOR 113 YEARS, WE HAVE SHARED A VISION: THAT TO BE TRULY RELEVANT, THE CAR MUST ALWAYS EMBODY PROGRESS, SOCIAL RESPONSIBILITY, PASSION AND SUSTAINABLE MOBILITY FOR EVERYONE.

At Renault, we have always been convinced that the car has to adapt to the lifestyle and expectations of each and every individual. This has led to us inventing the "lifestyle car". That same belief now drives our commitment to sustainable, ecofriendly mobility where safety and quality are accessible to everyone. Renault Tech was created around this vision, serving the interests of progress by designing and manufacturing vehicles for people with reduced mobility. We want to give the car a new meaning, one that responds to the diverse challenges of today's society and helps to improve people's lives. That's why we are working hard on developing a range of electric cars to suit everybody.

DRIVE THE CHANGE.







BY JOINING UP WITH RENAULT, THE "WIZARD" AMÉDÉE GORDINI **GAVE HIS NAME TO A LEGEND.**

Born in 1964, the R8 Gordini stamped its blue and white mark on the 60s and 70s. The blue and white-striped racing car offered affordable performance and fun, and appeared in a number of legendary films, giving a wide audience the chance to discover motorsport. During the Gordini years, sporting achievements were numerous, in both rally driving and on the racecourse. At the 24-hour race in Le Mans in 1979, the winning Alpine Renault engine also bore the Gordini hallmark. Later, Renault Sport relit the torch of sporting and technological excellence, winning several Formula 1 championship titles and offering an innovative, high-performance range of vehicles. Today, Renault Sport is paying homage to the Wizard, reigniting the blue and white blaze. And Gordini (again) becomes the hallmark of a collection of chic, sporty models, designed for people who dream of style, pleasure and performance







BE GORDINI!







THE GORDINI SIGNATURE

So chic! Twingo & Clio Gordini R.S. brandish the blue and white banner, celebrating truly stirring French expertise. The white stripes - the real signature of the Gordini label - are still there, but brought right up to date with a subtle G shape in metallic varnish. Stamped on the sides, the Gordini Series badges are a nod to the famous Gordini coupés. In black and white, the shiny body parts show a tendency for elegant contrast. The 17" aluminium blue or black diamond-finish rims are real works of metallic art. The Gordini signature: an authentic and exclusive allure. So French.





Elegant and sporty, the Twingo & Clio Gordini R.S. cockpits have a stylish blue, white and black colour scheme. In this unique atmosphere, each detail adds to the overall exclusive feel. The gear lever has a Gordini signed knob and a blue gaiter. There is leather* upholstery, just like in the first generation Gordinis. Contrasting stitching emphasises the shape of the seats, the dashboard, the door trim and the leather steering wheel**, where the "dead centre" is marked by two white stripes. The white counter backgrounds and the glossy black features on the instrument panel give the interior a chic, sporty feel. In case you failed to notice, the numbered plates are there to remind you that you are on board an authentic and exclusive Gordini R.S. original. Inimitable.

*Split leather. **The seats are completely upholstered in pigmented corrected grain leather/calfskin on the front side of the seat cushion, the seat back, the headrests and the side-impact beams. Other parts are upholstered using other materials.





THE SIGNATURE: GORDINI









the Twingo & Clio Gordini R.S., everything has been designed for everyday use. The cars are compact and easy to handle, and are safe and comfortable whether you are in town or on a long trip. The Gordini hallmark blends all the ingredients for a new way of living, mixing style with movement.







MAIN EQUIPMENT

Automatic air conditioning Cruise control CD Radio Mp3 Independent rear seats Automatic lamps and wipers Side and rear tinted glass Rear headrests

SPECIFIC EQUIPMENT

R.S. front bumper with pearlescent black centre section R.S. rear bumper with pearlescent black centre section 17" R.S. black diamond-finish wheel rims "Gordini Series" side badges Glacier white fog lamp trims Glacier white GT spoiler Glacier white wing mirror shells White Gordini stripes (bonnet, roof, tailgate) Black/blue, leather upholstery with Gordini hallmark Front door inserts in Spray Blue PET (coated fabric) Leather steering wheel trim with blue and white striped top section Numbered Gordini plate in front of the gear lever Gear lever with metal knob and Gordini hallmark + Spray Blue PET (coated fabric) gaiter Black PET (coated fabric) dashboard cowl with industrial grey contrast stitching Metallic blue rev counter cowl White ring around rev counter White and blue R.S. rev counter background

OPTIONS

Cup chassis with 17" cold metal grey rims Radio CD C-box KML Curtain airbags Sunroof (without stripes on roof) Smoker's accessory Spare wheel Inflation and repair kit Key shell (accessory) Gordini hallmarked floor mats Removable luggage shelf Vehicle without decals (white stripes)

TWINGO GORDINI R.S. TECHNICAL SPECIFICATIONS

ENGINE	1.6 16 V 133
Type of emission control	
ТҮРЕ	
Approval	(
Fiscal rating	
Number of seats	
Engine type	k
Capacity (cm ³)	
Bore x stroke (mm)	79
Number of cylinders/valves	
Compression ratio	
Maximum power kW CEE (hp din rounded off) with revs of	98 (1
(rpm)	,
Maximum torgue Nm cee (m.kg din) with revs of (rpm)	16
Type of injection	N
Fuel	
Catalytic converter	S
GEABBOX	
Gearbox type	
Number of forward gears	
Gearbox ratio in km/h at 1,000 rpm in 1st gear	
in 2 nd	
in 3 rd	
in 4 th	
in 5th	
STEERING	
Electrical power steering	5
Variable assistance	5
Ø turning circle between kerbs/walls (m)	10
Steering wheel turns lock to lock (1/2 travel)	
AXLES	
Front	1,460 (
Rear	1,445 (
Ø front/rear tie bars (mm)	Front: 21/r
Front suspension	Mc Pherson type

COLOURS



MALTESE BLUE (SEC)

PEARL BLACK (SEC)

SEC = SPECIAL-EFFECT COLOURS

3 hp (manual gearbox)
Euro 4
CN0R05
8
4
K4M 854
1,598
′9.5 x 80.5
4/16
11:01
133) at 6,750

) to 4,400	
ultipoint	
Petrol	
tandard	

IR5176	
5	
7.91	
13.12	
18.50	
23.74	
29.79	

tandard
tandard
39/10.76
1,345

0 (+ 60 mm/GT) 5 (+ 59 mm/GT) /rear: 24/integrated be - aluminium lower arm, antiroll bar

Standard tyres	195/40 R17
Reference rims	7J17 alloy
Brakes	
CIRCUIT TYPE	Х
Power brake: single (S), double (D) - Ø (")	S - 9"
Trajectory control	ESP (can be disabled)
Front brake (Ø in mm)	Ventilated disks (280)
Rear brake (Ø in mm)	Disks (240)
Brake assist	ABS
Electronic brakeforce distribution	EBV
Performance	
SCX	0.745
Top speed (km/h)	201
0 - 100 km/h (s)	8.7
400 m Standing Start (s)	16.3
1,000m standing start (s)	29.9
FUEL CONSUMPTION	
European directive 99/100 co., emissions (g/km)	159
Urban cycle (cold start - I/100km)	8.8
Extra-urban cycle (I/100 km)	5.6
Full cycle (I/100km)	6.7
CAPACITY	
Fuel tank (I)	40
WEIGHT (KG)	
Unladen kerb weight	1,049
Unladen weight on front axle	682
Unladen weight on rear axle	368
Total authorised (m.M.A.C.)	1,430

WHEEL RIMS



17" CUP BLACK DIAMOND-FINISH RIMS



17" CUP BLUE DIAMOND-FINISH RIMS

CLIO GORDINI R.S. TECHNICAL SPECIFICATIONS.



MAIN EQUIPMENT

Automatic air conditioning Automatic lamps and wipers Power fold-in side mirrors Side and rear tinted glass Driver and passenger one-touch electric windows Additional bending lights Foglamps Rear headrests

SPECIFIC EQUIPMENT

Front bumper strip and gloss black rear diffuser Glacier white F1 blade* Glacier white wing mirror shells* BeBop diamond-finish black rims R.S. front and rear badging. "Gordini Series" side badges Body-tone rear spoiler Gordini white stripes* (bonnet, tailgate, roof except if sunroof)

Satin chrome side air extractor grilles Black/blue, leather** upholstery/with Gordini hallmark Dark carbon PET front and rear door inserts Leather** steering wheel trim with blue and white striped top part Numbered Gordini plate Gear lever with Gordini hallmarked metal knob and Maltese Blue PET gaiter Dashboard cowl with contrast stitching (except RHD) Rev counter trim Gordini hallmarked floor mats Grey seatbelts Gloss black front trim, air vents and strips

OPTIONS

Hands-free card Carminat TomTom® Europe maps on Carminat TomTom® Cup chassis pack (chassis + red brake callipers) Radio CD 4 HP mp3 Bluetooth® Audio Connexion Box Curtain airbags Sunroof (without white stripes) Smoker's accessories Heated seats Luggage space cover No Gordini stripes Black Cup rims White Cup rims BeBop diamond-finish blue rims Parking assistance (reversing sensor) RS monitor (acceleration info, stopwatch, braking power, etc.) Thatcham service

* When the bodywork is Glacier White or Pearl Frost, all the Glacier White trims will be charcoal grey. ** Calfskin leather.

ENGINE	2.0 16V 203 hp	WHEELS AND TYRES	
TVV (Approval type)	CRJN06	Reference rims	7.5 J 17"
Fiscal power	12	Standard tyres	215/45 R17
Number of seats	4	BRAKES	
CO ₂ emission classification	E*	Braking system type	Х
ENGINE		ABS Bosch 8.1	Standard without AFU
Engine type	F4R832	Electronic brakeforce distribution	Standard
Capacity (cm ³)	1,998	ESP with CSV	Standard
Bore x Stroke (mm)	82.7 x 93	Power brake: single - (S) Ø (")	S-10
Number of cylinders/valves	4 inline/16	Front: ventilated discs Ø (mm)/thickness (mm)	312/28
Compression ratio	11.5 : 1	Rear: solid discs Ø (mm)/thickness (mm)	300/11
Maximum power kW EEC (hp DIN) with revs of (rpm)	147.5 (203) at 7,100	PERFORMANCES	
Maximum torque Nm EEC (m.kg DIN) with revs of (rpm)	215 (21.9) at 5,400	Aerodynamic S/Cx	2.20/0.342
Type of injection	sequential multipoint	Top speed (km/h)	225
Fuel	Petrol	0 - 100 km/h (s)	6"9
Catalytic converter	Standard	400 m D.A. (s)/1,000 D.A. (s)	14"9/27"3
Type of emission control	Euro 4	CONSUMPTION EN L/100 KM EUROPEAN DIRECTRIVE 99/100/EC	
GEARBOX		CO ₂ (g/km)	195
Туре	TL4 031	Urban cycle (cold start - I/100km)/extra-urban (I/100km)	11.3/6.4
Number of forward gears	6	Full cycle (I/100km)	8.2
Speeds at 1,000 rpm in 1 st	7.90	CAPACITY	
in 2 nd	12.62	Fuel tank (I)	55
in 3 rd	17.50	WEIGHT (kg) 3-door for F4R EAC/EAS	
in 4 th	22.04	Unladen kerb weight	1.240
in 5 th	27.36	Unladen weight on front axle/on rear axle	786 / 454
in 6 th	32.77	Total authorised laden weight	1.690
STEERING		Payload	450
Electrical power steering	Standard	Tujiouu	100
Variable assisted	Standard		
Turning circle between pavements/walls (m)	11/11.40		
Number of steering wheel turns (tyres)	2.74 (215)		
AXLES			
Stiffness of front/rear antiroll bar (mdaN / °)	121/97		
Front/rear natural frequency (Hz)	1.55/1.70		
Type of front/rear axle	Independent pivot axle/H-shaped axle	* Classification of CO ₂ emissions: A = emission less than or equal to 100g/km ; I	
Ø front/rear tie bars (mm)	21/30 (integrated into the axle)	C = emissions between 121 and 140g/km ; D = emissions between 141 and 1	
		F=emissions between 201 and 250g/km ; $G=emissions$ exceeding 250g/km	

COLOURS



GLACIER WHITE (GO)

MALTESE BLUE (SEC)

CO = CLEARCOAT OPAQUE COLOUR; CP = CLEARCOAT PEARLESCENT COLOUR; SEC = SPECIAL-EFFECT COLOURS

PEARL FROST (CO)

PEARL BLACK (SEC)

WHEEL RIMS



17" BEBOP BLACK DIAMOND-FINISH RIMS



17" BEBOP BLUE DIAMOND-FINISH RIMS

DIMENSIONS OF TWINGO GORDINI R.S.





GORDINI STYLE

1-2. GORDINI KEY SHELL: Adapts to Twingo II, Clio III (up to 2008), Modus phase 1, phase 2 (authentique version only) and Kangoo II (2-button key version).
3. GORDINI GLOVES: In very soft lambskin. Made in France. Colours: Gordini blue. Press stud fastening. 2 sizes available 4. GORDINI IPHONE® CASE.
5. MEMORY STICK: Credit card format. 2 Gb. Gordini colour trim on both sides. Delivered in a gift box.



DIMENSIONS OF CLIO GORDINI R.S.





GORDINI





BO	OT VOLUME (dm ³ VDA):	
	Boot under shelf, fixed rear seats	230
	Boot under shelf, movable rear seats	165 - 285
	Boot with rear seats folded, loading up to ceiling, fixed rear seats.	951
	Boot with rear seats folded, loading up to ceiling, movable rear seats.	959
DIN	IENSIONED DRAWING (mm)	
Α	Wheelbase	2,368
В	Overall length	3,607
C	Front overhang	714
D	Rear overhang	525
Ε	16"/17" wheel front track	1,460
F	16"/17" wheel rear track	1,445
G	Overall width with/without rear-view mirrors	1,688/1,927
Η	Unladen height	1,460
H1	Height, unladen with tailgate open	1,929
J	Unladen boot sill height	669
Κ	Ground clearance laden	120
L	Cabin length (1st and 2nd rows)	1,581
Μ	Front elbow room	1,400
M1	Rear elbow room	1,348
Ν	Front shoulder width	1,350
N1	Rear shoulder width	1,338
Ρ	Distance between hip joint and ceiling in front seats	897
Q	Distance between hip joing and ceiling:	
	- in rear seats, fixed rear seats	868
	- in rear seats, movable rear seats (rear seats all the way forward/all the way back)	877/851
Y	Max. boot entry width	1,186
Y1	Lower boot entry width	886
Y2	Interior width between wheel arches	986
Ζ	Boot opening height	700
Z1	Max. loading length (from tailgate to benchseat folded) fixed rear seats/ movable rear seats	1,157/1,020
Z2	Loading length behind benchseat	555
Z3	Height under luggage shelf	583

BO	OT VOLUME (dm³ VDA):	
	Under rear shelf	288
	Rear seats folded up to ceiling	1,038
DIN	IENSIONED DRAWING (mm)	· · · · · ·
Α	Wheelbase	2,585
В	Overall length	4,017
C	Front overhang	826
D	Rear overhang	606
Е	Front track with 205 tyres	1,520
F	Rear track with 205 tyres	1,520
G	Overall width with/without rear-view mirrors	1,768/2,025
Η	Unladen height	1,484
H1	Height, unladen with tailgate open	1,994
J	Unladen boot sill height	678
Κ	Ground clearance laden	>=120
L	Length of cabin: front and rear seats	1,677
Μ	Front elbow room	1,402
M1	Rear elbow room	1,412
Ν	Front shoulder width	1,382
N1	Rear shoulder width	1,362
P1	Distance between hip joint and ceiling in front seats	907
P2	Distance between hip joint and ceiling in rear seats	861
Y	Upper boot entrance	848
Y1	Lower boot entrance	894
Y2	Interior width between wheel arches	1,028
Ζ	Boot opening height	652
Z1	Max. loading length (from tailage to with benchseat folded)	1,306
Z2	Loading length behind rear seats	675
Z3	Height under luggage shelf	541

GORDINI R.S. RANGE



Became a Gordini fan on www.facebook.com/RenaultGordini



RENAULT préconise The utmost has been done to ensure that the content of this publication is accurate and up-to-date when going to press. This document has been created on the basis of pilot lots and prototypes. As part of its ongoing product improvement policy, Renault reserves the right to modify the specifications, vehicles and accessories described and shown at any time. Such modifications are communicated to Renault dealers as quickly as possible. Depending on the country of sale, certain versions may differ and certain equipment may be unavailable (as standard, optional or accessory). Please contact your nearest dealer for the latest information. For printing reasons, the colours which appear in this document may differ slightly from the actual paint and the upholstery colours. All rights reserved. It is forbidden to reproduce in any format and by any means all or part of this publication without prior written authorisation from Renault.