



Amarok V6 Range

Standard equipment Amarok Core 4x4

Exterior

- 16-inch 'Korama' alloy wheels
- · Halogen headlights with daytime running lights
- Park distance control rear with reverse camera*
- Black rear bumper with step

Interior

- · Austin cloth seat upholstery
- · Instrument cluster with multi-function Plus display
- · Leather-covered multi-function steering wheel
- Cruise control
- · Single zone air conditioning system
- · Composition Media audio system
- App-Connect[~] USB interface
- Rear parking sensors with Rear View Camera*
- Multi-Collision Braking system*

Standard equipment Amarok Core V6

Exterior

- 17-inch Posadas alloy wheels
- · Radiator grille with chrome element
- Extended wheel arches
- Front fog lights

Interior

- · Austin cloth seat upholstery
- Instrument cluster with multi-function Plus display
- · Leather-covered multi-function steering wheel
- Cruise control
- Single zone air conditioning system
- · Composition Media audio system
- App-Connect[~] USB interface
- Rear parking sensors with Rear View Camera*
- Multi-Collision Braking system*

Standard equipment **Amarok Sportline V6**

Core V6, plus:

Exterior

- 18-inch Manaus alloy wheels
- · Radiator grille with chrome elements
- · Comfort closing lockable rear tailgate
- · Colour-coated exterior mirrors, partially chromed
- Rear privacy glass
- · Rear bumper, chromed, with integrated step
- Tinted tail lights

Interior

- Salipra cloth seat upholstery
- Dash panel with decorative inserts in bright silver
- · Dual-zone Climatronic air conditioning system
- Four 12V sockets, (three in cabin and one in tray)
- Front and rear parking sensors with Rear View Camera*

Standard Equipment Amarok Highline V6 TDI580

Sportline V6, plus:

Exterior

- 18-inch Rawson allov wheels
- · Bi-xenon headlights with LED daytime running lights
- Stainless steel styling bar
- Stainless steel side steps
- Front fog lights with cornering function

Interior

- · Discover Media navigation system
- · Alarm with interior monitoring
- Safelock (deadlocking) system

Standard equipment Amarok Aventura V6 TDI580

Highline V6 580, plus:

Exterior

- · Silver 20-inch Talca alloy wheels
- Moulded styling bar (body coloured)
- Stainless steel side steps with illumination
- · Special cargo area coating

Interior

- Nappa leather appointed upholstery# in black
- ergoComfort seats for driver and front passenger
- (14-way electric, 2-way manual)
- Instrument cluster with Premium Colour multi-function display
- · Leather-covered multi-function steering wheel with paddle shifters
- · Stainless steel pedals
- · Tailored carpet mats



~App-Connect is compatible for selected apps with the latest smartphone versions of iOS and Android, active data service, and connection cable (sold separately). *Safety technologies are designed to assist the driver, but should not be used as a substitute for safe driving practices.

When Power Is Everything V6

The legendary Volkswagen 2.0L TDI engine The 2.0L TDI 4-cylinder engine

With up to 132kW of power and 420Nm of torque, the 2.0 TDI has proven itself as worksite and bush trail ready. With not one but two turbo-chargers, this Bi-turbo unit delivers power and torque from super low revs ensuring a smoother and more enjoyable driving experience.

2.0L TDI400 (132kW, 400Nm)

Fuel consumption (combined) 8.4L / 100km** CO₂ emissions: 220 g/km

2.0L TDI420 (132kW, 420Nm)

Fuel consumption (combined) 8.9L / 100km** CO₂ emissions: 234 g/km



3.0L TDI500 (165kW, 500Nm) Overboost function up to 180kW

Fuel consumption (combined) 9.7L / 100km** CO₂ emissions: 254 g/km

3.0L TDI550 (165kW, 550Nm) overboost function up to 180kW

Fuel consumption (combined) 9.1L / 100km** CO₂ emissions: 240 g/km

3.0L TDI580 (190kW, 580Nm) overboost function up to 200kW

Fuel consumption (combined) 9.5L / 100km** CO₂ emissions: 250 g/km

Powerful like no other The V6 3.0L TDI engine

Available in three power outputs producing 165kW and 550Nm of torque (500Nm for manual transmissions) or 190kW and 580Nm of torque. The V6 turbodiesel engine has more than enough power reserves even in the most demanding situations. With Overboost, you can ramp up the power even more when you need it most with a quick burst of either up to 180kW or 200kW, depending on your engine, while also prolonging maximum torque delivery. Optimised in 3rd and 4th gear, the Overboost function increases the engine's output for up to ten seconds, making it ideal for overtaking.





01 Permanent 4x4. This always-on 4x4 system with Torsen differential excels on all surfaces. Torque is mechanically distributed from front to rear (40:60) with the ability to drive distribution to each wheel optimised by traction control intervention (available with automatic transmission only).

O2 Selectable 4x4. The 4x4 drive system with a transfer case enables the front wheels to be electrically engaged and disengaged while driving. On steep inclines or longer stretches of challenging terrain an additional reduction gear set can also be engaged (available with manual transmission only).




03 8-speed automatic gearbox. The Amarok is the only vehicle in its class that offers the flexibility and performance of the 8-speed automatic transmission. The 1st gear is designed for off-road driving, whereas the 8th gear is optimised for economy driving at highway speeds.

04 6-speed manual gearbox and Selectable 4x4 4MOTION (not illustrated). The robust 6-speed manual gearbox offers responsive and smooth gear changes for all driving conditions. The manual transmission is combined with the dual range Selectable 4x4 system (available on Core models only).









02 High-climbing ability. The Amarok handles 100% (45°) grades with up to maximum payload.1



03 Off-road ABS. Once activated, the wheels lock when braking on loose surfaces with a larger interval, essentially creating a wedge which significantly reduces the braking distance. This noticeably increases the driving safety.

04 Approach/departure angle and wading depth. The maximum slope angle for the Amarok is 28.0° at the front and 23.6° at the rear. It can handle pools with a wading depth of 500 mm.



1 Figures may vary depending on the equipment line and engine type. Please note that these are statically calculated figures.





01 Composition Media system

The crystal clear 6.33" colour touch screen is packed with the latest multimedia functions, including App-Connect[~] and Bluetooth[®]. For added convenience the telephone functions can be voice activated. CE CE6 SL



OB Discover Media navigation system.

In addition to the functions of the Composition Media radio system with six loud speakers, there is a second integrated SD-card slot which is compatible with the SD-card with the map data. | HL | AV |



O2 App-Connect[~]

With this function, compatible apps are mirrored from your smart phone to the touch screen of the radio or navigation system display via the USB port and controlled using the touchscreen.

|CE|CE6|SL|HL|AV|



04 Voice Control.

You are free to operate the telephone and audio functions without taking your hands off the steering wheel. Furthermore, you can call up virtually all menus and notifications on the radio using voice control.

|CE|CE|CE6|SL|HL|AV|

O5 Climatronic air conditioning. This system offers 2-zone temperature control for the driver and front passenger. Depending on the intensity of the sun's rays and the outside temperature, the air conditioning adds more or less cool air accordingly. |SL|HL|AV|

[~]App-Connect is compatible for selected apps with the latest smartphone versions of iOS and Android, active data service, and connection cable (sold separately).



01 Cargo area coating. The UV-resistant special coating in anthracite provides excellent protection against mechanical and chemical wear.



02 Load light. The exterior load light helps illuminate the tray, ideal for early starts or late finishes. |CE|CE6|SL|


The smoothest moving tailgate. The comfort feature makes opening and closing the tailgate a breeze, while still rated to carry up to 200kg. |SL|HL|AV|

12V socket (not illustrated). A 12V socket is fitted on the inside of the left side panel. |SL|HL|AV|

Packs a pallet The widest tray in its class No other pickup provides so much

space between the wheel arches: the loading width of 1,222 mm even enables Euro pallets to be loaded crosswise. The spacious cargo box with a 2.52 m² load surface features convincing dimensions – such as the 508 mm high side panels and the low loading sill height of 780 mm.







Safety systems*.



Automatic Post-Collision Braking System. Triggers braking after a collision, with the aim of preventing secondary collisions. After a short delay, the vehicle begins phased braking action down to 10 km/h. | CE | CE6 | SL | HL | AV |



Electronic Stability Programme (not illustrated). Prevents under or over-steering via targeted braking of individual wheels. | CE | CE6 | SL | HL | AV |



Front and head/thorax airbags (not illustrated) for the driver and front passenger. |CE|CE6|SL|HL|AV|



Height-adjustable head restraints (not illustrated) and 3-point seatbelts are featured throughout, with pretensioners on the front seats. | CE | CE6 | SL | HL | AV |

332mm disc brakes in the front, 300mm disc brakes in the rear (not illustrated). Offer an optimum performance during high brake loads. | CE6 | SL | HL | AV |

Trailer Stabilisation (not illustrated). Configured for the Genuine Volkswagen tow bar wiring to compliment the Electronic Stability Programme, helping to reduce trailer sway. |CE|CE6|SL|HL|AV|



Driver assistance systems*.



04 Static cornering light. Ensures optimal visibility in poor weather conditions. The fog light nearest to the corner illuminates the roadside when turning. | HL | AV |



05 Rear View Camera. Simplifies reversing by showing a limited view of the area behind the vehicle on the display. Static guidelines facilitate the parking process. | CE | CE6 | SL | HL | AV |

Hill Start Assist (not illustrated). Prevents the vehicle from rolling back on inclines and makes it easier to start off on uphill slopes. | CE | CE6 | SL | HL | AV |



Hill Descent Assist (not illustrated). Allows you to drive down slopes in a safe, controlled way by governing the engine speed and applying the brakes, if necessary. | CE | CE6 | SL | HL | AV |



Park Pilot (not illustrated). Emits audible warnings when obstacles are detected behind the vehicle when parking.

Emits audible warnings at the front and rear of the vehicle when parking. | SL | HL | AV |




Cruise control (not illustrated). As of a speed of 30 km/h, it maintains the set speed depending on uphill and downhill inclines. | CE | CE6 | SL | HL | AV |



Tyre Pressure Monitoring System (not illustrated). Warns when there is a deviation in tyre pressure and indicates the driver to check tyre pressure as soon as possible. | HL | AV |



Mechanical rear differential lock (not illustrated). When activated ensures both rear wheels receive the same amount of power and rotations. This offers optimal traction on sandy or slippery surfaces. | CE | CE6 | SL | HL | AV |





Technical Specifications - 4 Cylinder Range

Engine	TDI400 4x4	TD1420 4x4	
Туре	4 cylinder Bi-turbo diesel, DOHC, 16 valve		
Cubic capacity, litres/cc	2.0 / 1,968		
Max power, kW @ rpm	132 @ 4,000	132 @ 4,000	
Max torque, Nm @ rpm	400 @ 1,500 - 2,250	420 @ 1,750	
Compression ratio	16.01:1		
Fuel system	Common Rail Direct Injection		
Exhaust emission control	Water-cooled exhaust gas recirculation (EGR), catalyt	c converter and diesel particulate filter (DPF)	
Fuel type (Recommended)	Diesel EN 590		
Transmission	6 Speed Manual	8 Speed Automatic	
Driven wheels	4x4 (4MOTION) Selectable	4x4 (4MOTION) Permanent	
Gear Ratios	Final Drive: 4.10	Final Drive: 3.70	
	1st Gear: 3.583	1st Gear: 4.714	
	2nd Gear: 1.889	2nd Gear: 3.143	
	3rd Gear: 1.114	3rd Gear: 2.106	
	4th Gear: 1.00	4th Gear: 1.667	
	5th Gear: 0.564	5th Gear: 1.285	
	6th Gear: 0.473	6th Gear: 1.00	
		7th Gear: 0.839	
		8th Gear: 0.667	
	Reverse Gear: 3.250	Reverse Gear: 3.300	
Fuel consumption**			
Combined, L/100km	8.4	8.9	
Urban, L/100km	10.1	11.0	
Extra Urban, L/100km	7.4	7.7	
CO ₂ emissions, g/km	220	234	
Fuel tank capacity, litres	80	80	
Towbar Capacity≠			
Braked, kg	3000		
Unbraked, kg	750		
Towball load limit, kg	300		

Technical Specifications - 4 Cylinder Range

Running Gear	2.0 litre, 4 cylinder TDI	
Suspension		
Front axle	Transverse link with A-frame arm double wishbor	ne and anti-roll bar
Rear axle	Multi-layer rigid axle with leaf spring and stabilis	er bar
Steering	Power assisted rack & pinion steering	
Brake systems	Anti-lock Braking System (ABS) with Electronic Brak	re-pressure Distribution (EBD), Brake Assist and Electronic Stabilisation Program (ESP)
Brakes		
Front / Rear, mm	303, Ventilated Discs / 295, Drum	
Brake systems	ESP, off-road ABS, ASR, EDL, Hill Holder, Brake As	sist, Traction Control and Off-Road ABS including Hill Descent
Turning circle, m	12.95	
Weights	TDI400 4x4 Core	TDI420 4x4 Core
Unladen Mass, kg	2,007	2,022
Payload, kg	1,033	1,018
Gross Vehicle Mass (GVM) kg	3,040	3,040
Gross Combined Mass (GCM) kg	5,550	5,550
Roof load, kg	100	100


Dimensions


Exterior Dimensions	TDI400 Core 4x4	TDI420 Core 4x4
Overall length mm	5,254	5,254
Width mm	1,944	1,954
Width incl. mirrors mm	2,228	2,228
Height mm	1,834	1,878^
Wheelbase mm	3,097	3,097
Ground clearance mm	226	226
Entry angle	28.0	28.0
Departure angle	23.6	23.6
Ramp angle	23.0	23.0
Wading depth, mm	500	500


Tray Dimensions

ilay Dililelisions	
Length, mm	1,555
Width, mm (Max.)	1,620
Width, mm (between wheel arches)	1,222
Tailgate opening, mm (Max.)	1,364
Height (tailgate), mm	508
Height from ground, mm	780

Amarok Dual Cab







The Amarok – Technical Specifications and Dimensions | 17

^{**}Fuel consumption figures according to Australian Design Rules (ADR) 81/02 derived from laboratory testing. Factors including but not limited to driving style, road and traffic conditions, environmental influences, vehicle condition and accessories fitted, will in practice in the real world lead to figures which generally differ from those advertised. Advertised figures are meant for comparison amongst vehicles only.

[#]When fitted with Volkswagen Genuine Tow Bar. Towing capacities are applicable to Volkswagen Genuine Accessory Tow Bar. Towing capacity figures are maximum figures and actual towing capacity depends on factors including the laden mass of the vehicle, driving conditions and fitment of any accessories. Volkswagen Group Australia does not endorse or will not be held liable for any claim, loss or damage arising from the use or fitment of electronic trailer brakes.

[‡] Payload is defined as the Gross Vehicle Mass (GVM) minus the Kerb Mass. Payload is the maximum combined weight of occupants, cargo, added structures and tow ball down weight (when towing). GVM must not be exceeded.


^{**}Height shown without sports bar.


Technical Specifications - 6 Cylinder Range

Engine	3.0 litre V6 TDI500	3.0 litre V	TDI550		3.0 litre V6 TDI580
Туре	6 cylinder turbo diesel, 24 valve	6 cylinder	turbo diesel, 24 v	alve	6 cylinder turbo diesel, 24 valve
Cubic capacity, litres/cc	3.0 / 2,967	3.0 / 2,967			3.0 / 2,967
Max power, kW @ rpm	165 @ 3,250 - 4,500	165 @ 2,5	00 - 4,500		190 @ 3,250 - 4,500
Max torque, Nm @ rpm	500 @ 1,250 - 3,000	550 @ 1,5	00 - 2,500		580 @ 1,400 - 3,000
Compression ratio	17.0:1	17.0:1			17.0:1
Fuel system	Bosch EDC17 electronic engine control unit	Bosch EDC	17 electronic eng	ne control unit	Bosch EDC17 electronic engine control uni
Exhaust emission control	Water-cooled exhaust gas recirculation (EGR), catalytic converter and diesel particulate filter (DPF)	Water-cooled exhaust gas recirculation (EGR), catalytic converter and diesel particulate filter (DPF)			Water-cooled exhaust gas recirculation (EGR), catalytic converter and diesel particulate filter (DPF)
Fuel type (Recommended)	Diesel EN 590	Diesel EN	590		Diesel EN 590
Transmission	6 Speed Manual	8 Speed Au	ıtomatic		8 Speed Automatic
Driven wheels	4x4 (4MOTION) Selectable	4x4 (4M01	ION) Permanent		4x4 (4MOTION) Permanent
Gear Ratios	1st Gear: 5.070	1st Gear: 4	.714		1st Gear: 4.714
	2nd Gear: 2.614	2nd Gear:	3.143		2nd Gear: 3.143
	3rd Gear: 1.524	3rd Gear: 2	2.106		3rd Gear: 2.106
	4th Gear: 1.000	4th Gear: 2	667		4th Gear: 1.667
	5th Gear: 0.770	5th Gear: 2	285		5th Gear: 1.285
	6th Gear: 0.657	6th Gear: 1	.00		6th Gear: 1.00
	Reverse Gear: 4.823	7th Gear: ().839	_	7th Gear: 0.839
		8th Gear: ().667		8th Gear: 0.667
		Reverse Ge	ear: 3.317		Reverse Gear: 3.317
Performance#					
0 - 100km/h, seconds	хх	7.9			7.3
Fuel consumption**					
Combined, L/100km	9.7	9.1			9.5
Urban, L/100km	11.4	10.6			11.4
Extra Urban, L/100km	8.6	8.3			8.4
CO₂ emissions, g/km	254	240			250
Fuel tank capacity, litres	80	80			80
Towbar Capacity≠	Core V6 Manual	Core V6	Sportline V6	Highline V6	Aventura V6
Braked kg	3,000	3,500	3,500	3,500	3,500
Unbraked, kg	750	750	750	750	750
Towball load limit, kg	300	300	300	300	300

[#]Please note figures are sourced from overseas data where equipment levels by model variant may vary.

engine speed [rpm]






Technical Specifications - 6 Cylinder Range


Running Gear	3.0 litre V6 TDI500	3.0 litre V6 TD	550		3.0 litre V6 TDI580
Suspension					
Front axle	Transverse link with A-frame arm, double wishbone and anti-roll bar	Transverse link anti-roll bar	with A-frame arm, do	uble wishbone and	Transverse link with A-frame arm, double wishbone and anti-roll bar
Rear axle	Multi-layer rigid axle with leaf spring and stabiliser bar	Multi-layer rigi	d axle with leaf spring	and stabiliser bar	Multi-layer rigid axle with leaf spring and stabiliser bar
Steering	Power assisted rack & pinion steering	Power assisted	Power assisted rack & pinion steering		Power assisted rack & pinion steering
Brakes					
Front / Rear, mm	Ventilated, 332 / Ventilated, 300	Ventilated, 332	/ Ventilated, 300		Ventilated, 332 / Ventilated, 300
Brake systems	ESP, ABS, ASR, EDL,Hill Holder, Brake Assist, Traction Control and Off-Road ABS including Hill Descent	, , ,	EDL,Hill Holder, Brake f-Road ABS including F	,	ESP, ABS, ASR, EDL, Hill Holder, Brake Assist, Traction Control and Off-Road ABS including HillDescent
Turning circle, m	12.95	12.95			12.95
Weights	Core V6 Manual	Core V6	Sportline V6	Highline V6	Aventura V6
Unladen Mass, kg	2,076	2,091	2,104	2,147	2,244
Payload, kg ‡	1,004	989	976	933	836
Gross Vehicle Mass (GVM), kg	3,080	3,080	3,080	3,080	3,080
Gross Combined Mass (GCM), kg	5,550	6,000	6,000	6,000	6,000
Roof load, kg	100	100	100	100	100


Dimensions

Exterior Dimensions	3.0 litre V6 TDI500	3.0 litre V6 TDI550	3.0 litre V6 TDI580
Overall length, mm	5,254	5,254	5,254
Width, mm	1,954	1,954	1,954
Width incl. mirrors, mm	2,228	2,228	2,228
Height, mm (HL)	1,878	1,878	1,878
Height, mm (UL)	1,834	1,834	1,834
Wheelbase, mm	3,097	3,097	3,097
Ground clearance, mm	192	192	192
Entry angle	28.0°	28.0°	28.0°
Departure angle	23.6°	23.6°	23.6°
Ramp angle	23.0°	23.0°	23.0°
Wading depth, mm	500	500	500
Track Front/Rear, mm	1,654 / 1,658	1,654 / 1,658	1,654 / 1,658
Tray Dimensions			
Length, mm	1,555	1,555	1,555
Width, mm (Max.)	1,620	1,620	1,620
Width, mm (between wheel arches)	1,222	1,222	1,222
Tailgate opening, mm (Max.)	1,364	1,364	1,364
Height (tailgate,) mm	508	508	508
Height from ground, mm	780	780	780

Amarok Dual Cab (with wheel arch flares and rear step bumper)







^{**}Fuel consumption figures according to Australian Design Rules (ADR) 81/02 derived from laboratory testing. Factors including but not limited to driving style, road and traffic conditions, environmental influences, vehicle condition and accessories fitted, will in practice in the real world lead to figures which generally differ from those advertised. Advertised figures are meant for comparison amongst vehicles only. #When fitted with Volkswagen Genuine Tow Bar. Towing capacities are applicable to Volkswagen Genuine Accessory Tow Bar. Towing capacity figures are maximum figures and actual towing capacity depends on factors including the laden mass of the vehicle, driving conditions and fitment of any accessories. Volkswagen Group Australia does not endorse or will not be held liable for any claim, loss or damage arising from the use or fitment of electronic trailer brakes.

[°] Track figures are based on rim off-set of 45

[‡]Payload is defined as the Gross Vehicle Mass (GVM) minus the Kerb Mass. Payload is the maximum combined weight of occupants, cargo, added structures and tow ball down weight (when towing). GVM must not be exceeded.

^{**}Height shown without sports bar.

Volkswagen Accessories

Volkswagen Genuine Accessories ensures your Amarok remains 100% Volkswagen. The extensive range of Amarok Genuine Accessories provides you with the opportunity to adapt your Amarok even more precisely to your individual needs. From interior to exterior solutions, styling options, Volkswagen Genuine Accessories perfectly compliments your Amarok. For the full range, please visit www.volkswagen.com.au





01 17" Rocadura black edition wheel Part.no 2H0071497AZ98 (matte black)



02 18" Durban alloy wheel Part.no 2H6071498Z98 (matte black)



03 17" Rocadura alloy wheel Part.no 2H0071497AFZZ (gloss machined)



04 Black bodyside moulding Part.no 2H6071328041



05 Black wheel arch moulding Part.no 2H6071680041



06 Amarok electronic trailer brake controller kit Part.no VGA2HETBAMK



07 Roof bars

Part.no VGA071126AM17 (Flush mount, load rating 100Kg)
Part.no VGA071126AM17C (Commercial, load rating 100Kg)



08 Black side steps with integrated LED lighting

Part.no 2H6071691041 (wiring harness also required Part no. 2H6071970)



09 Black styling bar Part.no 2H0071000ENP1



0 Towbar

Part.no 2H6092134 (3.5 Tonne towbar for Amarok V6 auto only - MY18 onwards)
Part.no 2H0092134A (3.0 Tonne towbar for Amarok with bumper)
Part.no 2H0092134B (3.0 Tonne towbar for Amarok without bumper)



11 Amarok platform system

Part.no VGA2H6421AM17 (Load rating 75Kg)



12 Amarok bonnet protector

Part.no VGA82301M (matte black) Part.no VGA823010 (clear)



13 Slimline weathershields (tinted)

Part.no VGA845015S



14 Premium roll Cover

Part.no 2H7071774GNP1
Part.no 2H7071774ENP1 (Aventura model only)
Part.no VGACCVW80B02 (Roof racks to suit premium roll cover)
Part.no VWCCF090B02 (Roof racks to suit Aventura roll cover)



16 Premium canopy



15 Amarok bed divider system

Only in conjuction with the premium roll over Not compatible with Aventura/sports bar equipped models Part.no VGABDVW80A01



17 Amarok alloy tray range



18 Front body underbody styling element (black/silver)

Part.no 2H6071003



19 Amarok self-lowering tailgate system

Part.no VGA2H00ED0800 (with torsion bar)
Part.no VGA2H00ED0300 (without torsion bar)



20 Amarok modular tub liner


Part.no VGA2H7061164



21 Tonneau cover range

Part.no VGA2H7071778 (to suit without sports bars)
Part.no VGA2H7071778A (to suit with highline sports bars)


Seat upholstery












- 01 Austin cloth seat upholstery in Titanium Black and Moon Rock Grey | CE | CE6 |
- 02 Salipra cloth seat upholstery in Palladium | SL | HL |
- 03 Art velour seat upholstery in black | HL|
- 04 Vienna leather seat upholstery# in Palladium | HL|
- **05** Nappa leather seat upholstery# in Black with seams in Ceramique | AV |

Wheels











- **O6** Korama alloy wheel, 6.5 J x 16. With 245/70 R 16 tyres. | **CE** |
- **07** Posadas alloy wheel, 8.0 J x 17. With 245/65 R 17 tyres. | CE6 |
- **08** Manaus alloy wheel, 7.5 J x 18. With 255/60 R 18 tyres. | **SL** |
- **09 Rawson** alloy wheel 7.5 J x 18 with 255/60 R 18 tyres. | **HL**|
- **10** Talca alloy wheel, 8.0 J x 20. With 255/50 R 20 tyres. | AV |

*Leather appointed seats have a combination of genuine and artificial leather, but are not wholly leather.

| CE | Core | CE6 | Core V6 | SL | Sportline | HL | Highline | AV | Aventura | Standard Option | Optional extra | The Amarok - Paint finishes | 27

Paint finishes













O1 Candy White Solid | B4B4 | | CE | CE6 | SL | HL | AV |

02 Mojave Beige Metallic | 1 B1B | | CE | CE6 | SL | HL |

O3 Atlantic Blue Metallic | I H7H7 | | CE | CE6 | SL | HL | AV |

04 Indium Grey Metallic | I X3X3 | | CE | CE6 | SL | HL | AV |

05 Deep Black Pearl Effect | 12T2T | | CE | CE6 | SL | HL | AV |

06 Pyrit Silver Metallic | K2K2 | CE | CE6 | SL | HL | AV |

Please note that Metallic and Pearl affect paint are optional at additional cost. The print process does not allow for exact reproduction of the exterior or the upholstery colours. Not all colours are available with optional body coloured bumpers and/or roof height increases. Please contact your Volkswagen Dealer for further information on colours and upholstery combinations.





5 yearsUnlimited Kilometre Warranty

At Volkswagen, we pride ourselves on the highest quality standards that come with German engineering.

We back this commitment with a 5 year unlimited kilometre warranty on all new Volkswagen vehicles*.



1 yearRoadside Assist

Every new Volkswagen comes with a 1 year Roadside Assist membership.

That's 24 hour roadside assistance, emergency accommodation, car rental and towing as well as property and other assistance, all included for added peace of mind.



Volkswagen Care Plans

Volkswagen Care Plans† have you covered for your first 3 or 5 scheduled services, providing you savings off the total Assured Service Pricing RRP. It's convenient, hasslefree scheduled servicing easily available for purchase at your local Volkswagen Dealer.



AssuredService Pricing

Assured Service Pricing# gives you the transparency of knowing how much your service will cost up front.

Our Volkswagen Dealers have access to the latest diagnostic equipment and tools. Plus, they use Volkswagen Genuine Parts® to ensure your Volkswagen stays a Volkswagen.

You're in safe hands at your Volkswagen Dealer when it comes to servicing.

†Volkswagen Care Plans are available for purchase at https://www.volkswagen.com.au/en/owners-service/care-plans.html or from participating authorised Volkswagen Dealers for Eligible Vehicles and covers standard items as contained in each scheduled service interval only. The service intervals occur every 15,000 KM/12 months (whichever occurs first) for all models except MY18 to current Crafter vehicles and MY21 onwards Amarok vehicles, which are scheduled to occur every 20,000 km/12 months (whichever occurs first). These Care Plans can only be purchased prior to the first scheduled service and up to 22,500 km/15 months (whichever occurs first) for all models except MY18 to current Crafter vehicles and MY21 onwards Amarok vehicles which is 30,000 km/15 months (whichever occurs first). The timeframe takes effect from when the vehicle is first reported in our system as 'sold'. Discount structure varies by model. For details of what is not included in a scheduled service, please refer to the program terms and conditions.


#Assured Service Pricing applies to the first 5 standard scheduled services of your vehicle which are scheduled to occur at every 15,000 km/12 month interval (whichever occurs first) or for MY18 to current Crafter vehicles and MY21 onwards Amarok vehicles only, 20,000 km/12 month interval (whichever occurs first). On or before 31 December each year, Volkswagen will publish the maximum price for a specified Schedule Service that will be applicable from, and remain fixed for, the following calendar year only. For details on the Eligible Model List, pricing, items not included and for full terms and conditions, please see https://www.volkswagen.com.au/app/locals/service-pricing-quide.

Volkswagen Choice

Guarantee the minimum future value of your Volkswagen

Naturally we understand that your Volkswagen represents a valuable investment, so we understand that you want to maintain it in premium condition. Volkswagen Choice^ is a finance program tailored to the requirements of Volkswagen owners by providing assurance around your Volkswagen's future value^, whilst offering simple monthly instalment financing options.

Whether you are selecting your new Volkswagen for business or personal use, you can choose the contract term that best suits your requirements. Enjoy the confidence that comes from having locked in a minimum value up front to be attributed to your vehicle at the end of your contract[^]. There are also no account keeping fees with a fixed interest rate.



Simply return your vehicle to your preferred Volkswagen Dealer. If the trade-in value is higher than the Guaranteed Future Value (GFV)^, you can use this equity towards your new Volkswagen.

If you want to keep your Volkswagen for longer, you can payout or refinance the GFV amount to enjoy your Volkswagen for longer.

Return your vehicle to your preferred Volkswagen Dealer. Provided it meets kilometre and fair wear and tear requirements^, you have no further liability.

The Amarok – Volkswagen Choice 29

^{*}Conditions and exclusions apply, see https://www.volkswagen.com.au/en/owners-service/warranty.html. Your rights under this warranty are provided in addition to, and in some cases overlap with, consumer guarantees under the Australian Consumer Law and do not limit or replace them.

[^]Volkswagen Roadside Assist is provided by AWP Australia Pty Ltd ABN 52 097 227 177 trading as Allianz Global Assistance, under an arrangement with Volkswagen Group Australia Pty Limited ABN 14 093 117 876. Conditions and exclusions apply, see https://www.volkswagen.com.au/en/owners-service/roadside-assist.html.

[^]Volkswagen Guaranteed Future Value consists of an option to return your vehicle to Volkswagen Financial Services (VFS) ABN 20 097 071 460, Australian Credit Licence 389344, at the end of the term and requires VFS to purchase the vehicle at an agreed price determined by VFS, known as the Guaranteed Future Value (GFV). #Eligible loan terms include 12-60 months, vary by model and are subject to change, ask dealer for more information. At the end of the term, you can elect to: (1) trade-in; (2) return; or (3) retain the vehicle by paying the GFV, which is a lump sum owed to VFS at the end of the loan term after all repayments have been made. You will be liable for any loan contract deficit and additional charges if you exceed the nominated kilometre allowance and/or the vehicle is not in an acceptable condition. Available on new and demonstrator Volkswagen vehicles for selected models. Contact your Official Volkswagen Dealer to verify eligible vehicles for this program. Fleet, government, rental buyers, hire car and chauffeur companies excluded.

Features and Specifications

Safety and security	V6 TDI500 Core	V6 TDI550 Core	V6 TDI550 Sportline	V6 TDI580 Highline	V6 TDI580 Aventura
Airbags					
Driver and front passenger airbags	•	•	•	•	•
Driver and front passenger side (head & thorax) airbags	•	•	•	•	•
Seat belts					
3 point seat belts for all passengers	•	•	•	•	•
Front height adjustable seat belts with pre-tensioners and belt force limiters	•	•	•	•	•
Outer rear seat belt pre-tensioners	•	•	•	•	•
Visual and acoustic warning for driver seat belt not fastened	•	•	•	•	•
Child Restraints					
Child seat top tether anchorage points (3)	•	•	•	•	•
ISOFIX child seat anchorage points, outer rear seats	•	•	•	•	•
Brakes and Traction Control					
Automatic flashing brake lights activated in emergency braking situation		<u> </u>	•	<u> </u>	<u> </u>
Electronic Stabilisation Programme (ESP)		- •	- •	- •	•
Electronic Brake-pressure Distribution (EBD)	•	- -	<u>•</u>	- -	•
Anti-lock Braking System (ABS)	•	•	•	•	•
Brake Assist	•	•	•	•	•
Anti-Slip Regulation (ASR)	•	•	•	•	•
Electronic Differential Lock (EDL)	•	•	•	•	•
Auto Hold function	•	•	•	•	•
Trailer Sway Stability Control (only with genuine tow bar wiring kit)	•	•	•	•	•
Mechanical Differential Lock	•	•	•	•	•
Multi-collision brake	•	•	•	•	•
Active Roll-over Prevention	•	•	•	•	•
Driver Assistance Technology*					
Off-road mode with optimised ABS, ESP, transmission and hill decent control	•	•	•	•	•
Parking distance sensors, rear with acoustic warning	•	•			
Parking distance sensors, front and rear with acoustic warning	_		•	•	•
Optical Parking System (OPS) in radio/navigation display	•	•	•	•	•
Rear View Camera (RVC)	•	•	•	•	•
Dusk sensing headlight function	0	0	•	•	•
Rain sensing wipers	0	0	•	•	•

Halogen headlamps	•	•	•	_	_
Bi-Xenon headlamps with integrated LED daytime driving lights, automatic self-levelling		_	_	•	•
Front fog lights	•	•	•	_	_
Front fog lights with static cornering lights	_		_	•	•
Separate headlight and fog light switch	•	•	•	•	•
Coming / leaving home function	0	0	•	•	•
Internal headlight range adjustment	•	•	•	•	•
Rear high mount stop light, LED	•	•	•	•	•
Tinted tail lights	_		•	•	•
Rear fog lamp	•	•	•	•	•
Locking					
Lockable rear tailgate with comfort closing	0	0	•	•	•
Electronic engine immobiliser	•	•	•	•	•
Alarm system with interior monitoring and SAFELOCK				•	•
Remote central locking with folding key	•	•	•	•	•
Head Restraints					
Head Restraints Rear head restraints height adjustable (3)	•	•	•	•	•
Head Restraints Rear head restraints height adjustable (3) Exterior Equipment / Styling	•	•	•	•	•
Head Restraints Rear head restraints height adjustable (3) Exterior Equipment / Styling Roof	•	•	•	•	•
Head Restraints Rear head restraints height adjustable (3) Exterior Equipment / Styling Roof Roof gutter inserts (Black)				• •	
Head Restraints Rear head restraints height adjustable (3) Exterior Equipment / Styling Roof Roof gutter inserts (Black) Roof bar mounting points		•	•		•
Head Restraints Rear head restraints height adjustable (3) Exterior Equipment / Styling Roof Roof gutter inserts (Black) Roof bar mounting points Roof bars	<u> </u>	•	•	•	• • • • • • • • • • • • • • • • • • •
Head Restraints Rear head restraints height adjustable (3) Exterior Equipment / Styling Roof Roof gutter inserts (Black) Roof bar mounting points Roof bars Bicycle, kayak, ski, surfboard and snowboard holders	• • • A	• • A	• • • A	• A	• • A
Head Restraints Rear head restraints height adjustable (3) Exterior Equipment / Styling Roof Roof gutter inserts (Black) Roof bar mounting points Roof bars Bicycle, kayak, ski, surfboard and snowboard holders Towbar	• • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • •	——————————————————————————————————————	• • A A	A A	• • • A
Head Restraints Rear head restraints height adjustable (3) Exterior Equipment / Styling Roof Roof gutter inserts (Black) Roof bar mounting points Roof bars Bicycle, kayak, ski, surfboard and snowboard holders Towbar Towbar, with removable tongue	A A	• • • A A A	A A	A A	• • • A A A
Head Restraints Rear head restraints height adjustable (3) Exterior Equipment / Styling Roof Roof gutter inserts (Black) Roof bar mounting points Roof bars Bicycle, kayak, ski, surfboard and snowboard holders Towbar	• • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • •	——————————————————————————————————————	• • A A	A A	• • • A
Head Restraints Rear head restraints height adjustable (3) Exterior Equipment / Styling Roof Roof gutter inserts (Black) Roof bar mounting points Roof bars Bicycle, kayak, ski, surfboard and snowboard holders Towbar Towbar, with removable tongue Wiring Kit - 7-pin flat trailer connector Windows	A A	• • • A A A	A A	A A	• • • A A A
Head Restraints Rear head restraints height adjustable (3) Exterior Equipment / Styling Roof Roof gutter inserts (Black) Roof bar mounting points Roof bars Bicycle, kayak, ski, surfboard and snowboard holders Towbar Towbar, with removable tongue Wiring Kit - 7-pin flat trailer connector Windows Power front / rear, with roll-back function and one touch up-down	A A	• • • A A A	A A	A A	• • • A A A
Head Restraints Rear head restraints height adjustable (3) Exterior Equipment / Styling Roof Roof gutter inserts (Black) Roof bar mounting points Roof bars Bicycle, kayak, ski, surfboard and snowboard holders Towbar Towbar Towbar, with removable tongue Wiring Kit - 7-pin flat trailer connector Windows Power front / rear, with roll-back function and one touch up-down Remote operated convenience close and open feature	A A A	A A A	A A A	A A A	A A A
Head Restraints Rear head restraints height adjustable (3) Exterior Equipment / Styling Roof Roof gutter inserts (Black) Roof bar mounting points Roof bars Bicycle, kayak, ski, surfboard and snowboard holders Towbar Towbar, with removable tongue Wiring Kit - 7-pin flat trailer connector Windows Power front / rear, with roll-back function and one touch up-down	A A A	A A A	A A A	A A A	A A A

V6 TDI500

Core

V6 TDI550

Core

V6 TDI550

Sportline

V6 TDI580

Highline

V6 TDI580

Aventura

Safety and security

Lighting

● Standard O Optional Extra — Not available A Volkswagen Genuine Accessory (Dealer fitted)

^{*}Safety technologies are designed to assist the driver, but should not be used as a substitute for safe driving practices.

Exterior Equipment / Styling	V6 TDI500 Core	V6 TDI550 Core	V6 TDI550 Sportline	V6 TDI580 Highline	V6 TDI580 Aventura
Body Enhancements	Core	Core	Sportille	nigillile	Aveilluid
Painted door handles and exterior mirrors			•	•	•
Chrome radiator grille highlights with two double chrome strips		- <u>-</u>	- `	- '	
Chrome radiator grille highlights with single chrome strip		•	- -	- -	- -
Chrome rear step bumper			•	•	•
Matte black rear step bumper		•	- -	- -	
Extended wheel arch flares	•	•	•	•	•
Side Steps (Stainless Steel)	A	A	A	•	_
Side Steps (Stainless Steel) - Illuminated		_			•
Styling Bar (Stainless Steel) - Standard type	A	A	A	•	
Styling Bar (Body coloured) - Moulded style	-	_	_	_	•
Rolling cover (lockable)	A	A	A	A	A
Hard tonneau cover (lockable)	A	A	A	A	_
Soft tonneau cover	A	A	A	A	
Canopy with side windows and rear door	A	Α	Α	A	A
Protection Underbody protection (engine) - plate type	•	•	•		
Underbody protection (engine) - bar type		_	_	•	•
Mudflaps, front and rear	•	•	•	•	•
Durabed tubliner coating					•
Slimline weather shields (set of 4)	A	A	A	A	A
Bonnet protector - clear / tinted	A	A	A	A	Α
Tubliner - 5 piece	A	A	A	A	_
Underbody protection (fuel tank)	A	A	A	A	A
Wheels and Tyres					
Alloy wheels (Posadas) 17 x 6.5" with 245/65 R17	•	•			_
Alloy wheels (Manaus) 18 x 7" with 255/60 R18		_	•	_	_
Alloy wheels (Rawson) 18 x 7.5 with 255/60 R18		_	_	•	
Alloy wheels (Talca) 20 x 8" with 255/50 R20		_	_	_	•
Tyre Pressure Monitoring System (TPMS)	-	_	_	•	•
Full size steel spare wheel	•	•		_	
Full size alloy spare wheel		_	•	•	•
Tool kit with vehicle jack	•	•	•	•	•
Alloy wheels (various design 18" and 19") Please consult your Volkswagen Dealer for correct wheel and tyre fitment by model	A	A	A	A	A

Comfort & Convenience	V6 TDI500 Core	V6 TDI550 Core	V6 TDI550 Sportline	V6 TDI580 Highline	V6 TDI580 Aventura
Air Conditioning					_
Dual-zone automatic climate control air conditioning	_	<u> </u>	•	•	•
Single zone air-conditioning	•	•			_
Cruise Control					
Cruise Control with stalk mounted controls	•	•	•	•	•
In-Car Entertainment and Technology			_	_	_
Composition Media Audio system 6.33" 6.33" colour touch screen display, AM/FM radio with phase diversity tuner, CD player (MP3/WMA compatible). AUX and SD card slot and external USB input. Car menu with convenience and service settings.	•	•	•	_	_
<u>Discover Media audio and satellite navigation system 6.33"</u> 6.33" colour touch screen display, AM/FM radio with phase diversity tuner, CD player (MP3/WMA compatible). AUX and SD card slot, external USB input, and four (4) speakers. Car menu with convenience and service settings.	-	-	_	•	•
App-Connect [~] USB interface for Apple CarPlay [®] , Android Auto [™] and MirrorLink [®] in centre console	•	•	•	•	•
Audio, telephone and Multi-Function Display controls mounted on steering wheel	•	•	•	•	•
Auxiliary input audio socket in centre console	•	•	•	•	•
Bluetooth® phone connectivity with contacts display, operation via touch screen audio unit or Multi-Function Display and Bluetooth® audio streaming	•	•	•	•	•
Speakers, front and rear (6)	•	•	•	•	•
Voice Control, telephone and navigation functions	•	•	•	•	•
Instrumentation				_	
Multi-Function Display (MFD Plus) monochrome display – driving time, trip length, average and current speed, average and current fuel consumption, distance till empty, speed warning function, vehicle status, audio, telephone, navigation and convenience menus	•	•	•	•	-
Multi-Function Display (MFD Premium) colour display and screen transitions with animations – driving time, trip length, average and current speed, average and current fuel consumption, tyre pressure indicator setting, distance till empty, speed warning function, vehicle status, audio, telephone, navigation and convenience menus	-	_	_	_	•
12 V socket					
Centre console and dashboard	_		•	•	•
Centre console	•	•	•	•	•
Second row centre console	_		•	•	•
Cargo area			•	•	•
Interior Lighting					
Interior lights - door operated with reading lights, front and rear	•	•	•	•	•

● Standard O Optional Extra — Not available A Volkswagen Genuine Accessory (Dealer fitted)

Comfort & Convenience	V6 TDI500 Core	V6 TDI550 Core	V6 TDI550 Sportline	V6 TDI580 Highline	V6 TDI580 Aventura
Interior Trims					
Aluminium-look decorative inserts in dashboard	_	_	•	•	•
Chrome highlight trim to air vent and rotary light switch	_	_	•	•	•
Chrome highlights to mirror adjustment and power window switches	_	_	•	•	•
Leather covered steering wheel and gearshift knob	•	•	•	•	•
Aluminium finish accelerator and brake pedals	_	_	_	_	•
Rubber floor covering in cab	•	•	_	_	_
Carpet floor covering in cab	_	_	•	•	•
Carpet mats, front and rear with decorative stitching	A	A	A	A	A
Front and rear, rubber mats	A	A	A	A	A
Mirrors					
Electric adjusted door mirrors with heating function	•	•	•	•	•
Unpainted black exterior mirrors	•	•	_	_	_
Colour-painted exterior mirrors with chrome highlights			•	•	•
Steering Wheel					
3 spoke leather covered steering wheel	•	•	•	•	•
Steering wheel mounted gearshift paddles	_	_			•
Audio, telephone and Multi-Function Display controls	•	•	•	•	•
Height and reach adjustable steering wheel	•	•	•	•	•
Seating					
Cloth seat upholstery - Austin trim	•	•	_	_	
Cloth seat upholstery - Salipra trim	_	_	•	•	_
Vienna leather appointed seat upholstery#	_	_	_	0	_
Cloth seat upholstery - Art Velour	_	_	_	0	_
Nappa leather appointed seat upholstery#	_	_	_	_	•
Manual height adjustment - front	•	•	•	•	_
ErgoComfort driver's seat with 14-way adjustment with seat cushion tilt adjustment, cushion depth adjustment and electric adjustment for backrest and lumbar	_	_	_	_	•
Individually heated front seats	_			0	•
Rear seat backrest forward folding	•	•	•	•	0
Rear seat base split folding (60/40)	•	•	•	•	•
Grab Handles					
Roof line folding grab handles (4)	•	•	•	•	•
B-pillar fixed grad handles (2)	•	•	•	•	•
A-pillar fixed grab handle (1)	•	•	•	•	•

Comfort & Convenience	V6 TDI500 Core	V6 TDI550 Core	V6 TDI550 Sportline	V6 TDI580 Highline	V6 TDI580 Aventura
Storage					
Centre console armrest with storage compartment	•	•	•	•	•
Storage under front seats		_	•	•	_
Door pockets, front and rear	•	•	•	•	•
Front seat backrest storage pockets	•	•	•	•	•
Driver's and passenger's side vanity mirrors	•	•	•	•	•
Compartment with lid in roof console	-	_	•	•	•
Lockable glove compartment	•	•	•	•	•
Rear centre floor cup holders (2)	_	_	•	•	•
Bottle holders in front and rear door pockets	•	•	•	•	•
Tray Body					
Lashing rings for load restraining (4)	•	•	•	•	•
Cargo area light	•	•	•	_	_
12 volt socket		_	•	•	•
Optional Equipments					
Interior					
Vienna leather appointed seat upholstery#		_		0	_
Micro-fibre seat upholstery				0	
Individually heated front seats				0	•
Paint					
Metallic or Pearl effect paint finish	0	0	0	0	0

#Leather appointed seats have a combination of genuine and artificial leather, but are not wholly leather.

● Standard O Optional Extra — Not available A Volkswagen Genuine Accessory (Dealer fitted)

Technical Specification

Engine	3.0 litre V6 TDI500	3.0 litre V6 TDI550	3.0 litre V6 TDI580
Туре	_6 cylinder turbo diesel, 24 valve	6 cylinder turbo diesel, 24 valve	6 cylinder turbo diesel, 24 valve
Installation	Longitudinal	Longitudinal	Longitudinal
Cubic capacity, litres/cc	3.0 / 2,967	3.0 / 2,967	3.0 / 2,967
Bore/stoke, mm	83.0 / 91.4	83.0 / 91.4	83.0 / 91.4
Max power, kW @ rpm	165 @ 3,250 - 4,500	165 @ 2,500 - 4,500	190 @ 3,250 - 4,500
Max torque, Nm @ rpm	500 @ 1,250 - 3,000	550 @ 1,500 - 2,500	580 @ 1,400 - 3,000
Compression ratio	17.0:1	17.0:1	17.0:1
Fuel system	Bosch EDC17 electronic engine control unit	Bosch EDC17 electronic engine control unit	Bosch EDC17 electronic engine control unit
Exhaust emission control	Water-cooled exhaust gas recirculation (EGR), catalytic converter and diesel particulate filter (DPF)	Water-cooled exhaust gas recirculation (EGR), catalytic converter and diesel particulate filter (DPF)	Water-cooled exhaust gas recirculation (EGR), catalytic converter and diesel particulate filter (DPF)
Fuel type (Recommended)	Diesel EN 590	Diesel EN 590	Diesel EN 590
Fuel tank capacity, litres	80	80	80
Battery	520 Amp 92Ah	520 Amp 92Ah	520 Amp 92Ah
Transmission	6 Speed Manual	8 Speed Automatic	8 Speed Automatic
Driven wheels	4x4 (4MOTION) Selectable	4x4 (4MOTION) Permanent	4x4 (4MOTION) Permanent
Gear Ratio	1st Gear: 5.070	1st Gear: 4.714	1st Gear: 4.714
	2nd Gear: 2.614	2nd Gear: 3.143	2nd Gear: 3.143
	3rd Gear: 1.524	3rd Gear: 2.106	3rd Gear: 2.106
	4th Gear: 1.000	4th Gear: 1.667	4th Gear: 1.667
	5th Gear: 0.770	5th Gear: 1.285	5th Gear: 1.285
	6th Gear: 0.657	6th Gear: 1.00	6th Gear: 1.00
	Reverse Gear: 4.823	7th Gear: 0.839	7th Gear: 0.839
		8th Gear: 0.667	8th Gear: 0.667
		Reverse Gear: 3.317	Reverse Gear: 3.317
Fuel Consumption**			
Combined, L/100km	9.7	9.1	9.5
Urban, L/100km	11.4	10.6	11.4
Extra Urban, L/100km	8.6	8.3	8.4
CO ₂ emission, g/km	254	240	250

Technical Specification

Chassis

Full-length ladder frame chassis in high strength steel Fully galvanised body with 6 year anti-corrosion perforation warranty

Running Gear

Suspension		
Front axle	Transverse link with A-frame arm double wishbone and anti-roll bar	
Rear axle	Multi-layer rigid axle with leaf spring and stabiliser bar	
Steering	Power assisted rack & pinion steering (Hydralic)	
Brake size		
Front, mm	332, Ventilated Discs	
Rear, mm	300, Ventilated Discs	
Brake systems	ESP, off-road ABS, ASR, EDL, Hill Holder, Brake Assist, Traction Control and Off-Road ABS including Hill Decent	
Turning circle, metres	12.95	


Towbar Capacity≠


Braked kg (TDI500)	3,500 (3,000)
Unbraked kg	750
Towbar load limit kg	300


#When fitted with Volkswagen Genuine Tow Bar. Towing capacities are applicable to Volkswagen Genuine Accessory Tow Bar. Towing capacity figures are maximum figures and actual towing capacity depends on factors including the laden mass of the vehicle, driving conditions and fitment of any accessories. Volkswagen Group Australia does not endorse or will not be held liable for any claim, loss or damage arising from the use or fitment of electronic trailer brakes.

Figures in (brackets) relate to Amarok V6 Core with manual transmission only

Measurements and Dimensions







*Height shown without sports bar.

^{**}Fuel consumption figures according to Australian Design Rule (ADR) 81/02 derived from laboratory testing. Factors including but not limited to driving style, road and traffic conditions, environmental influences, vehicle condition and accessories fitted, will in practice in the real world lead to figures which generally differ from those advertised. Advertised figures are meant for comparison amongst vehicles only.

Measurements and Dimensions

Unidem Mass Kg/s 2,019 1,076 2,104 1,155 1,054 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1,055 1	Weights^	3.0 litre V6 (TDI500)/TDI550/TDI580
Sportline 2,104 Highline 2,147 Aventura 2,246 Payloadf kg ************************************	Unladen Mass¹ Kg's	
Highline		
Aventura Payloard is	Sportline	
Payload Its	_ Highline	
Sportline 999 (1,004)	_ Aventura	2,244
Sportline 976 Highline 933 Aventura 907 Gross Vehicle Mass (GVM) 3,080 Gross Combined Mass (GCM) kg 6,000 (5,550) Roof load kg 100 Exterior Dimensions* Overall length mm 5,264 Width mm 1,954 Width inclinfors mm 2,228 Height, mm (HL) 1,878* Height, mm (FL) 1,834 Wheebase mm 3,097 Ground clearance, mm 192 Entry angle 28.0° Departure angle 23.0° Wading depth, mm 500 Track mm 500 Front** 1,654 Rear** 1,658 Tray Dimensions*# 1,658 Length, mm 1,620 Width mm (between wheel arches) 1,222 Till gate opening mm (Max) 1,304 Height, (latil gate) mm 508 Load are m 2,52 Tile down points 4	Payload [‡] kg	
Highline	Core	989 (1,004)
Aventura 907 Gross Vehicle Mass (GCM) kg 3,080 Roof load kg 100 Exterior Dimensions* Overall length mm 5,264 Width mm 1,954 Width mm 2,228 Height, mm (HL) 1,878* Height, mm (SL / AV / Core) 1,834 Wheelbase mm 3,097 Ground clearance, mm 192 Entry angle 28.0* Departure angle 23.0* Ramp angle 23.0* Wading depth, mm 500 Track mm 500 Front** 1,654 Rear** 1,658 Tay Dimensions*# 1,654 Length, mm (Max) 1,620 Width mm (Max) 1,620 Width mm (Max) 1,304 Height (tail gate) mm 508 Ioad area m 508 Ioad area m 1,252 Ioad one m 508	Sportline	976
Gross Vehicle Mass (KVM) 3,080 Gross Combined Mass (ECM) kg 6,000 (5,550) Roof Ioad kg 100 Exterior Dimensions* Overall length mm 5,264 Width mm 1,954 Width mm 2,228 Height, mm (RL) 1,878^^ Height, mm (SL / AV / Core) 1,834 Wheelbase mm 3,097 Ground clearance, mm 192 Entry angle 28.0° Departure angle 23.0° Ramp angle 23.0° Wading depth, mm 500 Track mm 500 Front** 1,654 Rear** 1,658 Tray Dimensions*# 1,555 Length, mm (Max) 1,620 Width mm (petween wheel arches) 1,222 Iali gate opening mm (Max) 1,364 Height (tail gate) mm 508 Ioad area m. 16 down points	Highline	933
Gross Combined Mass (GCM) kg 6,000 (5,550) Roof load kg 100 Exterior Dimensions* Overall length mm 5,264 Width mm 1,954 Width mm 2,228 Height, mm (HL) 1,878° Height, mm (SL / AV / Core) 1,834 Wheelbase mm 3,097 Ground clearance, mm 192 Entry angle 28.0° Departure angle 23.6° Ramp angle 23.0° Wading depth, mm 500 Track mm 1,654 Front** 1,658 Rear** 1,658 Tray Dimensions*# 1,659 Length, mm 1,620 Width mm (Max) 1,222 Ali gate opening mm (Max) 1,384 Height (tail gate) mm 508 load are m 508 load are m 64	Aventura	907
Roof load kg 100 Exterior Dimensions*	Gross Vehicle Mass (GVM)	3,080
Exterior Dimensions^ 5,264 Overall length mm 5,264 Width mm 1,954 Width incl. mirrors mm 2,228 Height, mm (HL) 1,878* Height, mm (SL / AV / Core) 1,834 Wheelbase mm 3,097 Ground clearance, mm 192 Entry angle 28,0° Departure angle 23,6° Ramp angle 23,0° Wading depth, mm 500 Track mm 1,654 Front** 1,658 Rear** 1,658 Tray Dimensions*# 1,555 Width mm (Max.) 1,620 Width mm (Max.) 1,222 Tail gate opening mm (Max.) 1,364 Height (tail gate) mm 508 load area ms 2,52 Tie down points 4	Gross Combined Mass (GCM) kg	6,000 (5,550)
Overall length mm 5,264 Width mm 1,954 Width mm (HL) 1,878^* Height, mm (BL/AV/Core) 1,834 Wheelbase mm 3,097 Ground clearance, mm 192 Entry angle 28.0° Departure angle 23.0° Ramp angle 23.0° Wading depth, mm 500 Track mm 1,654 Front* 1,654 Ra** 1,654 Tray Dimensions"# 1,555 Width mm (Max.) 1,620 Width mm (Mex.) 1,222 Tail gate opening mm (Max.) 1,364 Height (tail gate) mm 508 load area ms 2,52	Roof load kg	
Width mm 1,954 Width incl. mirrors mm 2,228 Height, mm (HL) 1,878^* Height, mm (SL / AV / Core) 1,834 Wheelbase mm 3,097 Ground clearance, mm 192 Entry angle 28.0° Departure angle 23.6° Ramp angle 23.0° Wading depth, mm 500 Track mm 1,654 Front** 1,658 Tray Dimensions^# 1,555 Width mm (Max.) 1,620 Width mm (between wheel arches) 1,222 Tail gate opening mm (Max.) 1,364 Height (tail gate) mm 508 load area ms 508 Tie down points 4	Exterior Dimensions [^]	
Width incl. mirrors mm 2,228 Height, mm (HL) 1,878^h Height, mm (SL / AV / Core) 1,834 Wheelbase mm 3,097 Ground clearance, mm 192 Entry angle 28.0° Departure angle 23.6° Ramp angle 23.0° Wading depth, mm 500 Track mm 1,654 Front** 1,654 Rear** 1,658 Tray Dimensions*# 1,650 Length, mm 1,620 Width mm (Max.) 1,222 Tail gate opening mm (Max.) 1,364 Height (tail gate) mm 508 load area mz 2.52 Tie down points 4	Overall length mm	5,264
Height, mm (HL)	Width mm	1,954
Height, mm (SL / AV / Core) 1,834 Wheelbase mm 3,097 Ground clearance, mm 192 Entry angle 28.0° Departure angle 23.6° Ramp angle 23.0° Wading depth, mm 500 Track mm 1,654 Front** 1,654 Rear** 1,658 Tray Dimensions^# 1,555 Length, mm 1,620 Width mm (bax.) 1,620 Width mm (between wheel arches) 1,222 Tail gate opening mm (Max.) 1,364 Height (tail gate) mm 508 load aream 2n 2.52 Tie down points 4	Width incl. mirrors mm	2,228
Wheelbase mm 3,097 Ground clearance, mm 192 Entry angle 28.0° Departure angle 23.6° Ramp angle 23.0° Wading depth, mm 500 Track mm 1,654 Front** 1,658 Rear** 1,658 Tray Dimensions*# 1,555 Length, mm 1,620 Width mm (Max.) 1,222 Tail gate opening mm (Max.) 1,364 Height (tail gate) mm 508 load area m: 2.52 Tie down points 4	Height, mm (HL)	1,878^
Ground clearance, mm 192 Entry angle 28.0° Departure angle 23.6° Ramp angle 23.0° Wading depth, mm 500 Track mm 1,654 Front** 1,654 Rear** 1,658 Tray Dimensions*# 1,555 Length, mm 1,620 Width mm (between wheel arches) 1,222 Tail gate opening mm (Max.) 1,364 Height (tail gate) mm 508 load area m: 2,52 Tie down points 4	Height, mm (SL / AV / Core)	1,834
Entry angle 28.0° Departure angle 23.6° Ramp angle 23.0° Wading depth, mm 500 Track mm Tront** Front** 1,654 Rear** 1,658 Tray Dimensions*# 1,555 Width mm (Max.) 1,620 Width mm (between wheel arches) 1,222 Tail gate opening mm (Max.) 1,364 Height (tail gate) mm 508 load area ms 2.52 Tie down points 4	Wheelbase mm	3,097
Departure angle 23.6° Ramp angle 23.0° Wading depth, mm 500 Track mm 1,654 Front** 1,658 Rear** 1,658 Tray Dimensions^# 1,555 Width mm (Max.) 1,620 Width mm (between wheel arches) 1,222 Tail gate opening mm (Max.) 1,364 Height (tail gate) mm 508 load area ms 2,552 Tie down points 4	Ground clearance, mm	192
Departure angle 23.6° Ramp angle 23.0° Wading depth, mm 500 Track mm Front** Front** 1,654 Rear** 1,658 Tray Dimensions^# Length, mm 1,555 Width mm (Max.) 1,620 Width mm (between wheel arches) 1,222 Tail gate opening mm (Max.) 1,364 Height (tail gate) mm 508 load area ma 2,552 Tie down points 4	Entry angle	28.0°
Wading depth, mm 500 Track mm 1,654 Front** 1,658 Rear** 1,658 Tray Dimensions^# Length, mm 1,555 Width mm (Max.) 1,620 Width mm (between wheel arches) 1,222 Tail gate opening mm (Max.) 1,364 Height (tail gate) mm 508 load area m₂ 2.52 Tie down points 4		23.6°
Track mm 1,654 Front** 1,658 Tray Dimensions^# Length, mm Width mm (Max.) 1,555 Width mm (between wheel arches) 1,222 Tail gate opening mm (Max.) 1,364 Height (tail gate) mm 508 load area m2 2.52 Tie down points 4	Ramp angle	23.0°
Front** Rear** 1,654 1,658 Tray Dimensions^#	Wading depth, mm	500
Rear** 1,658 Tray Dimensions^# Length, mm 1,555 Width mm (Max.) 1,620 Width mm (between wheel arches) 1,222 Tail gate opening mm (Max.) 1,364 Height (tail gate) mm 508 load area m₂ 2.52 Tie down points 4	Track mm	
Tray Dimensions^#Length, mm1,555Width mm (Max.)1,620Width mm (between wheel arches)1,222Tail gate opening mm (Max.)1,364Height (tail gate) mm508load area m₂2.52Tie down points4		
Length, mm 1,555 Width mm (Max.) 1,620 Width mm (between wheel arches) 1,222 Tail gate opening mm (Max.) 1,364 Height (tail gate) mm 508 load area m2 2.52 Tie down points 4	Rear**	1,658
Width mm (Max.)1,620Width mm (between wheel arches)1,222Tail gate opening mm (Max.)1,364Height (tail gate) mm508load area m₂2.52Tie down points4	Tray Dimensions^#	
Width mm (between wheel arches)1,222Tail gate opening mm (Max.)1,364Height (tail gate) mm508load area m₂2.52Tie down points4		
Tail gate opening mm (Max.)1,364Height (tail gate) mm508load area m₂2.52Tie down points4		
Height (tail gate) mm508load area m₂2.52Tie down points4	Width mm (between wheel arches)	1,222
load area m₂2.52Tie down points4	Tail gate opening mm (Max.)	1,364
Tie down points 4	Height (tail gate) mm	508
	load area m₂	2.52
Height from ground mm 780	Tie down points	
	Height from ground mm	780

Colours

Solid paint finishes



Candy White | Solid paint finish | B4B4

Mojave Beige | Metallic paint finish | 1B1B

Metallic and Pearlescent paint finishes



Indium Grey | Metallic paint finish | X3X3



Atlantic Blue | Metallic paint finish | H7H7



Pyrit Silver | Metallic paint finish | K2K2



Deep Black | Pearl paint finish | 2T2T

Seat upholstery



Cloth seat upholstery I Titanium Black and Moon Rock Grey



Cloth seat upholstery | Palladium



Leather seat upholstery# | Palladium



Cloth seat upholstery I Titanium black



Leather seat upholstery# | Black with seams in Ceramique

[^]Including styling bar.

1. The Unladen Mass (UM) includes 10L of fuel, vehicle fluids and no occupants. Figures quoted are for base model vehicles only.

[‡]Payload is defined as the Gross Vehicle Mass (GVM) minus the Kerb Mass. Payload is the maximum combined weight of occupants, cargo, added structures and tow ball down weight (when towing). GVM must not be exceeded. #Please note figures are sourced from overseas data where equipment levels by model variant may vary.

Figures in (brackets) relate to Amarok V6 Core with manual transmission only.

^{**}Track figures are based on rim off-set of 45.

The Amarok

Volkswagen Group Australia Pty Ltd 24 Muir Road Chullora NSW 2190 ABN 14 093 117 876

Printed in Australia September 2021 www.volkswagen.com.au

Publication: VWCAMARMY22

Important information

Apple CarPlay® is a registered trade mark of Apple Inc. Android Auto™ is a registered trade mark of Google Inc. MirrorLink® is a registered trade mark of Car Connectivity Consortium LLC. Bluetooth® is a registered trade mark of Bluetooth SIG Inc.

Volkswagen distributed by Volkswagen Group Australia Pty Ltd (ABN 14 093 117 876) of 24 Muir Road Chullora, NSW 2190. Specifications are as planned at September 2021, for Model Year 2022 and are subject to change without notice or obligation. All information is this brochure are correct at the time of publication, however variations may occur from time to time and Volkswagen, in so far as it is permitted by law to do so, shall not be liable in any way as a result of any reliance by any person on anything contained in this brochure. Authorised Volkswagen Dealers will provide up-to-date information on model application, design feature, prices, and availability on request.