

Voted European Car of the Year when it was launched, the Uno has gone on to become the best selling small car in the whole of Europe with over four million produced.

/////

The Uno's spacious interior, coupled with outstanding performance and refinement, set new standards in its class.



AS SEEN IN VOGUE

Now we've made a great car even better.


With elegant new styling that's as impressive in the high street as it is in the wind tunnel.


New, highly efficient engines.

Galvanisation of front and rear body panels to guard against corrosion and protect your investment.

Extensive sound-proofing of the passenger compartment and orthopaedically-designed seats to make your drive even more comfortable. And a host of detail improvements that create a level of refinement and build quality you'll appreciate more and more as you get to know the new Uno.









UNO 45 FORMULA · UNO 45 FIRE · UNO 45S · VERSATILE PERF

5 FORMULA . 45 FIRE - 455

Dashing in town, smooth and refined in the country, practical, versatile and tremendous fun.

The Uno suits the way you live today like no other car in its class.

None of its rivals have so much space inside such an aerodynamic shape, with all the benefits that a low Cd factor brings to economy, performance and noise reduction.

The famous FIRE engine (Fully Integrated Robotised Engine) is fitted to all Uno 45 models except the Formula.

Designed with 30% fewer moving parts for minimum maintenance, outstanding efficiency and reliability, the FIRE engine gives long-term economy as well as immediate fuel savings.

The new Uno 45 models have been designed to cut motoring costs, not corners.

UNO 45 FORMULA

- # Punchy 903cc engine
- Spacious 3-door hatchback body
- Full width wheel trims and protective side mouldings

UNO 45 FIRE


- Advanced, low-maintenance 999cc FIRE engine
- # 90 mph performance
- #3 or 5 door versatility
- # Height adjustable seat belt mountings and opening rear side windows (3 door)

UNO 455

- # 999cc FIRE engine with 5-speed gearbox
- # High specification with features like tinted glass and remote hatch release as standard











Live 45 Formula: Budget motoring that certainly ion't short on tryle.



The deep, wide tailgate creates ware usable luggage space – 9.5 cm ft with the rear seat up, 34 cm ft with the seat folded.

43S: The onepiece, smoothly continued fascia, with easy to read instrumentation, digital clock and pleasy of stowage space.



UNO 60S · EXTRA PERFORMANCE · UNO 60D AND 60DS · DIESEL EC

605-60D-60D5-705 Le. CAT

Here's the perfect car for a trip to the shops.

Even if the shops are at the other end of the Autoroute du Soleil.

The Uno 605 has extra performance from a new 1108cc version of the FIRE engine, plus all the special features of the 'S' specification, including a 60:40 split rear seat for accommodating those awkward loads.

Almost identical in performance but with the low long-term running costs of diesel power are the 60D and 60D5 models.

Both fitted with comprehensive sound insulation that gives such a quiet ride that it's hard to believe you're not in a petrol-engined car.

And with the environment in mind, we've introduced the new 70 5 i.e. CAT, fitted with a catalytic converter as standard.

UNO 605

- 97 mph performance from the new 1108cc FIRE engine
- "5" specification, including twin internally adjustable door mirrors, tinted windows, 5-speed gearbox and 60:40 split rear seat

UNO 60D


- Dependable 1697cc diesel engine
- #Up to 64 mpg economy
- # Practical 3-door body

UNO 60DS

- # 1697cc diesel economy
- Extra 'S' specification features
- #5-door convenience

UNO 705 I.e. CAT

- Powerful 1372cc, fuel-injected engine with catalytic converter
- "5" level equipment, and 5 door practicality






around, deeply contoured front seats trimmed in attractive blue or beige cloth. Rotary heater controls and easy-to-use stalk controls.

THE NEW UNO 70 Si.e. CAT

Designed FOR A
CLEANER ENVIRONMENT



The new Uno 70 S i.e. CAT is equipped with a catalytic converter, or 'cat', to reduce harmful exhaust emissions dramatically.

Exhaust gases normally contain large amounts of unburnt hydrocarbons, nitrogen oxides and carbon monoxide which cause air pollution and acid rain. The catalytic converter fitted to the new Uno 70 S i.e. CAT removes over 90% of these pollutants, helping towards a cleaner environment.

NB Cars fitted with catalytic converters must be run on lead-free petrol only.



60 SELECTA . 70 SELECTAI. e.

Here's how to take the torture out of traffic and turn the school run into child's play.

The Uno Selecta has the smoothest, simplest form of automatic transmission yet devised.

Using an expanding steel belt which constantly adjusts itself to the engine's requirements, the CVT (Constantly Variable Transmission) delivers a smooth, uninterrupted flow of power right through the speed range.

Which means that you don't get the usual jerkiness of conventional small automatics.

CVT pays dividends out of town, too. For effortless cruising, simply ease off the accelerator and the engine revs drop, maintaining your speed while also conserving fuel,

Select L for sportler performance or use the 'kickdown' facility for a smooth surge of extra power in either mode.


Or, if you want to be really smooth, choose the 70 Selecta i.e., adding 72 bhp performance and a luxury specification to ease of driving.

UNO 60 SELECTA

- Smooth CVT automatic transmission
- # Reliable, economical 1116cc engine
- "'S' specification trim and refinement

UNO 70 SELECTA I.e.

- Powerful new 1372cc fuel-injected engine
- "5' level trim with extra equipment; central locking and electric front windows



VING WITH TYPICAL UNO ECONOMY AND PERFORMANCE

Innovative CVT transmission. Rotary heater controls. (Radio will diffee from version shown).



 Beautifully simple to drive and just as easy to live with.



UNO 70 SX i.e. - MORE POWER FROM THE NEW FUEL-INJECTED

70 S X i. e.

Whether it's taking you to a night at the opera or a day at the races, the Uno 70 SX i.e. excels in any company.

Autocar & Motor Magazine said the new Uno 70 SX i.e. "... feels like a car many times its size... with style and quality far beyond the norm in its class".

Especially when you add the polished, 106 mph performance delivered by the fuel-injected 1372cc engine.

The interior is trimmed and equipped to the highest standards of luxury and comfort.

Front windows open at the touch of a button and the heating system automatically maintains the exact temperature you select – a first for a car of this size.


There's even the added convenlence of remote control central locking – especially helpful when your arms are full of shopping.

In fact, the new 70 SX i.e. has virtually everything you would expect of an executive-class car.

Except, of course, the costs.

UNO 70 5X i.e.

- Powerful 1372cc, fuel-injected engine
- Luxurious, velour-trimmed interior
- Remote control central locking
- Automatic heating system
- # Electric front windows
- Optional alloy wheels
- Lavishly equipped for comfort and driving pleasure






ENO 76 SX.Le., Interior features include electric front windows, height adjustable seat belts, centre console and sev counter.



 Peogrammable beating system a ancommissibly maintains the temperature you select.







UNO TURBO i.e. · THE ULTIMATE UNO · 118 BHP PERFORMAN

TURBO i.e.

Combine an immaculate sporting pedigree with every luxury for touring in the grand manner and you have one of the world's most exciting hatchbacks.

The new Uno Turbo i.e.

Exhilarating 127 mph performance with a 0-62 mph time of just 7.7 seconds exploits the sleek, aero-dynamically-efficient shape to the full.

Race-car responsiveness and fourwheel disc brakes ensure that speed is controlled with safety.

Uprated suspension incorporates a front anti-roll bar.

This is a car that feels precisely right, from the leather, sports steering wheel to the tenacious grip provided by ultra-low profile tyres on wide alloy wheels.


With creature comforts that include remote central locking, electric front windows and a high-power, digital stereo system.

And a seemingly endless flow of power from the new 1372cc fuelinjected, turbocharged engine that promises pure driving pleasure.


Whether you're heading for the sports centre or the ski slopes.

UNO TURBO i. e.

- New 1372cc fuel-injected, turbocharged engine
- # 127 mph performance
- Leather steering wheel and sports interior
- # High-power digital stereo
- Remote control central locking and electric front windows







Une Turbo i.e.:
Despite carefully
understated
styling, the
performance
potential is clear,
from wide alloy
wheels and front
fog lights to
unique tail lamp
clusters.

A Sports steering wheel is leather covered. Instruments include reviounter, all temperature, ail pressure and turbo boost gauges.



П




45 FORMULA: 4 speed, 3 dr

Engine BHP (DIN): 45-9: 5600 pm, 903cc Max Torque (DIN): 49-bs. ft. (g. 3000 pm

Carburation: Single choke down draught

MAHAAN	0-62 N/H	CYCLE	CONSTANT SWIFM	CONSTANT 25APM
87	17.9	39.8	56.5	42.8 6.6











45 FIRE: 4 speed, 3 & 5 dr

Engine 8HP(DRI): 45 @ 5000rpm, 999cc Max Torque (DIN): 58bs. ft. 6ii 2750rpm

Carburation, Single-chokedown draught

MAUSULUI 1PED	0-62 6894	CYSLE	CONSTANT	CONSTANT
90	17.0	MRG	61.4	47.1
	secs	6.18.4	4.6	6.0





NDE

L

K







45S FIRE: 5 speed, 3 dr.

Engine 8HP (DIN): 45 @ 5000rpm, 999cc Max Torque (DIN): Silibs. ft. @ 2750rpm Carburation: Single choke down draught

Valve actuation: Single-overhead care

SHED	9-62 NRH	CYCLE	CONSTANT SOMEH	CONSTANT 75MPH
90	17.0	44.1 6.4	65.7 4.3	50.4











605 FIRE: 5 speed, 3 & 5 dr.

Engine BHP (DIN): 57 (8:5500rpm, 1108cc Max Torque (DPI): 64/bs. ft. (@ 2900rpm

Carburation: Single choke down draught

MAKEULIM	0-62	DISME	CONSTANT	CONSTANT
MIND	MN		SAMPH	75MPH
96 MRI	13.9	40.9	62.8	48.7

70 S i.e. CAT: 5 speed, 5 dr.

Engine 8HP (DIN): 71 @ 6000rpm, 1372cs Max Torque (Dity): 80bs. ft. (@ 3000rpm

Valve	e actuatio	in: Single	overhead	CBITT!
MUMUMAN SPRED	G-62	CYCLE	CONSTANT.	CONSTANI 75MPH
103 MH	12.4	30.1 9.4	50.4	39.2

~

K

×

ш

Z

L

K










60D/DS: 5 speed, 3 & 5 dr

Engine 8HP (DIN): 58 (£ 4600rpm, 1697cc

Max Torque (DIN): 748s. ft. (i) 2900rpm


Fue System: Indirect diesel injection


Valve actuation: Single overhead cam MAGNEN 9-62 SPEED NEH CYCLE SOUTH TOURS 96 15.9 47.1 64.2 45.6 6.0 4.4 6.2



ONE TANK OF FUEL CAN OFFER MORE THAN 500 MILES MOTORING.









60 SELECTA: CVT auto, 3 dr.

Engine 8HP (DIN): 58 (8: 5700rpm, 1116cc

Max Torque (DN): 64lbs ft. (ii) 3000rpm

Carburation: Twin choke down draught

70 SELECTA i.e: CVT auto, 5dr.

Engine BHP (DIN): 72 @ 6000rpm, 1372cc Max Torque (DIN): 80lbs ft. @ 3250rpm

Single point fuel injection


	The state of	SHOULD MELL	CONTRACTOR OF THE PERSON OF TH					
Valve actuation: Single overhead cam								
MAXXVI, N.I. SPEED	0-62 M9H	CYCLE	CONSTANT SOVPH	CONSTANT 75MPH				
98	14.0	31.4 9.0	52.3 5.4	40.4				

×

Z

K









705X i.e: 5 speed, 5 dr.

Engine BHP (DIN): 72 @ 6000rpm, 1372cc


Max Torque (DIN): 80lbs. ft. @ 3250rpm Single point fuel injection

Valve actuation: Single overhead cam

MARINUM	9-62	LIMBAN	CONSTANT	CONSTANT
SPEED	MPH	CYCLE	SOMPH	75MPH
106	11,4	32.1	54.3	41.5
NPH	secs	8.8	5.2	6.8











TURBO i.e: 5 speed, 3 dr.

Engine BhP (DIN): 118 @ 6000rpm, 1372cc

Max Torque (DIN): 119lbs. h. @ 3500rpm

Fuel injection plus turbocharger and intercooler.


VWW	actuati	on: Srigle	byerhead	cam
SPEED	0-62 5/94	CYCLE	CONSTANT SEMPH	CONSTANT
127 MPH	7.7	29.7 9.5	48.7 5.8	35.8






Z

K





	FORMULA 4530000	45 FLR.E 1850008	45SFI.R.E	605 FLR.E.	DIESEL 600 1 DOOR	60 SELECTA	70 Sile, CAT	SELECTA 5 DOOR	TURBO i.e
TECHNICAL				-	. 9000 \$ D0008			SXSDODA	3,000
Bow Strale (mm)	63.468	70+64.9	70×64 9	70+72	82.6 x 79.2	65 757			
Cimpresion atio	9.1	9.5.1	9.5.1	965	2051	80+55.5	80.5×674	80.5+674	80.5+674
Engine oc Number of cylinders	953004	900mW	999ec/4	109/24	1697(2)4	9:02:1 11/6cc/A	92:1	92:1	78.1
Electronicignation					1997124	1 TORENA	1372to/4 Digplex 2	1372rc4 Digplex2	1972m4 Marsh Moopies
Rack and printing steering						- 0			
furring circle	9.4m(30"12")	9.4m(30' 10")	9.4m(30/10°)	9.4=(30':10")	9.4=(30°10°)	* * * * * * * * * * * * * * * * * * * *			
Independent suspension				341120 101	3.401(3V (V)	9.4=(301105)	9.4+(30'.12')	E4=(30'10')	9-4m (30° 10°)
Server.	Servo assisted front (Each)	Servicemented front discs	Service desirted frant dissi	Seno assisted front docs/	Severasized Nort des/	Servicestated front days/	Servicesistant horizology	Servicested	Teno amuted
With the second	reactives	rear drums	rear drums	Hear drums	Hear drums	rear drums	Helf discret	front diggs'	front and rear discs
Yorgendent brake circuits	•	•							
LOWED PODDITION OF WAR									
Wheel tyre sax	105 5N 13	41/1 (SF 131 (SF 1))	25 58 13 18 58 13	65709F13	431 x 131 155:70 59 13	49×10 55305(1)	416±10 165:6558±13	435 x 137 185 65 58 13	3/0 x (3) 175-60 He (3)
Fruidrieratio.	4,071/1	3.751.1	3.733:1	2733-1	3.562.1	5414.1	3.563.1	5.672 1 Auto 3.733 1 Mars	1.152.1
Major service intervals	12,000 miles	12,000 mins	12,000 m les	12,000 m/ss	9,000 miss -	12,000 miles	12,000 miles	37.000 miles	12:000 miles
Fuer tank capacity		9.7 gallare (42 fores)		9.2 galarini 42 temi	9.7 galtres (42 thes)	9.2 juliono142 thesi	9.2 petron (42 trival)	9.2 gelons 42 (nex)	If gelonathic three
Bost capacity	Min 9.5 cu. ft. Max 34 cu. ft	Min93cu ft Mar 34cu ft	Min 9 3 cts. ft. Max 34 cts. ft	Mini South Mar 34 pp. ft	Ministry It	MnESoit Mai34pi t	Mar 34 ou to	Mint 3 cu ft Max 34 cu ft	Mn9.5 cu ft Mer34 cu ft
Kettweight kgolovti	740/1449	743(14.61.3D) 755(14.915.D)	755 (14.9)	760(15.0) 3 Di 773 (15.3) 5 Dr	875(12115) 9001127(05	515(16)	845 (16.6)	870(171) Auto 843(16.6) Man	925 (16.2)
Longth	3688mm(145.27)	J689mm (343-25)	3689mm (145-25)	3689nm(145.25	3689mm (145.25)	H69mm(145.25	H890000145.27	3689mm (145.27)	3689nm (145.21
Height	105mm(55.71	1435mm(55.7%	14:5mm 255.77	1415min (55.71)	1420nm (15.95)	1420mm(55.9°)	1425mm(56.15	1425mm/56.15	1405mm(31.35
Water	1562mm (61.57	1562mm (61.51)	1562mm(61.95)	563mm 81.51	562mm(81.51)	1562mm (61.91	3560mm161.51	1562mm (51.5%	1562mm@1.97
Wiretan	2362mm (90°)	2362mm (93°)	2562mm (937)	2362mm(937)	2362mm (835)	2362nm (937)	2362mm (93°)	2962mm (9)*1	2362mm (93°)
Tanifort Taninar	(\$44mm (\$37)	1343mm (52.81)	1543mm (52.81)	(Báthm:SIN	1165mm (137)	1340mm(52.71)	1942mm (52.81)	1342mm(52-85	(35 hmm (33.25)
Manager and American Street	1300mm (51.2°)	1300mm(51.21	1300mm(51.25)	(300mm (51.25)	909nm 51.95	1300mm(\$1.25)	1300mm (51.3°)	1300mm31.21	1306mm (51,4%
SPECIFICATION									A STATE OF
PVC underbody protection		•							
Penticitati wheel archiners Incita for and war see belts			•						
Wiper spends inc. intermittent		•			•				
Oner and passenger that mirrors	Int Adl	- A			3	3		1	3
Full width wheel trims	TO ALL	(98.86)	PEAE	int Adj	111.64	HAD	intad-	PITAG	HAQ.
Front seat head restraints			•	•	DS anily				N/A
Reclaing horitiers				-		•			
No of forward speeds	4	4	4		•	•)			
Rear screen was firwide	Optional					50%	5	NAS	
Height ed Fort seit beits	Optonal							*	
Opening war side windows	Optional	3 docronly		3 disproviu	Dorde			_ •	
Chilliproof rear soor locks	NA	5-door unity	N/A	5 door only	Sappromy	NA.	Na	No.	
Stringen	100000	200111			D5 aniv		-		NA
SD 45 to 8 folding mar seem					Ottoble		•	•	
Remote hatch release					Dianly				
Digital clock					Sank				
Locking funicus									
Metalicpaint			Cirtorus	Cotons	Optional DS-only)	Optional			•
titing siding, gion survice!			Cettorial	Cotions	Cetone(D5om)	Optional	Optoral	Optional	Carional
Glow prug warning light					•	- Opinisi	Optonal	Optional	Optional
CVT Automatic barrenision								Tana Paris and Paris	
Electric front windows							Optional	Serectaile only	
Central lucking*							Optional	Separate of contrast	
Ramiste central locking*							OSTONE .	Selectal is only Shille only	
Automatic heating system								Skin only	
ntegral front log lights								SKIE only	
Rev Counter								\$60 00y	
Alloywhees								Outlonal Sittle only	
mether sports sistering wheel								ETO E ACH. UNIT	
CONTRACTOR AND A PROPERTY OF STREET									
Ogtar steres radio caserte + 2 speakers Ogtar steres radio caserte		•			Donly				















AFTERCARE AND SUPPORT SERVICES

AFTERCARE AND SUPPORT SERVICES

AFTERCARE AND SUPPORT SERVICES

AFTERCARE ACTORDORY OF THE CONSTRUCTORY OF THE CON





RAT AUTO (UK) LTD, RAT HOUSE, 266 BATH ROAD, SLOUGH, BERKS, SL1 4HJ