CHRYSLER

LIMOUSINE



Chrysler Limousine

HE CHRYSLER LIMOUSINE is the ultimate in contemporary high-tech comfort. It also establishes benchmarks for limousine affordability and value. Based on a full 131.3-inch wheelbase, Chrysler Limousine has plush accommodations for seven passengers. Its advanced front-wheel drive design maximizes interior room while providing outstanding maneuverability, improved ride and great stability. Smooth, responsive power is on demand in the form of the proven standard 146-horsepower turbocharged 2.2-liter engine with electronic fuel injection. Chrysler Limousine lets you shut out a strident world with a body built for quiet through robotic welding and special sound insulation. A rare feature for any limousine is the 5/50 Protection Plan that backs Chrysler's Limousine. (See back cover for details.) Chrysler Limousine is packed with luxury details that include fastaction air conditioning, front seat AM stereo*/FM stereo radio, and the rear seat Ultimate Sound System. Experience futuristic automotive luxury for yourself in a Chrysler Limousine soon. The competition is good, we had to be better.

*Limited AM stereo reception may be experienced in some areas because some AM stereo broadcasting is not compatible with this radio's reception capabilities.





About this catalog. We have tried to make this catalog as complete as possible. And we hope you will find it useful. However, since the time of printing, some of the information you'll find here may have been updated. Your dealer has details, and you should ask him for current information before ordering.

Some of the equipment shown or described throughout this catalog is available at extra cost.





Engine	Displacement	Bore & Stroke	Compression Ratio	Horsepower	Torque	Transaxle	
				SAE Net @ RPM		Availability	
4-cylinder OHC: standard	2.2-liter (135 CID) turbocharged electronic fuel injection ²	3.44"×3.62"	8.1:1	146 hp @ 5,200 rpm	170 lb-ft @ 3,600 rpm	3-speed automatic (3.02 OTGR) standard	

OTGR-Overall top gear ratio 1 California emissions controls required on all vehicles registered in California: not available otherwise. ²Turbocharged engine includes bright exhaust tip, dress-up, functional hood louvers, multipoint electronic fuel injection, stainless steel exhaust system and Turbo identification. Premium unleaded fuel recommended for use with 2.2-liter turbo engine. Turbocharged engine not recommended for trailer towing, and such use will invalidate warranty. igine not recommended for trailer towing, and such use will invalidate warranty.

STANDARD & DPTIONAL EQUIPMENT	
Acoustic Package	S
Bi-level: front and	
rear outlets	S
Alternator—90-ampere	5
Ash Receivers—One front, two rear	c
Assist Straps—Rear	
interior door header.	
quarter window:	
color-keyed	5
Battery – 500-ampere:	c
maintenance-free Brakes—Dual diago-)
nal vented disc front;	
self-adjusting drum	
rear: power-assisted	5
Bumpers—Energy-	
absorbing: color-keyed	
soft fascia, with bright	
bumper protective rub strips and color-keyed	
bumper guards front	
and rear	5
Carpeting—Passenger	
compartment: color-	
keyed	5
Carpeting—Trunk floor	5
Chimes—Warning: head- lights on, key in	
ignition, seat belt	
warning	5
warning Cigar Lighters—One	
front, two rear	5
electronic digital,	-
integral with radios: Console—Front center	5
armrest	C
Console – Rear:	J
compartment	5
Corrosion Protection —	
Urethane protective	
coating on lower body	
panels; extensive use	c
of galvanized steel Deck Lid Release—	3
Control in glove	
box: power	5
Defroster—Rear	
window: electric	5
Divider—Center sliding	_
glass: power	5
Door Locks—Front and rear controls: power	c
electronic Ignition,	J
Voltage Regulator	
	S
missions Controls and	
Testing—California (re-	
quired on all vehicles	
registered in California;	
not available otherwise).	I.
Ingine—See Power Train Chart	
man Cities	
Exhaust System— Stainless steel	

2.2-liter turbo engine. Turbocharged	eng
Floor Mats-Accessory,	
front and rear: carpeted	
and color-keyed	
Front-Wheel Drive	S
Fuel Tank-14-gallon	S
Glass-All exterior	-
windows: tinted	5
Glove Box Lock	2
adjustable front; four-	
way adjustable rear	C
Headlights—Halogen	2
high/low beam: quad	5
Heater and Defroster—	~
Bi-level ventilation	5
Hood-Counterbalanced .	5
Hood Ornament -	
Pentastar: crystalline	5
Hood Release - Inside	5
Horns—Dual-note:	
electric	S
. Illuminated Entry Sys-	
tem—Includes lighted	
door lock cylinders	S
Instrument Panel Cluster	
-Electronic: includes	
engine coolant temper-	
ature, fuel level, oil	
pressure and volt	
gauges with gauge	
alert; integral trip	
computer, odometer	-
and speedometer	5
Lamps—Opera, in	
landau roof top band:	c
electroluminescent	2
Light Bar—Convenience: includes lights for low	
fuel warning, low	
washer fluid and	
trunk ajar	5
Lights—Ash receiver;	-
adjustable C-pillar	
mounted courtesy/	
reading; backup;	
dome/reading; front	
door courtesy light;	
glove box; interior dome	
light switches; headlight	
switch symbol with	
time delay; ignition	
switch light with time	
delay; parking brake	
warning; rear door	
courtesy; rear door lock	
cylinders; rear Glamour	
Light Module with two	
center courtesy/reading	
lights and fade feature;	
trunk; underhood	5
Lock Cover—Deck lid:	
Pentastar	S
Mirror—Interior, rear-	-
view: day/night	5
Mirror-Interior, front	
passenger visor vanity:	
illuminated	5
Mirrors—Exterior, dual	
power-adjustable:	c

bright aero style. S

not recommended for trailer towin	g, and
Moldings-Belt; door	
frame; drip rail; lower	
deck lid; sill; vinyl	
landau roof surround;	
wheel opening (full);	
windshield: bright	S
Multifunction Steering	
Column Lever-	
Controls for auto-	
matic speed control;	
daytime pass/flash	
feature; deluxe wind-	
shield wiper/washer	
with adjustable inter-	
mittent delay; headlight	
dimmer; turn signals	
with lane-change	
feature	5
Nameplate-Bright	
"Chrysler" on deck lid	
left side: gold	
"Chrysler" script	
on quarter windows	5
Radio-Front: AM	
stereo1/FM stereo	
with electronic tuning	
and four speakers;	
integral digital clock	5
Radio-Rear: AM stereo1/	
Radio—Rear: AM stereo ¹ / FM stereo, 36-watt	
Ultimate Sound System	
with electronic tuning	
and four speakers;	
memory scan; up-and-	
down scan; Dynamic	
Noise Reduction	
(DNR)2; cassette player	
with automatic reverse	
and metal tape capabil-	
ity; five-band graphic	
equalizer, joystick	
balance/fader control;	
ambience sound control:	
power antenna; integral	
digital clock	5
Roof-Landau: color-	
keyed padded vinyl	5
Seat-Front left	
bucket: power	5
Seats-Front low-back	
bucket with four-way	
adjustable head re-	
straints; rear pillowed	
with center armrest and	
four-way adjustable	
headrests; rear-facing	
jump seats: dark blue	
Corinthian leather	E
Seats-Front low-back	
bucket with four-way	
adjustable head re-	
straints; rear pillowed	
with center armrest and	
four-way adjustable	
headrests; rear-facing	
jump seats: luxury	
cloth	S

Speed Control—

Automatic S

Storage Pocket-Rear of	
front passenger seat	S
Steering-Rack-and	
pinion: power-assisted	S
pinion: power-assisted Steering Column—Tilt	5
Steering Wheel-Luxury:	-
leather-wrapped	5
Stripes—Accent tape:	-
bodyside and hood	c
Companies Translated	0
Suspension—Front: dual-	
path Iso-Struts with coil	
springs, linkless anti-	
sway bar; rear: beam	
axle with trailing arms,	
coil springs and pre-	
mium shock absorbers .	5
Taillights-With bright	
accents	S
Telephone Installation	
Provision - Mounting	
bracket: behind rear	
seat fold-down	
armrest	5
Tire-Spare: T125/70D14	~
compact high pressure,	
limited service	5
Tires—Pl85/75R14 steel-	-
belted radial white	
	-
sidewall (set of four)	3
Transaxle See Power	
Train Chart	
Trunk Dress-up-Includes	
carpeted covers for	
jack, quarter panels,	
spare tire, wheel-	
housings	S
Wheel Covers—Deluxe:	
color-keyed (set of	
four)	5
four)	
and rear: independent	
nower	5
power	-
Washers-Deluxe: with	
variable intermittent	
	c
wipe feature	3
S-Standard, E-Extra cost.	

³Limited AM stereo reception may

be experienced in some areas because some AM stereo broadcasting is not compatible with this radio's reception capabilities.

²DNR (Dynamic Noise Reduction) is a trademark of National Semiconductor Corporation

Certain models, packages, and options are subject to specific restric-tions, requirements, or late availability. See your dealer for the latest ordering information.

STANDARD SAFETY FEATURES

· Anti-theft trunk lock · Backup lights . Center high-mounted supplemental stoplight . Combination lap/shoulder belts for the driver and right front passenger; lap belts for all forward-facing passengers • Double ball-joint rearview mirror . Dual braking

DIMENSIONS, WEIGHT AND CAPACITY

and the second second	Page 100 (100 (100 (100 (100 (100 (100 (100	CLI-CHESCHOOL CO	
Length	210.7"	Curb Weight	
Width	68.0"	(estimated)	3,206 lbs
Height	53.6"	Passenger Capacity	7
Wheelbase	131.3"	Trunk Capacity	15.0 cu ft
Turning Diameter		Fuel Capacity	
(curb to curb)	43.2"		

system with separate brake fluid reservoirs in the master cylinder Dual throttle return springs
 Energy-absorbing front seatbacks . Energy-absorbing instrument panel and sun visors
• Energy-absorbing steering column and steering wheel . Faderesistant vented front disc brakes · Front seat head restraints · Glare reduction measures for instrument panel, steering wheel and wipers . Hazard warning flasher system . Headlight and wiper circuit breakers with automatic reset • Ignition and steering col-umn lock • Impact-actuated fuel supply shutdown relay . Inside and outside rearview mirrors · Key left in ignition warning Nonoverride door locks (except driver's door) . Recessed inside door release handles . Reinforced windshield header and roof · Safety glass · Safety-Rim wheels · Seat belt reminder system · Side door beams . Side marker lights and reflectors . Turn signals with lane-change feature

1986 LIMOUSINE EXTERIOR COLORS





Radiant Silver

White

Corporation.

Nightwatch Blue

NOTE: Due to occasional printing irregularities, the colors shown may vary slightly from actual hues. See your Chrysler dealer for accurate color chips. Clear Coat finish is standard on every 1986 passenger car built by Chrysler

5/50 PROTECTION PLAN

Warranty protection is a matter of confidence. And Chrysler Corporation is so sure of the care and precision that go into each Chrysler Limousine that they offer the Five-Year/50,000-Mile Protection Plan. It speaks for itself. Upon expiration of the normal 12month/12,000-mile new vehicle limited warranty, limited warranty



coverage is extended on power train components, including engine, transaxle, axle and turbocharger-plus outer panel rustthrough protection-to five years/50,000 miles, whichever comes first. A deductible may be required. Fleet, lease and export vehicles excluded. See your dealer for details.

OPTIONAL 5/50 SERVICE CONTRACT COVERAGE

Chrysler Service Contracts provide you with additional peace of mind protection for your new vehicle. Coverage starts on the specified components after your vehicle's basic warranty expires and continues for five years or 50,000 miles (whichever occurs first) from the original warranty start date. A deductible applies.

Allowances for car rental and towing are also included. Ask your dealer for details. Buckle up for safety.

CONSIDER LEASING

In these days of tight money and high interest rates, more consumers are considering leasing as an alternative to buying. Leasing a new Chrysler Limousine usually involves a small security deposit and a first month's lease payment Monthly payments are usually less than financing a new car purchase. Ask your dealer for details.

All product illustrations and specifications are based on authorized informa-tion. Although descriptions are believed correct at publication approval, accuracy cannot be guaranteed Chrysler Corporation reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, colors and materials, and to change or discontinue models. See your dealer for the latest information



MOPAR parts are engineered by Chrysler Corporation for use in your new Chrysler Limousine. When replacement is necessary, be sure to specify MOPAR parts. Used by profes-sional mechanics all over the world.

