


Bigger engines, tougher drive train and surer braking will make this versatile 4×4 utility vehicle your favorite companion. The perfect combination of urbane sophistication and agile, off-road excitement.





The TROOPER-Big Potential Pulsing Within

TROOPER's year of surprises is now emerging... surprises like the mighty heart beating within the smooth, sophisticated body... like the new, tougher undercarriage, drive train and brakes built to handle the stepped-up engine power.

TROOPER emerges from the quiet of the shadows with flash after flash of brilliance, illuminating the world of 4×4 vehicles. Brilliance in engineering... in styling...in performance... with big potential.





The TROOPER-Sophisticated Styling with Worldwide Appeal








TROOPER Tops Tough Conditions

Power, versatility, rugged dependability. This X-ray look inside shows how the TROOPER is built to challenge the severest terrain and come up the winner... every time. There's power: four tough, gutsy engines are strong and bold, giving you quick acceleration, steady climbing, and smooth, stable high-speed driving. And a rugged drive train and braking system ensure added safety.



Big, Bold Powerplants



4JB1-T Turbo Diesel

Improved fuel flow characteristics have boosted the power of this 2,771cc diesel engine to 100 PS at 3,800rpm. Massive turbo-powered torque delivers up to 23.0kg-m at 2,300rpm.



4ZE1 Gasoline

Gasoline-driven take-off and torque in a quiet, 2,559cc engine. This lightweight powerplant delivers 115 PS of high-performance power at 4,600rpm.



4JB1 Diesel


This direct injection 2,771cc diesel engine delivers outstanding fuel economy. Improved fuel flow characteristics turn out 87 PS at 3,800rpm.



4ZD1 Gasoline

The worldwide reputation of this 2,254cc gasoline engine is well- earned. It is compact and light-weight, yet puts out a hefty 111 PS at 5,000rpm.





ventilated-disc brakes

Approach and departure angles



Excellent cross-slope stability



Tight turning radius







TROOPER Takes You in Comfort

Lean back...Relax...Feel yourself being cradled in a driving environment so well planned, so luxurious, that you'll look forward to every driving experience. Notice how your hands fall naturally to each control as you need it, and your eyes quickly scan the instruments without wasted motion. You'll enjoy the quality workmanship and design as an important part of your daily life. And you'll feel the natural sense of pride that comes from owning excellence.





Control is in Your Hands



TROOPER's power steering system gives you an extra edge of control for tackling any situation, from seaside to mountain side. Leaves you the full excitement of driving, while taking over the hard work.



Warning indicators for gasoline engine model graphically show you at a glance the most important factors of your TROOPER's operating condition. Vehicle safety and dependability are safeguarded; you always know what's happening when you drive.



The smoothly spaced gear ratios of this 5-speed precision transmission turns out smooth driving on the road, and rugged dirt-grabbing traction off-road is provided by a tough 2-speed transfer box.








Hard Travel Goes Easy

Everybody will rest easy in the TROOPER. Comfortable, ergonomically designed seats provide the kind of pleasant support you'd only expect from your easy chair. Hard driving over any terrain becomes more pleasurable than ever when driver and passenger alike arrive at the destination rested and ready for excitement. And as you drive, you'll like the way your hand rests naturally on each control while every dial and indicator is clearly visible.



4 Versatile Rear Seating Arrangements (For LS Wagon)



Each seat reclines independently so that each passenger can adjust the seat angle for personal comfort.



Fold down the narrower rear seat and haul long cargo beside the passengers.



Recline both front and rear seats fully, and make a full-length bed. Perfect for overnight stops.



Fold both rear seats forward for maximum cargo space and easy access.




Expandable Convenience

TROOPER is available with a wide range of optional and standard features to expand usefulness and increase versatility. Choose the body color, accent stripe, wheel cover and interior grade you like. Other options, such as headlamp washer, instrument cluster, and rear wiper-washer and defogger further enhance TROOPER's capabilities.

Body Color and Stripe Combinations






*mark means 2-tone body color.

Pin stripe is standard equipment for 2-tone body color.





Options Some features are standard depending on grade (LS, DLX)



Headlamp washer



Spare fuel tank



Bench seat



Rear wiper-washer and defogger combination



Automatic free-wheeling hubs with styled wheel



Aluminum wheel



Combination meter (Altitude/Clino/Voltage)



Air conditioner and sub meters



Digital quartz clock in center console



AM/FM radio with cassette player



Auto door lock mechanism



Power window switch

The Right TROOPER for You



This short-wheelbase TROOPER delivers excitement and rugged agility anywhere you go.

Go open-air or enclosed-top. Short-wheelbase gives you sporty good looks.


SOFT TOP

3 Levels of Luxury

LS (WAGON & HARD TOP)

The most luxurious and the most highly equipped grade.





DLX (WAGON & HARD TOP)

The intermediate grade is wellequipped and luxurious.






STD (WAGON, HARD TOP & SOFT TOP)

The basic grade vehicle for standard, dependable transportation.





Headrest optional



		MODEL	BODY TYPE		WAGON		1	SOFT TOP		
ITEM		In the second	GRADE	STD	DLX	LS	STD	DLX	LS	STD
	Power Steering		0	•	•	0	•	•	0	
	Rear Axle with Limited		0	0	0	0	0	0	0	
OPERATION		Manual		0	0	0	0	0	0	0
	Free Wheeling Hubs	Automatic		0	0	0	0	0	0	0
	Fuel Low Level Warnir	•	•	•	•	•	•	•		
TUEL	Spare Fuel Tank: 20ℓ				0	0	0	0	0	0
	Heater & Defroster			0	0	0	0	0	0	0
AIR CONTROL	Air Conditioner				0	0	0	0	0	0
	AM Radio		0	0	_	0	0	_	0	
AUDIO	AM/FM Cassette Playe	ker Only for Soft Top)	0	0	•	0	0	•	0	
		2-Spoke Wheel		•	•	-	•	•	_	•
	Steering Wheel	Sports Type		_	0	•	_	0	•	_
	Tachometer & Sub Meters (Water Temp., Fuel & Oil Press.)				0	•	_	0	•	_
	Digital Clock with Cen		_	0	•	_	0	•	_	
			Point for Soft Top)	0	•	•	0	•	•	0
	Seat Belt	Rear: 2 Point		0	•	•	0	•	•	0
NTERIOR		Standard Type		•	_	_	•	_	_	•
	Shift Knob	Deluxe Type			•	•	_	•	•	_
11	Brake Fluid Level Warning Indicator				•	•		•	•	•
	Combination Meter (Altitude/Clino/Thermo or Volt)				0	•	_	0	•	_
	Bench Seats: 9 Passengers				0	0	-		_	_
	Third Seats: 7 Passengers				0	0	_	_	-	-
	Styled Wheels				•	•	0	•	•	0
7.	Aluminum Alloy Style		0	0	0	_	0	0	_	
	Rear Step Bumper		0	0	•	0	0	•	0	
	Body Side Protector M		0	0	•	0	0	•	0	
		Body Stripe				0	0	0	0	0
	Spare Tire Cover			0	0	•	•	•	•	•
EXTERIOR	Radiator Grille Guard		0	0	0	0	0	0	0	
	Laminated Windshield	0	•	•	0	•	•	0		
	Engine Hood Ornamen		0	0	0	0	0	0	0	
	Tow Hook; Front & Re			•	•	•	•	•	•	•
	Splash Guard; Rear					•	•	•	•	•
	Bright Parts Package					0	0	0	0	0
BODY CONFIGURATION	High Roof			0	0	0	-	_	_	_
ODI CONFIGURATION	Power Window					0	-		_	_
	Automatic Door Lock				0	•		0	•	
		lear Wiper, Washer & Defogger					0	•	•	_
ELECTRICAL	Electrical Winch	Delogger		0	0	0	0	0	0	0
	Headlamp Washer			0	0	0	0	0	0	0
	-	0	0	0	0	0	0	0		
	Fog Lamp: Halogen		0					dard O=On		

●=Standard ○=Option

EXTERIOR BODY COLORS

INTERIOR COL	OR STD	D	LX	LS		
BODY COLOR	Beige	Beige	Gray	Beige	Gray	
PURE WHITE	•	•	_	•	-	
PARTHENON IVORY	•	•	_	-	-	
CAVALIER BLUE	•		•	-	_	
SPECTRA RED	•		•	=	-	
DARK FIRE OPAL	•	•		-	-	
HOLLY GREEN	•	•	-	•	-	
HAZEL NUT METALLIC	•	•	-	-	-	
PEWTER METALLIC	•		•	-	•	
HYPER SILVER METALLIC	•		•	-	•	
SEASIDE BEIGE METALLIC	•	•	-	•	_	
CAVALIER BLUE/HYPER SILVER METALLIC			-	-	•	
PURE WHITE/SEASIDE BEIGE METALLIC	_		-	•	-	
DARK FIRE OPAL/SEASIDE BEIGE METALLIC	_	_	_	•	_	

SPECIFICATIONS

1	MODEL	WAGON					HARI	о тор		SOFT TOP					
ПЕМ		4ZE1 Gasoline	4ZD1 Gasoline	4JB1-T Turbo Diesel	4JB1 Diesel	4ZE1 Gasoline	4ZD1 Gasoline	4JB1-T Turbo Diesel	4JB1 Diesel	4ZE1 Gasoline	4ZD1 Gasoline	4JB1-T Turbo Diesel	4JB1 Diesel		
	Туре	4cyl., in-line SOHC		4cyl., in-line OHV					4cyl., in-line OHV		4cyl., in-line SOHC		4cyl., in-line OHV		
	Bore×stroke mm (in)	ke 92.6×95 89.3×90.0 mm (in) (3.65×3.74) (3.52×3.55				92.6×95 (3.65×3.74) (3.52×3.55)		93×102 (3.66×4.02)		92.6×95 89.3×90.0 (3.65×3.74) (3.52×3.55)		93×102 (3.66×4.02)			
	Displacement cc (cu.in.)			2,771 (169)		2,559 (156.1)	2,254 (137.5)	2,771 (169)		2,559 (156.1)	2,254 (137.5)	2,771 (169)			
ENGINE	Max. output (DIN) kw (PS)/rpm	85 (115)/ 4,600	82 (111)/ 5,000	74 (100)/ 3,800	64 (87)/ 3,800	85 (115)/ 4,600	82 (111)/ 5,000	74 (100)/ 3,800	64 (87)/ 3,800	85 (115)/ 4,600	82 (111)/ 5,000	74 (100)/ 3,800	64 (87)/ 3,800		
	Max. torque (DIN) N.m. (kg. m)/rpm	195 (20.0)/ 2,600	185 (18.9)/ 3,000	225 (23.0)/ 2,300	180 (18.5)/ 2,300	195 (20.0)/ 2,600	185 (18.9)/ 3,000	225 (23.0)/ 2,300	180 (18.5)/ 2,300	195 (20.0)/ 2,600	185 (18.9)/ 3,000	225 (23.0)/ 2,300	180 (18.5)/ 2,300		
	Compression ratio (to 1)			17.5	18.2	8.3		17.5	18.2	8.3		17.5	18.2		
	Туре	2-barrel carburetor		Bosch "VE" distributor type fuel injection		2-barrel carburetor		Bosch "VE" distributor type fuel injection		2-barrel carburetor		Bosch "VE" distributor type fuel injection			
FUEL	Tank capacity lit. (U.S. gal)					83 (21.9)									
SUSPEN-	Front	Independer	nt double wi	shbone arms	s, torsion ba	r springs wi	th stabilizer	bar							
SION	Rear	Semi-ellipti	cal alloy stee	el leaf spring	s										
	Туре	5-speed ove	erdrive												
TRANS- MISSION	Gear ratio			.171, 3rd 1.4 3.767, 2nd 2.				REV. 3,873							
FINAL GE	AR RATIO	4ZE1, 4ZD1	1; 41/9 (4.555	5) 4JB1, 4JE	31-T; 43/10 (4.300)									
BRAKES				vacuum assis draulic with											
CLUTCH		Diaphragm	pressure sp	ring and dry	dry single plate with cushioning springs										
TRANSFE	R	2-speed tra	nsfer case or	n right side o	of transmissi	ion, Gear rai	tio: High; 1.	000 Low; 1.8	370 (4ZD1),	High; 1.000	Low; 2.283	(4ZE1/4JB1/	(4JB1-T)		
STEERING	G	Recirculatin	g ball, man	ual, collapsib	le	P						dhi			
TIRES & I	DISC WHEELS	STD 6.00-16	6-6 and 4.5E	× 16, DLX/L	S H78-15-4P	R & 6JJ×15	styled whee	1							

WEIGHT, DIMENSIONS AND PERFORMANCE

		MODEL		WAC	GON			HARI	ТОР		SOFT TOP			
ІТЕМ			4ZE1 Gasoline	4ZD1 Gasoline	4JB1-T Turbo Diesel	4JB1 Diesel	4ZE1 Gasoline	4ZD1 Gasoline	4JB1-T Turbo Diesel	4JB1 Diesel	4ZE1 Gasoline	4ZD1 Gasoline	4JB1-T Turbo Diesel	4JB1 Diesel
	Overall length	mm (in.)		4,470	(176.0)					4,120	(162.2)			
	Overall width	mm (in.)		1,650 (65.0)										
	Overall height	mm (in.)				1,800	(70.9)				1,830 (72.0)			
	Wheelbase	mm (in.)		2,650	(104.3)					2,300	(100.6)			
DIMENSIONS	Front overhang	mm (in.)		750 (29.5)										
	Rear overhang	mm (in.)		1,070 (42.1)									8.0	
	Tread (front)	mm (in.)		1,390 (54.7)										
	Tread (rear)	mm (in.)	1,400 (55.1)											
	Min. ground clearance	mm (in.)					225 (8.9)							
	G.V.M	kg (lbs.)						2,150	(4,740)					
WEIGHTS	Vehicle weight	kg (lbs.)	1,545 (3,405)	1,480 (3,265)	1,645 (3,625)	1,630 (3,595)	1,485 (3,275)	1,415 (3,120)	1,585 (3,495)	1,570 (3,460)	1,430 (3,155)	1,360 (3,000)	1,530 (3,375)	1,515 (3,340)
PERFORMANCE	Turning radius	m (ft.)		5.4 (17.7)		4.8 (15.7)							
	Approach angle	deg.					43							
	Departure angle	deg.					32							
	Ramp breakover angle	deg.		3	0		33						Q I	1.1

ISUZU MOTORS LIMITED reserves the right to change specifications and equipment without notice.

Details of specifications and equipment are also subject to change to meet local conditions and government requirements.

Please inquire at your local ISUZU dealer for more complete details of any such changes that may be required.

Note: Actual vehicle body colors may vary slightly from the colors of the photographs printed in the catalog.

