








Play dirty. It rained three days this week. The best camping spot in the state is two hills and a muddy, washed-out dirt road away from here. But your Mazda B4000 4x4 Truck is made for those conditions. It has nearly 8 inches of ground clearance, a 28° approach angle and 20° departure angle to get you over rock and hill. You can shift into or out of 4-wheel-drive on the fly (up to 45 mph), so you never need to stop to lock the hubs, and there's a low range for the really rough going. Underbody skid plates protect the fuel tank and transfer case. So the trip's too rough for cars? Too slippery for 2-wheeldrive trucks? Too bad — but not for you. Who said life had to be fair? Far Left: Easily shift from 2WD to 4WD With a full range of 4x2 and 4x4 (at speeds up to 45 mph) with just a quick models and three torque-happy turn of the convenient dash-mounted control. engines to choose from, Mazda has the haul of fame credentials you're Left: Generous ground clearance lets looking for in a new truck. you go places even 4WD cars fear to tread.





An Exciting Past. An Exhilarating Future.

Innovative. Stylish. Fun-to-drive. For more than 40 years, Mazda has dedicated itself to engineering vehicles for drivers who truly savor the "emotion of motion." That fun-to-drive, connected-to-the-road feeling that can turn a simple drive into an exhilarating experience. Which is why you'll find the "soul of a sports car" in every vehicle we make. From the MX-5 Miata and Protegé5 to Tribute and MPV, Mazdas don't look like — or drive like — anything else on the road. There's a Zoom-Zoom factor in their DNA — part engineering, part spirit. We invite you to share the Mazda spirit with us. You'll definitely find yourself in good company.



A More Liberating Approach To Owner Peace Of Mind.

To ensure your new Mazda continues to be a source of pride and exhilarating performance for years to come, we created the Mazda Driver's Assurance Plan. It starts the minute you pick up the keys to your new Mazda. And it protects your new vehicle with a 36-month/50,000-mile "Bumper-to-Bumper" Limited Warranty. While under warranty, you're also automatically enrolled in our 24-hour Emergency Roadside Assistance program to help minimize any inconvenience if an unexpected problem should occur on the road. Equally important, should your Mazda ever require a warranty repair, the Mazda Service Transportation Solution can typically make sure you have another vehicle to drive. With the Mazda Driver's Assurance Plan, your time and satisfaction come first. And the welcomed results are an exceptional level of customer care and greater peace of mind. For complete details, see your Mazda dealer.

2003 MAZDA TRUCK | Accessories




Folding storage box provides locking, secure storage for tools and small items. Cover folds open so you can still utilize full length of cargo bed when needed.

> Compass and outside temperature auto-dimming mirror automatically dims to reduce glare from headlights of cars behind you. Bright LED readout with compass and outside temperature. Replaces interior rearview mirror.





Side step tubes make it easier to get in or out of the cab. Seek, custom-fit aluminum bolt-on design. (Black or Silver)





All Genuine Mazda Accessories, if installed by a Mazda dealer prior to or at initial vehicle retail delivery, carry the same new-vehicle limited warranty as the Mazda Truck. Ask your dealer for details.





	Payload	Payload/Trailer Weights(Ib)			Regul	lar Cab	Cab Plus/Cab Plus4		
	100 m			Axle	Maximum	Maximum	Maximum	Maximum	
	100			Ratio	Payload/GVWR	Trailer Wt./GCWR	Payload/GVWR	Trailer Wt./GCWR	
	B2300	4x2	М5	3.73	1260/4360	1640/4800	_		
A CONTRACTOR OF THE PARTY OF TH			M5	4.10	_	_	1260/4740	1420/4800	
			A 5	4.10	1260/4360	2240/5500	_		
	B3000	4x2	М5	3.73	_	_	1660/5040	2440/6000	
			M5	4.10*	1260/4700	2540/6000	1260/4940	2360/6000	
			A5	3.73	_	_	1660/5040	3900/7500	
			A 5	4.10*	1260/4700	4000/7500	1260/4940	3820/7500	
	B4000	4x2	М5	3.55*	_	_	1260/4940	3280/7000	
			A5	3.55	_	_	1260/4940	5740/9500	
		4x4	M5	3.73**	_	_	1260/5100	3000/7000	
I Hamiltonia			M5	4.10	_	_	1260/5100	3000/7000	
1.4.3			A 5	3.73**	_	_	1260/5100	5480/9500	
K 2-2-			A 5	4.10	_	_	1260/5100	5480/9500	

GWMR= Gross Vehicle Weight Pating; GOWR= Gross Combined Weight Pating; M5=5-speed manual; A5=5-speed automatic; *Dual Sport; ** Base

Payload: Payload weights shown are maximums and must be reduced by the weight of any passengers or optional equipment. Trailer Weight: Trailer weights shown are maximums and must be reduced by the weight of any passengers, cargo, hitch, or optional equipment in the towing vehicle. The following equipment may also be required: load-carrying hitch for trailers under 2,000 lb and load-equalizing hitch for trailers over 2,000 lb. Towing a trailer will have an effect on the vehicle's handling, braking, durability, performance, and driving economy. For specific information on recommended or required equipment, see your Mazda dealer. Hitches are available through manufacturers other than Mazda.

	B2300:	B3000:			B2300/B300	B400	0	ALL ENGIN	IES
Engine size/type	2.3-liter 4-cylinder	3.0-liter V6	1st	gear	3.72	3.40		2.47	
Valvetrain	DOHC 16-valve	OHV 12-valve		gear	2.20	2.05		1.85	
Bore and stroke	3.45 x 3.70	3.50 x 3.14		gear	1.50	1.31		1.47	
Ignition system	Electronic distributorless	Electronic distributorless		gear	1.00 0.79	1.00 0.79		1.00 0.75	
Fuel injection	Electronic multiport	Electronic multiport	501	gear	0.79	0.78		0.75	
Horsepower, SAE Net	143 @ 5250 rpm	154 @ 5200 rpm							
Torque, SAE Net 1b-ft	154 @ 3750 rpm	180 @ 3900 rpm	Low	1	_	2.48		2.48	
EPA estimated fuel economy, city/hwy mpg	4x2 Manual 24/29 4x2 Automatic 23/26	4x2 Manual 19/23 4x2 Automatic 17/22	-	n	_	1.00		1.00	
	B4000:		ST	EERING	Base 4x2 Reg. Cab	SE 4x2 Cab Plus	Dual Sport 4x2 Reg. Cab	Dual Sport 4x2 Cab Plus	Base/SE 4x4 Cab Plus
			Pati	0	22.0:1	18.7:1	21.5:1	18.7:1	18.7:1
Engine size/type	4.0-liter V6		Turr	ning airde (aurb-to-aurb, ft)	37.7	43.0	39.1	43.0	43.0
Valvetrain	SOHC 12-valve								
Bore and stroke	3.95 x 3.35								
Ignition system	Electronic distributorless		Ven	tilated front discs	10.3	10.3	10.3	11.3	11.3
Fuel injection	Electronic multiport		Rea	r drums	9.0	10.0	10.0	10.0	10.0
Horsepower, SAE Net	207 @ 5250 rpm								
Torque, SAENet lb-ft	238 @ 3000 rpm								
EPA estimated fuel economy, city/hwy mpg	4x2 Manual 17/22 4x2 Automatic 16/21				16.5	19.5	16.5	19.5	19.5
	4x4 Manual 15/19 4x4 Automatic 15/19				3008	3214	3271	3486	3762

Exterior Colors and Upholstery

MECHANICAL FEATURES	Base 4x2	Base 4x4*	SE 4x2	SE 4x4	Dual Sport
■ 2.3L DOHC 16-valve 4-cylinder engine with 143 hp	B2300	_	B2300	_	_
■ 3.0LOHV 12-valve V6 engine with 154 hp	_	_	B3000	_	B3000
■ 4.0L SOHC 12-valve V6 engine with 207 hp	_	S	_	S	B4000
5-speed manual overdrive transmission	S	S	S	S	S
Shift-on-the-fly 4WD system/dual-range transfer case	_	S	_	S	_
Underbody skid plates for fuel tank and transfer case	_	_	_	S(CP4)	_
Front independent double-wishbone suspension	S	_	S	_	_
Raised front independent double-wishbone suspension	_	S	_	S	S
Power-assisted rack-and-pinion steering	S	S	S	S	S
4-wheel Anti-lock Brake System (ABS)	S	S	S	S	S
Limited-slip rear differential	_	_	_	CP4	B4000
EVTEDIOD EEATLIDES	Base 4x2	Base 4x4*	SE 4x2	SE 4x4	Dual
EXTERIOR FEATURES	4x2 S	4x4"	4x2	4X4	Sport
15-inch steel wheels; P225/70R15 all-season tires	3	_	S	_	_
15-inch alloy wheels; P225/70R15 all-season tires	_	_	5	_	_
15-inch alloy wheels; P235/75R15 all-terrain tires	_	S	_	_	S
16-inch alloy wheels; P245/75R16 all-terrain tires	_	_	_	S	_
Black bumpers and grille	S	S	_	_	_
Bright bumpers and grille	_	_	S	S	_
Body-color bumpers and grille	_	_	_	O(n/c)	S
Black wheel-arch moldings	_	S	_	S	_
Body-color wheel-arch moldings	_	_	_	O(n/c)	S
Black front and rear mud guards	S	S	S	S	S
Class III frame-mounted trailer-hitch receiver	Α	Α	O/A(B3000) A(B2300)	O/A(CP) S(CP4)	O/A(B3000 S(B4000)
Dual black side-view mirrors	S	S	S	S	S
Solar-control tinted glass	S	S	S	S	S
Biding rear window	S	S	S	S	S
Cargo-bed light	_	_	S	S	_
Nog lights	Α	Α	Α	S	S
Front tow hooks	_	_	_	CP4	_
INTERIOR FEATURES	Base 4x2	Base 4x4*	SE 4x2	SE 4x4	Dual Sport
■ 2nd-generation dual front air bags†	S	S	S	S	S
Passenger-side air bag deactivation switch [†]	S	S	S	S	S
3-point outboard front safety belts with pretensioners and height-adjustable shoulder-belt anchors; center lap belt	S	S	s	S	S
60/40 split-bench seat with vinyl upholstery; vinyl floor covering	S	-	_	-	-
■ 60/40 split-bench seat with doth upholstery; full out-pile carpeting	Р	S	S	S	S
Fold down roar vinyl iump coate with lan holte		0	9	0	CD/CD4

Fold-down rear vinyl jump seats with lap belts

Driver's and passenger's vanity mirror A-pillar-mounted passenger-assist grips

Floor consolette with dual cup holders

■ Engine-immobilizer antitheft system

and oil-pressure gauges

CFC-free air conditioning

and cup holder

Map lights

Fold-down center armrest with storage compartment

Door-mounted map pockets; doth-covered sun visors

Cigarette lighter, plus separate 12-volt power outlet

Tachometer, voltmeter, engine coolant temperature

AM/FM stereo with 2 speakers and digital dock

■ AM/FM/CD stereo with 4 speakers and digital clock

S S S S

B4000 4x4 SE

OPTIONS AND OPTION PACKAGES	Base 4x2	Base 4x4*	SE 4x2	SE 4x4	Dual Sport
SE-5 Package: Styled steel wheels; doth seat; full carpeting; carpet floor mats; CFC-free air conditioning; AM/FM/CD stereo	0	-	_	-	_
Convenience Package: Bedliner; leather-wrapped tilt steering wheel; cruise control	0	Ο	0	0	0
Power Package: Power mirrors; power door locks; remote keyless entry system with 2 remotes; power windows	0	0	0	0	0
Off-Road Package: 31x10.5R15 outline-white-letter tires; 15-inch "tear-drop" alloy wheels; bed-rail caps; side step tubes; bucket seats with center console; carpet floor mats; compass and outside temperature auto-dimming mirror; AM/FM/CD/MR3 stereo (monochromatic Ratinum Frost Metallic only	_	_	-	O(CP4)	-
∇ 5-speed automatic overdrive transmission	Ο	0	O(B3000)	Ο	Ο
Monochromatic (body-color) trim	_	_	_	O(n/c)	S
Trailer-hitch receiver	Α	Α	O(B3000) A(B2300)	S(CP4) O/A(CP)	S(B4000) O/A(B3000)
Bed extender	O/A	O/A	O/A	O/A	O/A
Bedliner	O/P/A	O/P/A	O/P/A	O/P/A	O/P/A
Folding storage box	O/A	O/A	O/A	O/A	O/A
Tonneau cover-soft	O/A	O/A	O/A	O/A	O/A
Bed-rail caps, Black or Sliver	O/A	O/A	O/A	O/P/A	O/A
Sde step tubes, Black or Slver	O/A	O/A	O/A	O/P/A	O/A
Carpet floor mats	P/A	Α	Α	P/A	Α
Oruise control; leather-wrapped tilt steering wheel	O/P	Р	Р	Р	Р
CFC-free air conditioning	O/P	S	S	S	S
Compass and outside temperature auto-dimming mirror	ΟΆ	O/A	O/A	O/P/A	O/A

EXTERIOR DIMENSIONS (inches)	Base 4x2 Reg. Cab	SE 4x2 Cab Plus	Dual Sport 4x2 Reg. Cab	Dual Sport 4x2 Cab Plus	4x4	
Wheelbase	111.6	125.7	111.6	125.7	125.9	
Overall length	187.5	201.7	187.7	202.9	202.9	
Height (empty)	64.9	64.8	67.6	67.5	67.5	
Width	69.4	69.4	70.3	70.3	70.3	
Track, front	58.6	58.6	58.6	58.6	58.6	
Track, rear	57.3	57.3	57.3	57.3	57.3	
Cargo bed length	71.8	71.8	71.8	71.8	71.8	
Cargo bed depth	16.5	16.5	16.5	16.5	16.5	
Cargo bed width, maximum (at floor)	52.0	52.0	52.0	52.0	52.0	
Cargo bed width, between wheelhouses	40.4	40.4	40.4	40.4	40.4	
Ground clearance (at rear axle)	6.7	6.7	7.3	7.3	7.9	
Approach angle (minimum)	21°	21°	28°	28°	28°	
Departure angle (minimum)	15°	15°	20°	20°	20°	
	Regu	lar Cab	Cab Plus/Cab Plus		Plus 4	
Front headroom	39.2		39.2			
Rear headroom		_		35.6		
Front legroom	4	12.4	42.2 40.3			
Rear legroom		_				
Front shoulder room	54.5		53.8			
Rear shoulder room		_		15.3		
	Regular Cab Cab Plus		us Ca	Cab Plus 4		
B2300 Base		•	_		_	
B2300 SE	_		•		-	
B3000 SE	_		_		•	
B3000 Dual Sport	•		•		_	
B4000 Dual Sport	_		_		•	
B4000 4x4 Base*		_	•		_	



CLASSIC WHITE CLEARCOAT

- Mazda Truck 2300 Base Reg Cab Gray Vinyl Mazda Truck SE 4x2, SE 4x4 Gray Cloth
- · Mazda Truck Dual Sport, SE 4x4 (mone



PEFORMANCE RED CLEARCOAT

 Mazda Truck 2300 Base Reg Cab Gray Vinyl Mazda Truck SE 4x2, SE 4x4 Gray Cloth



LAPIS BLUE METALLIC

 Mazda Truck 2300 Base Reg Cab Grav Vinvl · Mazda Truck SE 4x2, SE 4x4 Grav Cloth · Mazda Truck Dual Sport, SE 4x4 (monoc c) Gray Cloth



SUNBURST RED METALLIC

- Mazda Truck 2300 Base Reg Cab
- · Mazda Truck SE 4x2. SE 4x4
- Grav Vinvl Grav Cloth



CHESTNUT METALLIC

- · Mazda Truck 2300 Base Reg Cab
- · Mazda Truck SE 4x2, SE 4x4
- Beige Cloth c) Beige Cloth · Mazda Truck Dual Sport, SE 4x4 (mone

Gray Vinyl



MYSTIC BLACK CLEARCOAT

- Mazda Truck 2300 Base Reg Cab · Mazda Truck SE 4x2, SE 4x4 Gray Cloth
- · Mazda Truck Dual Sport, SE 4x4 (monochro Gray Cloth



PLATINUM FROST METALLIC

- Mazda Truck 2300 Base Reg Cab Grav Vinvl · Mazda Truck SE 4x2, SE 4x4 Gray Cloth
- · Mazda Truck Dual Sport, SE 4x4 (monochrom



LIGHT TUNDRA METALLIC

- Mazda Truck 2300 Base Reg Cab
- · Mazda Truck SE 4x2, SE 4x4
 - Gray Ooth



SANDSTORM METALLIC

- Mazda Truck 2300 Base Reg Cab
- · Mazda Truck SE 4x2, SE 4x4

OP: Cab Plus OP4: Cab Plus 4 S: Standard O: Optional P: Package option A: Dealer-installed accessory • : Available — : Not available n/c : No charge

Gray Vinyl

Beige Goth

Grav Vinvl

- * Available December 2002.
- † Always wear your safety belt and deactivate passenger-side air bag when using a rear-facing child safety seat.

www.MazdaUSA.com

Wherever you see this symbol, you can get the whole story on our interactive Web site.

PRODUCT CHANGES AND OPTIONS AVAILABILITY: Following publication of this brochure, certain changes in standard equipment, options, prices and the like, or product delays may have occurred which would not be included in these pages. Your Mazda dealer is your best source for up-to-date information. Mazda reserves the right to change product specifications at any time without incurring obligations. Options shown or described in this brochure are available at extra cost and may be offered only in combination with other options or subject to additional ordering requirements or limitations.



BEIGE CLOTH SE, Dual Sport, Base 4x4, Base 4x2 w/SE-5 Pkg.



GRAY CLOTH

SE, Dual Sport, Base 4x4,

Base 4x2 w/SE-5 Pkg.

GRAY VINYL Base 4x2

INTERIOR FABRICS

