







"It looks like it's moving, even when it's standing still. That gets my adrenaline flowing."

Land Rover staked out new territory with the introduction of Range Rover Sport. An all-new sports tourer that contradicts, disrupts and challenges expectations of how a 4WD should look, feel and perform. It delivers on road performance, best-in-class comfort and refinement with incredible off-road ability. Its distinctive, chiselled styling and cultured road manners combine well with high-end luxury refinement. With the introduction of the new twin Turbodiesel V8 (TDV8) engine, the line-up is now given more responsive, well-mannered diesel power.



its athletic design. The five-door body style with single-piece rear aluminium tailgate adds to the dynamic look and feel of the vehicle. Wheel arches are subtly flared, power vents sit behind the front wheels and there's a sharp muscular line that runs along the car's hips. Range Rover styling cues include the 'floating' roof, clamshell bonnet with a sportier raked windscreen. Designed to be driven. Designed to be desired.



"I love the way the seats hold you. It's like being in a sports car." The edgy, sporty cockpit is designed to cocoon the driver. The high command, sculpted seats are made to sit in, not on, creating a more sporty experience.

Powered lumbar support adds to long-range comfort. Extensive leather, wood and metallic finishes enhance enjoyment.

A high and sweeping centre console, fitted with such features as harman/kardon® surround sound audio, puts the emphasis on the driving experience.

"It's like having an expert in the cabin." Rocks, boulders, soft sand, snow and ice - Range Rover Sport is always in its element.

This is due to Land Rover patented Terrain Response™. With five terrain settings to choose from, via a rotary control on the centre console, all you have to do is select the correct Terrain Response™ option for the conditions.

The optional Adaptive Cruise Control (ACC) with Forward Alert system scans the road 10 times a second. ACC will dynamically match the speed of the vehicle in front and maintain a constant speed. Standard on Supercharged, optional on other models, the Bi-Xenon Adaptive Front Lighting changes the beam direction as the vehicle turns, cleverly following the curves of the road.













"The supercharged performance left me speechless."

The most athletic, the best specified and most refined model yet, the Supercharged leads Range Rover Sport's line-up. Just as exciting to drive on road as off, it's immensely powerful and hugely flexible 4.2 litre Supercharged V8 287kW petrol engine delivers massive torque and effortless acceleration. Its ability to bring you confidently to a stop, regardless of surface or terrain, is aided by graphite iron Brembo performance front brakes with 4-piston callipers. Range Rover Sport Supercharged. Jaw dropping performance.

"I really wanted to hear that TDV8 roar, have the power there."

One of the world's most advanced engines. The new twin Turbodiesel V8 (TDV8).

Maximum power of 200kW at 4,000rpm. Twin variable nozzle turbochargers contribute to the huge torque offering effortless performance at low engine speeds.

Over 400Nm of torque is available from just 1,250rpm. Maximum torque is an enormous 640Nm maintained constantly from 2,000rpm to 2,500rpm substantially boosting performance and refinement. The perfect roar of the exhaust is fine tuned to complement its sporting characteristics.



"Its handling is superb. So is its stopping power." Brembo performance front

brakes with 4-piston callipers are standard on both the TDV8 and Supercharged models.

Emergency Brake Assist (EBA) helps initiate the full braking effect, reducing stopping distances in critical situations. Dynamic Stability Control (DSC) automatically applies the brakes to individual wheels. At the same time reducing torque to help correct over-steer and under-steer. Electric Park Brake provides braking confidence when stationary and automatically de-activates when moving off. Perfect for this stop-start world.



"The levels of safety are impressive for every occupant." Its highly rigid body,

with a low centre of gravity and energy-absorbing crumple zones offer outstanding occupant protection. Active Roll Mitigation (ARM) system monitors vehicle stability. Dynamic Stability Control (DSC) monitors wheel speed and steering angle to make cornering safer and more stable. DSC applies ABS braking to individual wheels to help maintain control. For added peace of mind Range Rover Sport is equipped with a total of eight airbags, including side curtains.





Three seat materials are available on Range Rover Sport. A non-perforated Standard Leather is available in three colourways (Alpaca, Ebony and Ivory). And the Supercharged derivative features unique Sports Leather, with perforated centre panels with a bright metallic backing - visible through the perforations and available in two colourways (Ebony or Ivory).



EXTERIOR COLOUR COMBINATIONS

COLOURWAY		ASPEN/IVORY	ASPEN/IVORY	EBONY	EBONY/IVORY	EBONY/ALPACA	
SEAT COLOUR CARPET COLOUR		ASPEN	IVORY	EBONY	IVORY	ALPACA	
		ASPEN	ASPEN	EBONY	EBONY	EBONY	
XTERIOR	COLOUR	INTERIOR TRIM FINISHER					
	Alaska White	Brunel			R	R	R
		Straight Grain Walnut			R	R	R
	Replaces Chawton White (Sep 07)	Dark Zebrano			R	R	R
		Hand Polished Lined Oak			R	R	R
	Atacama Sand	Brunel	R	R	R	R	R
	Acacama Sana	Straight Grain Walnut	R	•	R	R	R
		Dark Zebrano	R	R	R	_	R
		Hand Polished Lined Oak			R	R	R
	Buckingham Blue	Brunel			R	R	R
	Duckingilani bide	Straight Grain Walnut			R	R	R
		Dark Zebrano			R	_	R
		Hand Polished Lined Oak			R	В	R
G175	Cairns Blue	Brunel	_		R	R	R
	Call IIS Dide	Straight Grain Walnut	_		R	R	R
		Dark Zebrano	_		R	R	R
		Hand Polished Lined Oak	_		R	R	R
	Izmir Blue	Brunel	_	_	R	В	R
		Straight Grain Walnut	=	_	 B	R	B R
	Replaces Arctic Frost (Sep 07)	Dark Zebrano	_	_	 B	В	
		Hand Polished Lined Oak	_	_	•	R	R
	Laura Blands	Brunel		R	R	R	R
	Java Black	Straight Grain Walnut		R R	 R	R	R
		Stained Zebrano		B		R	
		Hand Polished Lined Oak			R		
	1	Brunel	R	R		R	
	Lucerne Green	Straight Grain Walnut		R R	 R	R	R
		Dark Zebrano	R		 R	R	R
		Hand Polished Lined Oak		_		R	R
		Brunel	_			R R	B R
	Lugano Teal	Straight Grain Walnut	_			R	R
		Dark Zebrano	_				R
		Hand Polished Lined Oak	_			R	R
		Brunel	_	_		R	R
	Rimini Red	Straight Grain Walnut	=	_	R	R R	
		Dark Zebrano	=	_	H	R R	B R
		Hand Polished Lined Oak	=	<u> </u>		n I	B B
		Brunel		 R	R	R R	R
88.8	Stornoway Grey	Straight Grain Walnut		R R	R	R R	H =
333		Dark Zebrano		R R	H	R R	B
		Hand Polished Lined Oak		n		H H	B B
		Brunel	R B	R	R	R	R R
127.57	Tonga Green		R R	H •	R	R R	H
15331		Straight Grain Walnut Dark Zebrano	R R	R R	R	R R	B R
			H	н 🗆	R		R R
		Hand Polished Lined Oak	B B	B	R R	R R	R R
	Zermatt Silver	Brunel					H
1000		Straight Grain Walnut	R	R	R •	R	
		Dark Zebrano	R	R		R	R
		Hand Polished Lined Oak			R	•	R

FEATURES

Brembo Front Brakes

INTERIOR FEATURES	TDV6	TDV8	4.4 V8	4.2 V8 S/C
Perimetric Alarm	•	•	•	•
Electric Sunroof				
Lower Centre Consol Cooler Box				
Automatic Climate Control	-	•	•	•
Leather Covered Steering Wheel and Gear Knob	•	•	-	•
Puddle and Footwell Lamps	•	•	-	•
Cruise Control	•	•	-	•
Adaptive Cruise with Forward Alert	_			
Loadspace Cover - Roller Blind		•	•	•
Illuminated Vanity Mirrors		•	•	•
Leather Seats	•	•	•	-
Sports Leather Seats	_	_		•
Premium Leather Seats	_			
8 way (Driver) and 8 way (Passenger)	•	•	•	-
electric Front Seats with Manual Lumbar Support				
8 way (Driver) and 8 way (Passenger)				•
electric Front Seats with Power Lumbar Support				
Memory for Drivers Seat and Exterior Mirrors				•
and Electric Steering Column (Sept '07 Production)				
Powerfold Exterior Mirrors				•
Split Rear Seat (65:35) Including Arm Rest	•	•	•	•
Front Seat Arm Rests	•	•	•	•
EXTERIOR FEATURES	TDV6	TDV8	4.4 V8	4.2 V8 S/C
Park Distance Control (PDC) - Rear		•	•	•
Park Distance Control (PDC) - Front				•
Halogen Headlamps		_	_	-
Bi-Xenon Headlamps		•	•	-
Adaptive Bi-Xenon Headlamps				•
Tailgate Mounted Rear Spoiler	•	•	•	•
Grille - Perforated with 'Titan' Finish Bars,	_	_	•	•
Side Vents with 'Titan' Finish				
Twin Tailpipe Finishers	-	_	-	•
Tow Pack				
SUSPENSION AND STEERING	TDV6	TDV8	4.4 V8	4.2 V8 S/0
Power Assisted Speed Proportional		•	•	•
and Variable Ratio Steering				
Electronic Air Suspension with Terrain Response™	•	•	•	•
Active Locking Rear Differential				
Monotube Dampers	•	•	•	•
Dynamic Response	_	•	•	•

IN CAR ENTERTAINMENT	TDV6	TDV8	4.4 V8	4.2 V8 S/C
Premium Navigation with Off-Road Navigation				•
and Voice Recognition				
Hi ICE: harman/kardon® System:	•	•	•	•
8 Speakers, Passive Subwoofer, Audio Amplifier,				
In dash 6 CD autochanger				
Premium ICE: harman/kardon® LOGIC7 System:				
13 Speakers, Active Subwoofer, DSP Amplifier,				
Rear Headphone Module, In dash 6 CD autochanger				
Personal Telephone Integration (PTI)				
Rear Seat Entertainment (DVD)				
with harman/kardon® Corded Headphones				
Side Screen Antenna - Diversity	•	•	•	
Remote ICE Controls	•	•	•	
Trip Computer	•	•	•	•
(Functions Include: Distance to Empty,				
Average Fuel Consumption, Range, Trip)				
Hybrid TV				
(Analogue & Digital) (Requires Premium Navigation)				
INTERIOR SEAT TRIM	TDV6	TDV8	4.4 V8	4.2 V8 S/C
Leather	•	•	•	_
Premium Leather	_			
Sports Leather	-	-	-	•
INTERIOR TRIM FINISH	TDV6	TDV8	4.4 V8	4.2 V8 S/C
Rhodium	•			•
Straight Grain Walnut		nco	nco	nco
Hand Polished Lined Oak	-	-	-	
nco: No Cost Option				
OPTION PACKS				
CLEAR VIEW PACK	•	•	•	•
(Includes; Front Fog Lamps, Headlamp Powerwash, Automat	ic			
Headlamps, Electrochromic Interior Mirror, Rain Sensor)				
		_	_	-
DYNAMIC PACK				
DYNAMIC PACK includes 20 inch 10-Spoke Alloy Wheels, Dynamic Response,				

Not only crucial to the performance and handling characteristics of Range Rover Sport but also lending elements of personal styling to the exterior is the wide variety of wheels and tyres available. Alloy wheels diminish unsprung weight and allow the suspension to react more quickly. Specially developed tyres, with lower profiles are optimised for ride comfort and low rolling resistance.

WHEELS AND TYRES	TDV6	TDV8	4.4 V8	4.2 V8 S/C
18 inch, 8J 10-spoke*	•	_	_	_
Alloy Wheels 255/55/R18				
19 inch, 9J 5-V spoke*		•	•	_
Alloy Wheels 255/50/R19				
20 inch, 9.5J 10-spoke*				•
Alloy Wheels 275/40/R20				
20 inch, 9.5J 'Stormer'*	_	_	_	
Alloy Wheels 275/40/R20				
Full Size Alloy Spare	•	_	_	_
Durable Temporary Spare	_	-	•	•
*Snow chain cannot be fitted ■ Standard □	Ontional - Not Available			



Please note: When choosing vehicles fitted with specific wheel and tyre combinations or optional wheels and tyres, your intended use of the vehicle should be considered. Wheels with larger diameters and lower profile tyres may offer certain styling or driving benefits, but may be more vulnerable to damage, please discuss your requirements with a dealer when selecting your vehicle and specification.

There are four powerful reasons why Range Rover Sport is one the world's best-performing sports tourers.

It offers four of the world's most advanced engines. Lightweight, compact and extremely strong, their balance of performance, refinement and economy is unmatched. On any terrain. The Range Rover Sport engine line-up. Class-leading on road. Awesome off-road.

Type 4.2 litre Supercharged V8 Petrol

Max Power 287kW @ 5,750rpm

Max Torque 550Nm @ 3,500rpm

Engine Data

Supercharged V8 Petrol. Aluminium construction of engine block and cylinder head with a structural sump and oil pick-up designed to enable operation at extreme angles. 32 Valve with quad camshafts and supercharged with peak pressure of 80kPa. Torque based engine management system, mapped for both on and off-road driving speeds. Drive by Wire throttle control and multi-holed fuel injectors. Three-way catalysts, unleaded fuel only. Bore 86.0mm. Stroke 90.3mm. Cubic capacity 4,197cc. Compression ratio 9.1:1

Type 4.4 litre V8 Petrol

Max Power 220kW @ 5,500rpm

Max Torque 425Nm @ 4,000rpm

Engine Data

High compression V8 Petrol. Aluminium construction of engine block and cylinder head with a structural sump and oil pick-up designed to enable operation at extreme angles. 32 Valve with quad, variable phased camshafts. Torque based engine management system, mapped for both on and off-road driving speeds. Drive by Wire throttle control and multi-holed fuel injectors. Three-way catalysts, unleaded fuel only. Bore 88.0mm. Stroke 90.3mm. Cubic capacity 4,394cc. Compression ratio 10.75:1

Type 3.6 litre TDV8 Diesel

Max Power 200kW @ 4,000rpm

Max Torque 640Nm @ 2,000rpm

Engine Data

90° 32 Valve diesel engine. Compacted graphite iron cylinder block to reduce noise levels with an aluminium head to improve heat dissipation. Fuel injection pressure of 1700 Bar with a state of the art twin variable nozzle turbochargers and inlet valve de-activation deliver supreme refinement, power and fuel economy. The advanced technology in the TDV8 allows it to achieve EU4 emissions compliance. Bore 81.0mm. Stroke 88.0mm. Cubic capacity 3,630cc. Compression ratio 17.3:1

Type 2.7 litre TDV6 Diesel

Max Power: 140kW @ 4,000rpm
Max Torque: 440Nm @ 1,900rpm


Engine Data

60° 24 Valve diesel engine. Compacted graphite iron cylinder block to reduce noise levels with an aluminium head to improve heat dissipation. Fuel injection pressure of 1,700 Bar with state of the art variable nozzle turbo, benefiting performance, economy and emissions (EU4 emissions compliant). Bore 81.0mm. Stroke 88.0mm. Cubic capacity 2,720cc. Compression ratio 18:1







"I've never felt anything like the all-terrain power of these four engines." Range Rover Sport now offers four world-class powertrains. The outstanding Supercharged 4.2 litre V8 petrol, the naturally aspirated 4.4 litre V8 petrol and the 2.7 litre V6 diesel are joined by an equally impressive, new 3.6 litre V8 diesel. From smooth tarmac to rough terrain, all four engines have the power, refinement and torque characteristics necessary for class-leading on and off-road capability. Offering you the seamless, effortless ability to cruise motorways, climb mountains, wade rivers and cross deserts. While at the same time transporting five adults and their luggage in ultimate comfort.





■ Standard □ Option - Not Available











SPECIFICATIONS

ENGINE DATA	TDV6	TDV8	V8 Petrol	V8 Supercharged
Location	Front North South	Front North South	Front North South	Front North South
Capacity	2,720	3,630	4,394	4,197
No. of cylinders	6	8	8	8
Cylinder layout	Longitudinal V6	Longitudinal V8	Longitudinal V8	Longitudinal V8
Bore (mm)	81.0	81.0	88.0	86.0
Stroke (mm)	88.0	a88.0	90.3	90.3
Compression ratio (:1)	18.0 (+/-0.5)	17.3 (+/-0.5)	10.75 (+/-0.5)	9.1 (+/-0.5)
Cylinder head material	Aluminium	Aluminium	Aluminium	Aluminium
Cylinder block material	Compacted Graphite	Compacted Graphite	Aluminium	Aluminium
	Iron	Iron		
Ignition system	Siemens PCR 2.4	Siemens PCR 2.4	Denso pan PAG EMS	Denso pan PAG EMS
			Generation 1	Generation 1
Valves per cylinder	4	4	4	4
Maximum power kW/rpm	140/4,000	200/4,000	220/5,500	287/5,750
Maximum torque Nm/rpm	440/1,900	640/2,000	425/4,000	550/3,500
TRANSMISSION DATA				
Transmission type	Automatic	Automatic	Automatic	Automatic
Gear ratio 6th (High/Low):1	0.691/2.025	0.691/2.025	0.691/2.025	0.691/2.025
5th (High/Low) :1	0.867/2.540	0.867/2.540	0.867/2.540	0.867/2.540
4th (High/Low) :1	1.143/3.349	1.143/3.349	1.143/3.349	1.143/3.349
3rd (High/Low) :1	1.521/4.457	1.521/4.457	1.521/4.457	1.521/4.457
2nd (High/Low) :1	2.340/6.856	2.340/6.856	2.340/6.856	2.340/6.856
1st (High/Low) :1	4.171/12.221	4.171/12.221	4.171/12.221	4.171/12.221
Reverse (High/Low) :1	3.403/9.971	3.403/9.971	3.403/9.971	3.403/9.971
Final Drive ratio :1	3.540	3.540	3.730	3.540
Transfer box ratio High :1	1:1	1:1	1:1	1:1
Transfer box ratio Low :1	2.93:1	2.93:1	2.93:1	2.93:1
Shift-on-the-move (kph)	40	40	40	40
- max High to Low				
Low to High	60	60	60	60
In gear speed (kph)	193	209	209	225
6th High				
1st High	43.0	36.6	58.4	52.0
1st Low	12.7	13.0	19.9	18.9

STEERING DATA	TDV6	TDV8	V8 Petrol	V8 Supercharged
Туре	Speed Propo	rtional Power Assisted	Rack and Pinion	
Turns lock to lock	3.1	3.1	3.1	3.1
Turning circle (kerb to kerb)	11.6m	11.6m	11.6m	11.6m
Turning circle (wall to wall)	11.9m	11.9m	11.9m	11.9m

BRAKES

Front size	317mm	360mm	337mm	360mm
Туре	Ventilated Disc	Ventilated Disc	Ventilated Disc	Ventilated Disc
Rear size	325mm	350mm	350mm	350mm
Туре	Ventilated Disc	Ventilated Disc	Ventilated Disc	Ventilated Disc
Parking	Duo Servo	Duo Servo	Duo Servo	Duo Servo
ABS system	Bosch 8	Bosch 8	Bosch 8	Bosch 8

SAFETY & SECURITY	TDV6	TDV8	4.4 V8	4.2 V8
Airbags, driver & front passenger head	•	•	•	•
Airbags, driver & front passenger side	•	•	•	•
Airbags, full size driver & front passenger	•	•	•	•
Airbags, rear outboard passenger head	•	•	•	•
Electric park brake	•	•	•	•
Electronic Brake Assist	•	•	•	•
Ultrasonic Alarm	•	•	•	•
Passive engine immobilisation	•	•	•	•
Single point entry	•	•	•	•
Four channel all terrain ABS with all round	•	•	•	•
ventilated disc brakes				
Dynamic Stability Control	•	•	•	•
Centrally mounted high stop lamp mounted	•	•	•	•
in rear spoiler				
Active Roll Mitigation	•	•	•	•

■ Standard

DIMENSIONS AND CAPABILITY





Obstacle Clearance Ground clearance off-road height 227mm (Standard ride height 172mm)



Maximum front headroom

Fixed roof 977mm

Sunroof 1,000mm

Wading Depth Maximum wading depth 700mm (off road height) Air Suspension



Articulation and Suspension

A
Approach Angle
Standard ride height 30.2°,
off-road 34° (to spoiler)

Ramp Angle
Standard ride height 20°,
off-road 25°

C Departure Angle Standard ride height 26°, off-road 29° (to bumper)



Luggage Capacity
Rean seats upright
Height 943mm
Width 1,221mm
Length at floor 991mm
Loadspace volume 958 litres
Loadspace width between
arches 1.120mm



Luggage Capacity
Rear seats folded
Height 943mm
Width 1,221mm
Length at floor 1,754mm
Loadspace volume 2,013 litres
Loadspace width between
arches 1,120mm

PERFORMANCE AND WEIGHTS

WEIGHTS (kg)	TDV6	TDV8	V8 Petrol	V8 Supercharged
Total (unladen weight)	2,455	2,675	2,480	2,572
Gross vehicle weight	3,070	3,175	3,070	3,125
Maximum front axle (non-additive)	1,470	1,540	1,470	1,470
Maximum rear axle (non-additive)	1,710	1,710	1,710	1,710
TOWING (towing pack option)				
Unbraked trailer (kg)	750	750	750	750
Maximum towing (kg)	3,500	3,500	3,500	3,500
PERFORMANCE & FUEL ECOI				

PERFORMANCE & FUEL ECONOMY					
Maximum speed kph	193	209	209	225	
Acceleration - secs 0-100kph	12.7	9.2	8.9	7.6	
Urban L/100km	13.1	14.7	20.9	22.8	
Extra Urban L/100km	8.2	9.0	12.1	11.9	
Combined L/100km	10.0	11.1	14.9	15.9	
CO ₂ emissions (g/100km)	265	294	352	374	

Fuel consumption figures: The results given here do not express or imply any guarantee of the fuel consumption of any particular vehicle with which this information may be supplied. Vehicles are not individually tested and there are inevitable differences between individual vehicles of the same model. The vehicle may also incorporate particular modifications. Furthermore, the driver's style and road traffic conditions, as well as the extent to which the vehicle has been driven and the standard of maintenance, will affect its fuel consumption. Fuel tank Petrol/Supercharged usable fuel 88.1 litres. Diesel usable fuel 84.1 litres. Low fuel warning at 9 litres approximately.



Wheelbase 2,745mm



Rear wheel track 1,612mm



Length 4,788mm



Front wheel track 1,605mm

Maximum vehicle height

Standard mode 1,812mm

Access mode 1,762mm



WARRANTY, ROADSIDE ASSISTANCE, CUSTOMER CARE AND FINANCIAL SERVICES

WARRANTY. A comprehensive manufacturer's warranty is a feature of every Land Rover vehicle and extends to any genuine Land Rover accessory fitted by a Land Rover Retailer. The warranty period for the vehicle is three years/100,000 kilometres. In addition, the paint surface is also covered for three years/100,000 kilometres and the body work covered for corrosion for six years.

LAND ROVER ROADSIDE ASSISTANCE. All Land Rover vehicles purchased in Australia benefit from complimentary Land Rover Roadside Assistance service for the length of the new car warranty. This covers you Australia-wide 24 hours per day every day. And because it is Land Rover Assistance, help will also be provided if you become bogged or disabled on roads that only four-wheel drives can travel.

CUSTOMER CARE, Land Rover Australia has a dedicated Customer Care Centre to assist owners who may have a general query. Owners seeking this level of assistance are invited to phone our Customer Care Centre on the toll-free number 1800-625-642. Land Rover ownership includes a package of benefits designed to provide high standards of after sales care and support.

LAND ROVER FINANCIAL SERVICES. Just as Land Rover lets you tailor a vehicle to your specific requirements, we offer you the same service when it comes to finance. You can arrange to purchase and finance your Land Rover from the people who know it best - your Land Rover Retailer. Your Land Rover Business Manager can explain the full range of finance options available from Land Rover Financial Services and provide expert advice to help tailor a finance package to best suit your needs. To discover more about Land Rover Financial Services visit your nearest Land Rover Retailer or visit www.landroverfinancialservices.com.au or the link at www.landrover.com.au



Important notice: This brochure, produced by Land Rover Australia, offers a general guide to Range Rover Sport product specifications. All details are believed to be correct as of September 2007. However, we are constantly striving for improvement and therefore reserve the right to alter specifications without notice. Accordingly this brochure should not be regarded as an infallible quide to the correct specifications, nor does it constitute an offer or sale of any particular vehicle. Distributors and retailers are not agents of Land Rover Australia and have no authority to bind Land Rover Australia to any expressed or implied undertaking or representation. Please drive responsibly off-road.

Premier Automotive Group Australia Pty Ltd Trading as Land Rover Australia ABN 86 004 352 238 65 Epping Road, North Ryde NSW 2113 Locked Bag 2214, North Ryde NSW 1670 Telephone: 1800 809 308 www.landrover.com.au ©Premier Automotive Group Australia Pty Ltd 2007 Publication Number L5703 RR Sport 08MY eBrochure 22pp 09/07