

SUPER VERYCA 1.3L



1.3L 8 seats Window Van





Chromed Radiator Grille



New-Design Front Bumper



Rear Garnish



Bright Headlight



Two-Layer Rear Lamp

The Super Veryca features 1.3L 85 hp MPI engine to enhance fuel economy and deliver the smooth ride.



1.3 L 2 Seats Panel



To experience Roomy, Bright and Comfortable Cabin from now on.



MP3/CD Player



Independent Rear A/C control



Power Steering



Fr Power Window



Two-Layer Glove Box



Styling Meter



Fr Seat Cup Holder

Flexible Seating Arrangement



Convenient Features Enrich Your Daily Work



Designed for business or family use,
Super Veryca makes your life easier.



1.3 L 5 Seats Semi-Panel Van




Crash Tested




Impact Beams



Leaf Spring Rear Suspension



1.3L Engine Power Performance



Always your partner



The all - new Super Veryca offers superior quality and performance for your varied demand.

1.3 L 2 Seats Pick Up



Class-Leading Cargo Area



Styling Meter



Cup Holder



Leaf Spring Rear Suspension



MP3/CD Player



Two-Layer Glove Box

CMC SUPER VERYCA SPECIFICATION

Specification	SUPER VERYCA VAN					SUPER VERYCA PICK UP		
	1.3L					1.3L		
	2WD / 5MT					2WD / 5MT		
	Panel Van		Semi-Panel Van		Window Van	Iron Deck With Rail		Iron Deck Without Rail (Refrigerator / Freezer)
	CC21A	CC21K	CC31H	CC21B	CC21J	CC21R	CC31R	CC21F
DIMENSION	Seating Capacity (persons)	2		5	8	2		
	Overall Length (mm)	4105				4100		
	Overall Width (mm)	1560				1560		
	Overall Height (mm)	1930				1895		
	Wheelbase (mm)	2610				2610		
	Deck Length x Width (mm)	-				2375 x 1490		
	Gross Vehicle Weight (kg)	1850				1900		
	Curb Weight (kg)	1150	1200		1260	985	985	950
	Payload (kg)	700	650		590	915	915	950
ENGINE	Engine Type	Mitsubishi 4G13, In-line 4-cylinder, SOHC/MPi				Mitsubishi 4G13 In-line 4-cylinder SOHC/MPi		
	Displacement (c.c.)	1301				1301		
	Bore x Stroke (mm)	71 x 82				71 x 82		
	Compression Ratio	9.5:1				9.5:1		
	Fuel Grade	Unleaded Gasoline (≥RON 92)				Unleaded Gasoline (≥RON 92)		
	Catalyst Converter	●				●		
	Max. Horse Power (ps / rpm)	85 / 6000				85 / 6000		
	Max. Torque (kg-m / rpm)	11 / 3000				11 / 3000		
CHASSIS	Suspension Front	Coil Spring				Coil Spring		
	Suspension Rear	Leaf Spring				Leaf Spring		
	Tires	165R13				165R13		
	Fuel Tank Capacity (L)	48				48		
	Min. Turning Radius (M)	4.8				4.8		
DRIVETRAIN	RR				RR			
DASHBOARD	Tachometer	●				●		
	Low-Fuel Warning Lamp	●				●		
SAFETY	Front / Rear Brakes	Front Disc / Rear Drum				Front Disc / Rear Drum		
	Impact Beams	●				●		
	3-Point ELR seatbelts (1st-row)	●	●	●	●	●	●	●
	3-Point ELR seatbelts (2nd-row)	-	-	-	●	●	-	-
	3-Point ELR seatbelts (3rd-row)	-	-	-	-	●	-	-
INTERIOR	Two-Layer Glove Box	●				●		
	Seat Material	Fabric		Vinyl	Fabric	Fabric	Vinyl	
	Cup Holders	●	●	-	●	●	-	●
EXTERIOR	Wheel Cover	-	-	-	-	●	-	-
	Front Bumper with Fog Lamp	●	●	●	●	●	●	●
	Bumper Color	Body	Body	Black	Body	Body	Body	Black
	Door Mirror Color	Body	Body	Black	Body	Body	Body	Black
FUNCTION	Front Power Window	●	●	-	●	●	-	-
	Central Door Lock	●	●	-	●	●	-	-
	Fuel Lid Opener	●	●	●	●	●	-	-
	Power Steering	●	●	-	●	●	-	●
	Radio & Single CD Player	●	●	●	●	●	●	●
	Speakers	2	2	2	2	2	2	2
	AC Cooler / Heater / Rear Cooler	●/●/●	●/●/-	-/●/-	●/●/●	●/●/●	●/●/-	-/●/-

CMC reserves the right to alter any specification without prior notice



Silver



White



White

Freezer / Refrigerator Unit

Model	Freezer	Refrigerator
		DH-100L
Temperature Range	-20°C ~ +15°C	
Refrigerant	R-134a	
Insulated Container		
Dimension	Outside(mm)	2300(L) x 1520(W) x 1441(H)
	Inside(mm)	2080(L) x 1300(W) x 1235(H) 2180(L) x 1400(W) x 1285(H)
Polyurethane Foam Panel	100mm	50mm



CMC Corporation

Overseas Business Division

No. 618, Sioucai Rd, Yangmei Township, Taoyuan County 326, Taiwan

Tel: 886-3-478-3191 Fax: 886-3-270-7780

<http://www.cmc-motor.com/>