

WORK

Light you up
 DAIHATSU

ESSENTIALS

NEW
Gran Max

Euro 4

+ MAX PERFORMANCE

+ MAX EFFICIENCY

+ MAX RELIABILITY



Don't worry
WORK HAPPY



#Daihatsu
Dependability



NEW Gran Max Euro 4

Light illuminates the darkness. This reflects Daihatsu's mission to illuminate the finer parts of customers' needs and to pursue the creation of finely tuned products and services that will make customers feel and say that a particular product or service was made especially for them, and no one else.

Light is also lightness in terms of weight or burden. This reflects the way in which Daihatsu offers mobility solutions that are lightweight in terms of the burden placed on both the global environment and on finances; solutions to match the way of life in the coming age, where people will choose only the things that they feel are truly necessary for themselves.

Directing light and lightening the load: The New Daihatsu Gran Max Euro 4 lies in these two meanings of the word light.

Delivering a "light" lifestyle to each and every person in the world. The Gran Max will become a "mobility life" planner that creates specialised and optimal solutions for each and every one of its owners; seeking to create a world in which every person can find their own unique color, and their own shining light, in everything that they do.

FOR YEARS
AND YEARS
AND YEARS
AND MORE

Don't worry
WORK HAPPY



FOOD & BEVERAGE



AGRICULTURE



TRADING



CONSTRUCTION



DELIVERY SERVICES



OTHERS

#DAIHATSUDEPENDABILITY

DO MORE WITH LESS

PICK UP YOUR PRODUCTIVITY

From wooden cargo to mobile café to frozen food van, any Gran Max pick-up is made to transport your goods and cargo safely and hassle-free.




A VAN FOR EVERY NEED


Get your business going with our range of vans that offer versatile solutions, peace of mind and reliability in fulfilling your business needs.



GRAN MAX. GRAND ADVANTAGES.



Maximised cargo efficiency



High quality service and maintenance



Highly cost-efficient operations

EURO 4

MORE EFFICIENCY

MORE RELIABILITY

DO MORE WITH LESS

| PICK-UP | PANEL VAN | PANEL VAN |
|-----------|-----------|-----------|
| 5MT | 5MT | 4AT |
| 12.5km/L* | 13.3km/L* | 13.5km/L* |

The Daihatsu Gran Max range has continued to power through the decades reliably and dependably, driving business owners to reach new heights of success.

The New Gran Max Euro 4 takes the same competent formula and advances it with new efficient technologies.

1.5L ENGINE

134NM / 4,400RPM

72KW / 6,000RPM

DVVT
INTAKE & EXHAUST
ELECTRONIC
FUEL INJECTION



“My 3 Gran Max delivery vans have been running over 180,000km already, and seriously, no problems. Satu pun takde other than the usual maintenance.”

**Azizul Othman -
Tyre Shop Tauke**

AUTOMATIC

IMPROVEMENTS

Empower your business' mobility levels with all the benefits that the Gran Max brings and add to it an ease of use like never before.

The efficient automatic transmission is available in the **Gran Max Panel Van** and **Semi Panel Van**, meaning that absolutely anyone will find themselves at ease at the wheel.

THE INDUSTRY'S FIRST 4-SPEED AUTO TRANSMISSION



“Our Gran Max Auto has made our delivery runs so much easier, especially in traffic jams. My staff, including myself, we are all just so much more comfortable driving with an automatic!”

**- Rachel Yap
Food Entrepreneur / Operator**



*The fuel consumption rate is the value under the specified test conditions and varies depending on customer's usage environment (weather, road conditions, etc.) and driving method.

BUSINESS & USER FRIENDLY

The dependable Gran Max platform has continued to receive subtle improvements throughout its lifespan, while retaining all its original characteristics.

Powered up for productivity

Electronic power steering for all cars equipped as standard.



Excellent manoeuvrability

For easy driving at all times, especially in tight and narrow spaces.



LARGE LOADING SPACE

Easy access for smoother loading & unloading.



PICK-UP VARIANTS

MAX LOADING CAPACITY **800 KG**

Beverage case

465mm (L) x 365mm (W) x 315mm (H)

accommodates

60 cases



Tangerine container

525mm (L) x 365mm (W) x 305mm (H)

accommodates

50 cases



Low floor deck

EASY ACCESS

MADE TO MOVE

Functional features that enhance the operations of your team.



PANEL VAN VARIANTS

MAX LOADING CAPACITY **750 KG**



Foliage plant
280mm (D) x 1,300mm (H)

accommodates

22 pcs



Cardboard boxes
310mm (L) x 240mm (W) x 210mm (H)

accommodates

145 pcs



Hanger rack
990mm (L) x 440mm (D) x 200mm (H)

Total quantity of

4 pcs



Low floor & wide backdoor opening



Dual-sided sliding doors

Getting on and off easily



Low steps, low floor heights and low hip point.
*430mm low step for pick-up variant

Maximised driving views




With just the right line of sight to secure a wide field of view

Excellent visibility



Wide field of view for front, left and right ensures sense of security for safer driving.

Optimised & flexible seating position



Front seat slide



Front seat reclining (for panel van only)

MAX CONTROL




NOW FEATURING
VEHICLE STABILITY CONTROL

ANTHLOCK BRAKING SYSTEM


Stay in total control and maintain maximised levels of safety for your business and its people with the Gran Max's range of essential features that provide you peace of mind.



Dual SRS Airbags: Driver & front passenger



Reverse sensor



Rear wheel drive



Best-in-class water wading: 600mm @ 10Km/h

ESSENTIAL COMFORTS

The Gran Max's clever utilisation of space continues into the cockpit, where both driver and passenger will be greeted with a simple, yet incredibly pleasing and functional experience.



Glove box designed with deep storage area



Compartmentalised centre console



Easy-to-reach storage solutions



Retractable dashboard storage drawers



Visors with quick access storage pockets



Ample amount of bottle holders



BUILT FOR FLEET BUSINESS

Versatile and adaptable. There's a Gran Max for every need.



MAX
VERSATILITY



MAX
CARGO



MAX
MEALS
ON WHEELS

MAX
FRESHNESS



MAX
SPECIALITY



Get the most out of your Daihatsu Gran Max fleet and empower it to make the most for your business.

Our Daihatsu Business Fleet Program has been made to ensure that your decision to make the Gran Max as part of your ventures will reward you year after year, after year.

For more information, kindly scan the QR code below.



BUSINESS FLEET PROGRAM

Providing comprehensive solutions & service support for your Gran Max fleet.



Range of Vehicle Solutions

Our Gran Max range of light commercial vehicles from panel vans to pick-ups with 17 body applications and other medium to heavy segment models.



Sales & Service Incentive Program

- Special rebates towards new purchase of Gran Max fleet.
- Special discounts on parts purchase and more exclusively with Daihatsu Malaysia.



Extended Vehicle Warranty Service

5 Years / 150,000km* standard manufacturer warranty for better protection and peace of mind.



Maintenance Service Contract

Personalised service maintenance plan with an additional value-added services.



Service Credit Term Facilities

Up to RM10,000 with 30 days credit term for vehicle maintenance (upon application).



Daihatsu Mobile Service

Dedicated on-site vehicle service exclusively for Daihatsu fleet customer with no additional charges.



Drivers Safety Training Program

Effective fleet and drivers safety program aimed to improve personal driving skills, road safety culture, vehicle upkeep and longer uptime.



24/7 Road Assist

Daihatsu 24 hours round-the-clock road assist program benefits include towing services, minor roadside repair and etc.



Accident Repair & Insurance Claim Service

Single point of contact automotive repair center and insurance claims to ensure total customer satisfaction and confidence.

SPECIFIED FOR SUCCESS

| TECHNICAL SPECIFICATIONS | GRAN MAX PICK-UP (MT) | |
|------------------------------------|--|-----------|
| ENGINE | 1.5L | |
| Emission Level | EURO 4 | |
| Engine Code | 2NR-VE | |
| Engine Type | Petrol, 4 cylinder, DOHC, 16-Valve, DVVT | |
| Bore X Stroke | 72.5 mm x 90.6 mm | |
| Total Displacement | 1496 cc | |
| Compression Ratio | 11.5 | |
| Max. Output | 72 kW / 6000 rpm | |
| Max. Torque | 134 Nm / 4400 rpm | |
| Fuel System | Electronic Fuel Injection | |
| Fuel Tank Capacity | 43 Litres | |
| DIMENSION | | |
| Overall Length | 4195 mm | |
| Overall Width | 1675 mm | |
| Overall Height | 1880 mm | |
| Wheelbase | 2650 mm | |
| Track - Front | 1460 mm | |
| Track - Rear | 1440 mm | |
| Min. Road Clearance | 190 mm | |
| Load Deck Length | 2350 mm | |
| Load Deck Width | 1585 mm | |
| Load Deck Height | 360 mm | |
| Load Deck Floor Height from Ground | 755 mm | |
| Kerb Weight | 1090 mm | |
| Gross Vehicle Weight | 2100 kg | |
| Min. Turning Radius (Kerb to Kerb) | 4.9 m | |
| TRANSMISSION | | |
| Drivetrain | Rear Wheel Drive | |
| Clutch Type | Dry Single Plate Diaphragm Spring | |
| Gear Box | Forward 5-Speed Manual, All Synchronesh | |
| Gear Ratio | I. 4.059 | IV. 1.000 |
| | II. 2.045 | V. 0.838 |
| | III. 1.376 | R. 4.128 |
| | 5.571 | |
| Final Gear Ratio | 5.571 | |
| SAFETY AND SECURITY | | |
| Vehicle Stability Control (VSC) | With | |
| Anti-Lock Braking System (ABS) | With | |
| Dual SRS Airbags System | Driver & Passenger | |
| Reverse Sensor | With | |
| Immobilizer | With | |
| Alarm System | With | |
| Central Locking System | With | |
| Steering Column | Collapsible | |
| 3-Point Pretensioner Seatbelts | With | |
| OTHERS | | |
| Steering Type | Electronic Power Steering | |
| Brake System | Hydraulic, Front-rear Split Circuit with ABS | |
| Brake - Front | 14-inch Ventilated Disc Brakes | |
| Brake - Rear | Drum Brakes, Leading and Trailing | |
| Parking Brake | Lever-type Parking Brake | |
| Aircond System | Denso | |
| Audio System | JVC Kenwood | |
| Suspension - Front | MacPherson Strut with Coil Spring | |
| Suspension - Rear | Leaf Spring | |
| Tyre Size | 175R14C | |
| Seating Capacity | 2 persons | |

Note: All information stated is correct at time of printing and subject to change without prior notice.

← OPENING SIZE
→ LOAD DECK SIZE




ENGINEERED FOR EXCELLENCE

| TECHNICAL SPECIFICATIONS | GRAN MAX PANEL VAN (MT) | | GRAN MAX PANEL VAN (AT) | |
|-------------------------------------|--|-----------|--------------------------------|-----------|
| ENGINE | 1.5L | | | |
| Emission Level | EURO 4 | | | |
| Engine Code | 2NR-VE | | | |
| Engine Type | Petrol, 4 cylinder, DOHC, 16-Valve, DVVT | | | |
| Bore X Stroke | 72.5 mm x 90.6 mm | | | |
| Total Displacement | 1496 cc | | | |
| Compression Ratio | 11.5 | | | |
| Max. Output | 72 kW / 6000 rpm | | | |
| Max. Torque | 134 Nm / 4400 rpm | | | |
| Fuel System | Electronic Fuel Injection | | | |
| Fuel Tank Capacity | 43 Litres | | | |
| DIMENSIONS | | | | |
| Overall Length | 4045 mm | | | |
| Overall Width | 1665 mm | | | |
| Overall Height | 1930 mm | | | |
| Wheelbase | 2650 mm | | | |
| Track - Front | 1460 mm | | | |
| Track - Rear | 1440 mm | | | |
| Min. Road Clearance | 180 mm | | | |
| Cargo Area Length | 2075 mm | | | |
| Cargo Area Width | 1495 mm | | | |
| Cargo Area Height | 1340 mm | | | |
| Cargo Area Floor Height From Ground | 620 mm | | | |
| Kerb Weight | 1180 kg | | | |
| Gross Vehicle Weight | 2000 kg | | | |
| Min. Turning Radius (Kerb to Kerb) | 4.9 m | | | |
| TRANSMISSION | | | | |
| Drivetrain | Rear Wheel Drive | | | |
| Clutch Type | Dry Single Plate Diaphragm Spring | | | |
| Gear Box | Forward 5-Speed Manual, All Synchronesh | | Forward 4-Speed Full Automatic | |
| | I. 4.059 | IV. 1.000 | I. 2.731 | IV. 0.696 |
| Gear Ratio | II. 2.045 | V. 0.838 | II. 1.526 | - |
| | III. 1.376 | R. 4.128 | III. 1.000 | R. 2.290 |
| | 5.125 | | | |
| Final Gear Ratio | 5.125 | | | |
| SAFETY AND SECURITY | | | | |
| Vehicle Stability Control (VSC) | With | | | |
| Anti-Lock Braking System (ABS) | With | | | |
| Dual SRS Airbags System | Driver & Passenger | | | |
| Reverse Sensor | With | | | |
| Immobilizer | With | | | |
| Alarm System | With | | | |
| Central Locking System | With | | | |
| Steering Column | Collapsible | | | |
| 3-Point Pretensioner Seatbelts | With | | | |
| OTHERS | | | | |
| Steering Type | Electronic Power Steering | | | |
| Brake System | Hydraulic, Front-rear Split Circuit with ABS | | | |
| Brake - Front | 14-inch Ventilated Disc Brakes | | | |
| Brake - Rear | Drum Brakes, Leading and Trailing | | | |
| Parking Brake | Lever-type Parking Brake | | | |
| Aircond System | Denso | | | |
| Audio System | JVC Kenwood | | | |
| Suspension - Front | MacPherson Strut with Coil Spring | | | |
| Suspension - Rear | 5-Link Coil Spring | | | |
| Tyre Size | 165R14C | | | |
| Seating Capacity | 2 persons | | | |

Note: All information stated is correct at time of printing and subject to change without prior notice.

← OPENING SIZE
→ CARGO AREA SIZE



Light you up



GRAN MAXIMIZE YOUR BUSINESS

If you're not moving towards the future,
you're already left behind.



Daihatsu Malaysia reserves the right to alter any details of specifications and equipment without notice.
Details of specifications and equipment are also subject to change to suit local conditions and requirements.

DAIHATSU (MALAYSIA) SDN BHD (19800100154)

(A subsidiary of MBM Resources Berhad - 199301029757)

Customer Hotline: 03-5510 1399



**100,000KM
PROTECTION**

   [daihatsumalaysia](#)
www.daihatsu.com.my