


HONDA CIVIC CRX Si



CIVIC CRX Si



Power operated sunroof that opens above the
so there's no loss of headroom.

4 cylinder overhead cam 12 valve electronically fuel
injected engine. It makes the CRX Si fly.



think of it as a bomb and your right foot as the trigger. The CRX Si has an acceleration equal to (you're not going to believe this) a Porsche 944. (ROAD & TRACK'S "Guide to Sports & GT Cars," 1986).

And the CRX Si's silky smooth 5 speed manual transmission and competitively proven suspension takes little wonder through its paces like nothing you've experienced before. So, experience one now.


Just walking around the CRX Si's aerodynamically designed fuselage and sitting in the no-nonsense cockpit should convince you that this is the right stuff.

HONDA

Today's answer.

Ergonomically shaped seats. Plenty of leg room. And a sophisticated instrument panel.

Rear suspension system incorporating space-efficient trailing link, beam axle design and a rear stabilizer bar.



Remember your seat belts. It's a simple fact of life.

SPECIFICATIONS

GENERAL	Front wheel drive, single overhead cam engine, transversely mounted unitized body construction	EXTERIOR
ENGINE TYPE	Four in line, single overhead cam, liquid cooled	Front stone guard
Displacement	1488 cc	Shock-absorbing corrosion resistant bumper cover and lower skirt, front and rear
Cylinder Arrangement	4 in line	Body coloured bumpers and side sills
Horsepower	91 @ 5500 rpm	Front spoiler
Torque	12.8 @ 4500 rpm	Rear spoiler
Compression Ratio	8.7:1	Corrosion resistant front inner fenders
Valve Train	Belt driven, single overhead camshaft 12 valve (2 intake-1 exhaust-per cylinder)	Special protective paint on lower side panels
Fuel Delivery	Honda PGM FI Sequential Fuel Injection	Flush-mounted headlights
FUEL	Regular grade with 91 RO# or higher	Flush-mounted windows and doors
TRANSMISSION		Locking fuel filler door
Standard manual	5 speed	Intermittent front wiper
SUSPENSION		Rear window washer/wiper
Front	McPherson Strut, lower lateral arms, torsion bars, tube shocks, anti-roll bar	Tinted glass
Rear	Rear beam axle with integral anti-roll bar, trailing arms, panhard rod, coil springs, tube shocks	Power sunroof
STEERING		Twin chrome tailpipe extension
Type	Rack and Pinion	Remote-operated dual mirrors
Turning Circle	9.4 m/30.8 ft.	
BRAKES		INTERIOR
Type	Self-adjusting, power-assisted with dual diagonal circuits	Full interior carpet
Front	Ventilated disc	Courtesy light
Rear	Self-adjusting power-assisted leading trailing shoe drum type	Coin box
TIRES		Trip odometer
Type	Yokohama	4 speed fan and heavy duty heater
Size	185/60R14	Side window defroster
DIMENSIONS		Electric rear window defroster
Wheelbase	2200 mm/86.6 in.	Remote hatch release
Length	3755 mm/147.8 in.	Tachometer
Width	1625 mm/63.9 in.	Digital clock
Height	1290 mm/50.7 in.	Personal lockable trunk box
Tread-front/rear	1400 mm/1415 mm, 55.1 in./55.7 in.	
CURB WEIGHT		
Manual transmission	897 Kg.	
SEATING CAPACITY	2	
FUEL TANK CAPACITY	41.0 litres/9.0 Imp. Gal.	
COLOUR		
Exterior/Interior	Blackburn/Black Rio Red/Black	

THE HONDA NO SMALL PRINT WARRANTY



The Honda No Small Print Warranty takes the incredible value of any Honda automobile you invest in. And increases it.

For 5 long years, or 80,000 km, (whichever comes first) the major component warranty covers a veritable catalogue of parts that many other manufacturers simply wouldn't consider.

Everything from engine blocks to doorlocks.

There's no deductible for each repair covered by warranty. It's completely transferable with minimal charge.

You're covered for surface corrosion 2 years, perforation 5 years. Emission control devices are covered for 5 years, or 80,000 km (whichever comes first). The Honda No Small Print Warranty. See your Honda Dealer for complete details. It lets you stay proud of your Honda for a long, long time.

All information stated in the catalogue is believed to be accurate at time of printing. Specifications, materials and colours subject to change and availability without notice. While every care is taken to reproduce colours, due to limitations of printing processes, colours rendered in the catalogue may not faithfully represent true colours on road.