




XL7 HERMINE





Generous luggage space with luggage board

Max Volume	803 L	
3 rd row seatback folded, luggage board lowered	550 L	

^{*} VDA Method







Third Row Seats

The 50-50 split third row seats can be individually reclined up to 16 degrees with several reclining angle allowing for maximum comfort for the passenger



Accessing the third row seats is also as easy as 1-2-3 with the walk-in mechanism on the 2nd row seat

Convenient and Comfort Features

- Front armrest with storage
- 2 2nd row smartphone holder
- 3 Banknote/coin holder with partition
- Door pockets with 1L bottle holder
- 5 Third row accessory socket with 1L bottle holder





Fuel efficient K15B engine with Suzuki's Hybrid technology

The Hybrid system recharges the battery with electricity generated by deceleration energy, stops unnecessary power generation during cruising, and reduces engine load during fuel-consuming standing starts and acceleration. It saves fuel while delivering spirited response.





The smoothly curving frame increases underbody stiffness that delivers excellent fundamental vehicle performance while also contributing to collision safety by efficiently dispersing energy.

Aerodynamics Computer-aided engineering and wind-tunnel testing ensures a low drag coefficient for excellent aerodynamic performance and fuel economy.

Safety and Environmental Capability

Automatic Lamps



The headlamps automatically go off when the car exits a tunnel.





SRS Airbag System





Reverse Parking Sensors and Camera

With Hill Hold Control



Hill Hold Control

Engine Auto Stop Start System

MAJOR SPECIFICATIONS DIMENSIONS GLX Overall Length mm 4.450 1,775 Overall Width mm mm Overall Height Wheelbase Thread mm 2.740 1,520 1,535 Front mm Rear mm Minimum turning radius
Minimum ground clearance
CAPACITY 5.2 200 m mm Seating Capacity Fuel Tank persons 45 Liters ENGINE K15B w/ ISG Type Number of cylinders Number of valves 16 1,462 cc kW(ps)/rpm Piston displacement Maximum output 77 (104.8) / 6,000 138 / 4,400 Maximum torque N-m/rpm Fuel distribution Multipoint injection HYBRID SYSTEM 12V Hybrid Hybrid System Battery Capacity (Lithium-ion) 0.72 kWh Electric Motor Max Output Electric Motor Max Torque 1.768 kW 50 N-m TRANSMISSION 4AT Type CHASSIS

kg

kg

MAJOR FOLLIPMENTS

Kerb weight (min./with full options)

Front

Rear

Front

Rear

Steering

Suspension

Gross vehicle weight

Brakes

Tyres

Wheels WEIGHTS

MAJOR EQUIPMENTS			
VISIBILITY			
Headlamps	LED	S	
Automatic lamps	1 333 1333 14 58		S
Rear combination lamps	LED with light guide		S
Front Fog Lamps			S
DRL			S
Wipers	Front: 2 speed (low, high) + intermittent + washer		S
	Rear: 1 speed + washer		S
Outside door mirrors	Electric adjust		S
	Electric fold		S
	With built-in turn signal lamp		S
DRIVING AMENITIES			
Electric windows		The state of the s	S
Central door locking			S
Remote-control door locks			S
Keyless push start system			S
Air conditioner	Front automatic		S
	Rear manual		S
	Heater		S
	Pollen filter		S
Audio	10" Touchscreen Infotainment Audio		S
radio	GPS Navigation System	GPS Navigation System	
	Connectivity	Bluetooth	S
	SOUCH MARKEN PARCENTS	USB	S
		Apple Carplay	S
		Android Auto	S
Front speakers x 2	S		
Rear speakers x 2			S
Front tweeters x 2			S
Antenna (mounted at front of roof)			s
Cruise control			S
SAFETY, SECURITY, AND ENVIRONMENT	TAL COMPATIBILITY		
Engine Auto Stop Start System			S
SRS front dual airbag			S
Seatbelts	Front: 3-point ELR seatbelts with pretensioners and force limiters		S
	2nd row: 3-point ELR seatbelts x2 with centre 2-point lapbelt		S
	3rd row: 3-point ELR seatbelts x2		S
ISOFIX lower anchorage	x2		S
ISOFIX top tether anchorage	x2		s
Childproof rear door locks			
Side impact door beams			s s
Anti-lock Brake System with Electronic Brakeforce Distribution			S
Electronic Stability Progam®			S
Hill hold control			S
AT shift lock / key interlock			S
High-mount stop lamp	LED		S
Rear parking sensors	2 sensor		S
Reverse Camera			S
Immobiliser			S
ccurity alarm Door sensing			S

New Two-tone Colors

AVAILABLE COLORS



Savanna Ivory Metallic/ Cool Black Pearl Metallic



Rising Orange Pearl Metallic/ Cool Black Pearl Metallic



Magma Gray Metallic



Rack & Pinion

Ventilated Disc

Drum, Leading and trailing

Macpherson strut with coil spring

Torsion beam with coil spring

195/60R16 Polished Alloy Wheels

1,200

1,740

Brave Khaki Pearl



Snow White Pearl



Specifications on this brochure are based on the latest available information at the time of production. Photos and Colors in this brochure do not exactly match actual vehicle due to the printing process. Please consult your authorized Suzuki dealer on vehicle specifications.

For inquiries, please contact: